

PLAY [webservers] \*\*\*\*\*

TASK [Gathering Facts] \*\*\*\*\*  
ok: [192.168.43.206]

TASK [webrole : Installing The WebServer] \*\*\*\*\*  
ok: [192.168.43.206]

TASK [webrole : Installing PHP Interpreter] \*\*\*\*\*  
ok: [192.168.43.206]

TASK [webrole : Copying content to the webserver] \*\*\*\*\*  
changed: [192.168.43.206]

TASK [webrole : Starting the webservice] \*\*\*\*\*  
ok: [192.168.43.206]

PLAY [lbserver] \*\*\*\*\*

TASK [Gathering Facts] \*\*\*\*\*  
ok: [192.168.43.204]

TASK [lbrole : Installing haproxy Package] \*\*\*\*\*  
ok: [192.168.43.204]

TASK [lbrole : Installing The haproxy Configuration File] \*\*\*\*\*

OK: [192.168.43.204]

PLAY RECAP \*\*\*\*\*

192.168.43.204 : ok=4 changed=0 unreachable=0 failed=0 skipped=0 rescued=0

ignored=0

192.168.43.206 : ok=5 changed=1 unreachable=0 failed=0 skipped=0 rescued=0

ignored=0

PLAY RECAP \*\*\*\*\*

192.168.43.161 : ok=5 changed=2 unreachable=0 failed=0 skipped=0 rescued=0

ignored=0

192.168.43.204 : ok=5 changed=2 unreachable=0 failed=0 skipped=0 rescued=0

ignored=0

192.168.43.206 : ok=5 changed=0 unreachable=0 failed=0 skipped=0 rescued=0

ignored=0

```
TX packets 0 bytes 0 (0.0 B)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
docker0: flags=4099 mtu 1500
inet 172.17.0.1 netmask 255.255.0.0 broadcast 172.17.255.255
ether 02:42:bf:23:bc:b5 txqueuelen 0 (Ethernet)
RX packets 0 bytes 0 (0.0 B)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 0 bytes 0 (0.0 B)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

Webserver1 IP

```
enp0s3: flags=4163 mtu 1500
inet 192.168.43.161 netmask 255.255.255.0 broadcast 192.168.43.255
inet6 fe80::aba4:f85d:1588:77ef prefixlen 64 scopeid 0x20
inet6 2409:4053:210e:8282:4d1b:65a0:17ac:6a22 prefixlen 64 scopeid 0x0
ether 08:00:27:dd:95:da txqueuelen 1000 (Ethernet)
RX packets 6483 bytes 3555239 (3.3 MiB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 32025 bytes 2017709 (1.9 MiB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
lo: flags=73 mtu 65536
inet 127.0.0.1 netmask 255.0.0.0
inet6 ::1 prefixlen 128 scopeid 0x10
loop txqueuelen 1000 (Local Loopback)
RX packets 41481 bytes 3650328 (3.4 MiB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 41481 bytes 3650328 (3.4 MiB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

← → ↺

Not secure | 192.168.43.204:8080/index.php

🔍 ☆

Apps

YouTube

Maps

News

Gmail

moviego.ch at WL...

Class Dashboard - ...

ix errors 0 dropped 0 overruns 0 carrier 0 collisions 0

enp0s3: flags=4163 mtu 1500  
inet 192.168.136.10 netmask 255.255.255.0 broadcast 192.168.136.255  
inet6 fe80::9104:450d:ef42:bbb5 prefixlen 64 scopeid 0x20  
ether 08:00:27:3e:7f:91 txqueuelen 1000 (Ethernet)  
RX packets 445 bytes 102861 (100.4 KiB)  
RX errors 0 dropped 0 overruns 0 frame 0  
TX packets 243 bytes 44984 (43.9 KiB)  
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

enp0s8: flags=4163 mtu 1500  
inet 192.168.43.206 netmask 255.255.255.0 broadcast 192.168.43.255  
inet6 2409:4053:210e:8282:500:9bd7:2f42:870a prefixlen 64 scopeid 0x0  
inet6 fe80::8aa5:7237:842d:41b4 prefixlen 64 scopeid 0x20  
ether 08:00:27:04:fc:3f txqueuelen 1000 (Ethernet)  
RX packets 80579 bytes 27798812 (26.5 MiB)  
RX errors 0 dropped 0 overruns 0 frame 0  
TX packets 26126 bytes 3756548 (3.5 MiB)  
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

Webserver2 IP with Bridge

Adppter