



# **INDEX**

| SR.<br>NO. | Practicals   | Date     | Signature |
|------------|--|----------|-----------|
| 1.         | Write a program to compute the following for a given a network:(i) number of edges, (ii) number of nodes; (iii) degree of node; (iv)node with lowest degree; (v) the adjacency list; (vi) matrix of the graph.         | 03/07/24 |           |
| 2.         | Perform following tasks: (i) View data collection forms and/or import one-mode/two-mode datasets; (ii) Basic Networks matrices transformations   | 10/07/24 |           |
| 3.         | For a given network find the following: (i)Length of the shortest path from a given node to another node; (ii) the density of the graph; (iii) Draw egocentric network of node G with chosen configuration parameters. | 28/07/24 |           |
| 4.         | Compute the following node level measures: (i) Density; (ii) Degree; (iii) Reciprocity; (iv) Transitivity; (v) Centralization; (vi) Clustering.  | 1/08/24  |           |
| 5.         | Write a program to distinguish between a network as a matrix, a network as an edge list, and a network as a sociogram (or "network graph") using 3 distinct networks representatives of each.                          | 12/08/24 |           |
| 6.         | Write a program to exhibit structural equivalence, automorphic equivalence, and regular equivalence from a network.  | 26/08/24 |           |
| 7.         | Perform SVD analysis of a network.   | 3/09/24  |           |
| 8.         | Displaying Bipartite network in the graph format.  | 17/09/24 |           |
| 9.         | Hamming distance.  | 05/10/24 |           |





# Practical No. 1

Aim: Write a program to compute the following for a given a network:(i) number of edges, (ii) number of nodes; (iii) degree of node; (iv)node with lowest degree; (v) the adjacency list; (vi) matrix of the graph.

| Name: Vishal Waikar | Roll No.: KFPMSCCS021 |
|---------------------|-----------------------|
| Date: 03/07/24      | Sign:                 |

### Code:

```
>library(igraph)
>g <- graph.formula(1-2, 1-3, 2-3, 2-4, 3-5, 4-5, 4-6, 4-7, 5-6, 6-7)
```

### Name of Edges & Nodes

> V(g)

> E(g)

### Plotting the graph

> plot(g)

```
'/tmp/RtmpHaCX3M/downloaded_packages'
Warning message:
In download.file(url, destfile = f, quiet = TRUE):
URL 'https://cran.r-project.org/CRAN_mirrors.csv': status was 'Could not connect to server'
> library(igraph)

Attaching package: 'igraph'


The following objects are masked from 'package:stats':
    decompose, spectrum

The following object is masked from 'package:base':
    union
> library(igraph)
> g <- graph.formula(1-2, 1-3, 2-3, 2-4, 3-5, 4-5, 4-6,4-7, 5-6, 6-7)
> V(g)
+ 7/7 vertices, named, from 0d64e00:
[1] 1 2 3 4 5 6 7
> E(g)
+ 10/10 edges from 0d64e00 (vertex names):
[1] 1--2 1--3 2--3 2--4 3--5 4--6 4--7 5--6 6--7
> plot(g)

| 10/10 edges from 0d64e00 (vertex names):
```







### Directed graph

> dg <- graph.formula(1-+2, 1-+3, 2++3)





### **Graph with names**

> dg1 <- graph.formula(Sam-+Mary, Sam-+Tom, Mary++Tom) > plot(dg1)

```
~:R — Konsole

Natural language support but running in an English locale

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

> library(igraph)

Attaching package: 'igraph'

The following objects are masked from 'package:stats':
    decompose, spectrum


The following object is masked from 'package:base':
    union


> library(igraph)

> dg1 <- graph.formula(Sam-+Mary, Sam-+Tom, Mary++Tom)

> plot(dg1)

■
```





**Number of vertices/node:** 





> vcount(g)

### Number of edges/dyad/ties:

> ecount(g)


```
decompose, spectrum

The following object is masked from 'package:base':

union

> library(igraph)
> dg1 <- graph.formula(Sam-+Mary, Sam-+Tom, Mary++Tom)
> plot(dg1)
>
> g <- graph.formula(1-2, 1-3, 2-3, 2-4, 3-5, 4-5, 4-6,4-7, 5-6, 6-7)
> V(g)
+ 7/7 vertices, named, from 18df649:
[1] 1 2 3 4 5 6 7
> E(g)
+ 10/10 edges from 18df649 (vertex names):
[1] 1--2 1--3 2--3 2--4 3--5 4--6 4--7 5--6 6--7
> veount(g)
[1] 7
> ecount(g)
[1] 10
> }

| 10
```







> degree(g)

### **In-degree**

> degree(dg, mode="in")

### **Out-degree**

> degree(dg, mode="out")

### Node with lowest degree

>V(dg)\\$name[degree(dg)==min(degree(dg))]

### Node with highest degree

> V(dg)\$name[degree(dg)==max(degree(dg))]

```
> ecount(g)
[1] 10
>
> degree(g)
1 2 3 4 5 6 7
2 3 3 4 3 3 2
> degree(dg, mode="in")
Error: object 'dg' not found
> dg <- graph.formula(1-+2, 1-+3, 2++3)
> degree(dg, mode="in")
1 2 3
0 2 2
> degree(dg, mode="out")
1 2 3
2 1 1
> V(dg)$name[degree(dg)==min(degree(dg))]
[1] "1"
> V(dg)$name[degree(dg)==max(degree(dg))]
[1] "2" "3"
> neighbors(g,5)
```

### To find neighbours / adjacency list:

```
> neighbors(g,5)
```

<sup>&</sup>gt; neighbors(g,2)

<sup>&</sup>gt; get.adjlist(dg)

<sup>&</sup>gt; get.adjacency(g)





```
union

> g <- graph.formula(1-2, 1-3, 2-3, 2-4, 3-5, 4-5, 4-6, 4-7, 5-6, 6-7)

> neighbors(g,5)
+ 3/7 vertices, named, from 2ae182b:
[1] 3 4 6
> neighbors(g,2)
+ 3/7 vertices, named, from 2ae182b:
[1] 1 3 4
> dg <- graph.formula(1-+2, 1-+3, 2++3)
> get.adjlist(dg)

* 1'
+ 2/3 vertices, named, from 7607267:
[1] 2 3

* 2'
+ 3/3 vertices, named, from 7607267:
[1] 1 3 3

* 3'
+ 3/3 vertices, named, from 7607267:
[1] 1 2 2
```

### **Adjacency Matrix**

> get.adjacency(g)

```
-:R - Konsole

> get.adjacency(g)
7 x 7 sparse Matrix of class "dgCMatrix"
1 2 3 4 5 6 7
1 . 1 1 . . .
2 1 . . 1 1 . .
3 1 1 . . 1 .
4 . 1 . . 1 1 1
5 . . 1 1 . .
6 . . . 1 2 . .
Warning message:
'get.adjacency(g) was deprecated in igraph 2.0.0.
i Please use 'as_adjacency_matrix()' instead.
This warning is displayed once every 8 hours.
Call 'lifecycle::last_lifecycle_warnings()' to see where this warning was generated.
> get.adjacency(g)
7 x 7 sparse Matrix of class "dgCMatrix"
1 2 3 4 5 6 7
1 . 1 1 . .
3 1 1 . . 1 .
4 . 1 . . 1 1 1
5 . . . 1 1 . .
6 . . . 1 1 . .
6 . . . 1 1 . .
7 . . . 1 . 1 .
```



# HSNC UNIVERSITY, MUMBAI KISHINCHAND CHELLARAM COLLEGE



M. Sc Computer Science Semester 3 (2024 – 25)

| Practical No. 2   |                       |  |
|---|-----------------------|--|
| Aim: Perform following tasks: (i) View data collection forms and/or import one-mode/two-mode datasets; (ii) Basic Networks matrices transformations |                       |  |
| Name: Vishal Waikar   | Roll No.: KFPMSCCS021 |  |
| Date: 10/07/24  | Sign:                 |  |

### Note:

Where your working directory is set at this moment > getwd()

R now knows exactly in which folder you're working. > setwd("<location of your dataset>")

### Reading data from a csv file

- > nodes <- read.csv("Dataset1-Media-Example-NODES.csv", header=T, , as.is=T)
- > head(nodes)
- > links <- read.csv("Dataset1-Media-Example-EDGES.csv", header=T, as.is=T)
- > head(links)

```
netscix2016 : R — Konsole
                                                                                                                                     • •
[1] "/home/stxari"
  setwd("/home/stxari/Downloads/netscix2016")
> >nodes <- read.csv("Datasetl-Media-Example-NODES.csv", header=T, , as.is=T)
Error: unexpected '>' in ">"
> nodes <- read.csv("Dataset1-Media-Example-NODES.csv", header=T, , as.is=T)</pre>
> head(nodes)
                         media media.type type.label audience.size
                    NY Times
                                            1 Newspaper
2 s02
            Washington Post
                                            1 Newspaper
                                                                          25
3 s03 Wall Street Journal
                                            1 Newspaper
                                                                          30
                  USA Today
4 s04
                                            1 Newspaper
                                                                          32
                    LA Times
5 s05
                                            1 Newspaper
                                                                          20
  s06
              New York Post
                                            1 Newspaper
> links <- read.csv("Dataset1-Media-Example=EDGES.csv", header=T, as.is=T)
Error: unexpected invalid token in "links <- read.csv(""
> links <- read.csv("Dataset1-Media-Example=EDGES.csv", header=T, as.is=T)</pre>
  head(links)
   from to weight
   s01 s02
                   10 hyperlink
    s01 s02
                   12 hyperlink
    s01 s03
                   22 hyperlink
                  21 hyperlink
    s01 s04
    s04 s11
                         mention
```






- > net <- graph.data.frame(d=links, vertices=nodes, directed=T)
- > m=as.matrix(net)
- >get.adjacency(m)
- >plot(net)

```
netscix2016:R — Konsole

netscix2016:R — Konso
```





# HSNC UNIVERSITY, MUMBAI KISHINCHAND CHELLARAM COLLEGE



# M. Sc Computer Science Semester 3 (2024 – 25)

| Practical No. 3   |                       |  |
|---|-----------------------|--|
| Aim: For a given network find the following: (i)Length of the shortest path from a given node to another node; (ii) the density of the graph; (iii) Draw egocentric network of node G with chosen configuration parameters. |                       |  |
| Name: Vishal Waikar   | Roll No.: KFPMSCCS021 |  |
| Date: 28/07/24  | Sign:                 |  |

### **Density**

> vcount(g)

> ecount(g)

> ecount(g)/(vcount(g)\*(vcount(g)-1))

```
Type 'demo()' for some demos, 'help()' for on-line help, or 'help.start()' for an HTML browser interface to help.

Type 'q()' to quit R.

> library(igraph)

Attaching package: 'igraph'

The following objects are masked from 'package:stats':

    decompose, spectrum

The following object is masked from 'package:base':

    union

> g <- graph.formula(1-2, 1-3, 2-3, 2-4, 3-5, 4-5, 4-6, 4-7, 5-6, 6-7)

> voount()g

Error: unexpected symbol in "vcount()g"

> voount(g)

[1] 7

> ecount(g)

[1] 10

> ecount(g)/(vcount(g)*(vcount(g)-1))

[1] 0.2380952

> ■
```






### **Degree**

degree(net)

### Reciprocity

```
> dg <- graph.formula(1-+2, 1-+3, 2++3)
```

- > plot(dg)
- > reciprocity(dg)







### Formula as per text book

- > dyad.census(dg)
- > 2\*dyad.census(dg)\$mut/ecount(dg)

```
netscix2016:R — Konsole

netscix2016:R — Kons
```






### **Transitivity**

- > kite <- graph.famous("Krackhardt\_Kite")
- > atri <- adjacent.triangles(kite)
- > plot(kite, vertex.label=atri)
- > transitivity(kite, type="local")
- > adjacent.triangles(kite) / (degree(kite) \* (degree(kite)-1)/2)

```
netscix2016: R — Konsole

`dyad.census()` was deprecated in igraph 2.0.0.
i Please use 'dyad_census()` instead.
This warning is displayed once every 8 hours.
Call 'lifecycle::last_lifecycle_warnings()` to see where this warning was generated.
> 2*dyad.census(dg)$mut/ecount(dg)
[1] 0.5
>
> kite <- graph.famous("Krackhardt_Kite")
> atri <- adjacent.triangles(kite)
Warning message:
'adjacent.triangles()` was deprecated in igraph 2.0.0.
i Please use 'count_triangles()` instead.
This warning is displayed once every 8 hours.
Call `lifecycle::last_lifecycle_warnings()` to see where this warning was generated.
> plot(kite, vertex.label=atri)
> transitivity(kite, type="local")
[1] 0.6666667 0.6666667 1.0000000 0.5333333 1.0000000 0.5000000 0.5000000
[8] 0.3333333 0.0000000 NaN

> adjacent.triangles(kite) / (degree(kite) * (degree(kite)-1)/2)
[1] 0.6666667 0.6666667 1.0000000 0.5333333 1.0000000 0.5000000 0.50000000
[8] 0.3333333 0.0000000 NaN
```



### Centralization





### **Degree of centrality**

> centralization.degree(net, mode="in", normalized=T)

### **Closeness Centralization**

- > closeness(net, mode="all", weights=NA)
- > centralization.closeness(net, mode="all",normalized=T)

### **Betweeness Centrality**

- > betweenness(net, directed=T, weights=NA)
- > edge.betweenness(net, directed=T, weights=NA)
- > centralization.betweenness(net, directed=T, normalized=T)

### **Eigenvector centrality**

> centralization.evcent(net, directed=T, normalized=T)

### Clustering

- > plot(kite)
- > get.adjedgelist(kite, mode = c("all", "out", "in", "total"))

```
netscix2016:R — Konsole

Call `lifecycle::last_lifecycle_warnings()` to see where this warning was generated.
> centralization.betweenness(net, directed=T, normalized=T)

$res

[1] 26.857143 6.238095 126.511905 92.642857 13.000000 20.333333

[7] 1.759000 21.000000 1.000000 15.000000 0.000000 33.500000

[13] 20.000000 4.000000 5.666667 0.000000 58.500000

$centralization
[1] 0.4439329

$theoretical_max
[1] 3840

Warning message:
`centralization.betweenness()` was deprecated in igraph 2.0.0.
i Please use `centr_betw()` instead.
This warning is displayed once every 8 hours.
Call `lifecycle::last_lifecycle_warnings()` to see where this warning was generated.
> centralization.evcent(net, directed=T, normalized=T)

$vector
[1] 0.7694528 0.5623895 1.0000000 0.8569443 0.3049992 0.9285033 0.1025656
[8] 0.3362816 0.4696841 0.6510633 0.6361813 0.6479337 0.2674341 0.2289017
[15] 0.3277070 0.2831928 0.7125008
```





```
warning message:
'centralization.evcent()' was deprecated in igraph 2.0.0.
i Please use 'centr_eigen()' instead.
This warning is displayed once every 8 hours.
Call 'lifecycle::last_lifecycle_warnings()' to see where this warning was generated.
> plot(kite)

> get.adjedgelist(kite, mode = c("all", "out", "in", "total"))

[[1]]
+ 4/18 edges from dc8536a:
[1] 1-2 1-3 1-4 1-6

[[2]]
+ 4/18 edges from dc8536a:
[1] 1-2 2-4 2-5 2-7

[[3]]
+ 3/18 edges from dc8536a:
[1] 1-3 3-4 3-6

[[4]]
+ 6/18 edges from dc8536a:
[1] 1-4 2-4 3-4 4-5 4-6 4-7
```



# HSNC UNIVERSITY, MUMBAI KISHINCHAND CHELLARAM COLLEGE



### M. Sc Computer Science Semester 3 (2024 – 25)


| Practical No. 4  |                       |  |
|--|-----------------------|--|
| Aim: Compute the following node level measures: (i) Density; (ii) Degree; (iii) Reciprocity; (iv) Transitivity; (v) Centralization; (vi) Clustering. |                       |  |
| Name: Vishal Waikar  | Roll No.: KFPMSCCS021 |  |
| Date: 1/08/24  | Sign:                 |  |

### Length of the shortest path from a given node to another node.

```
> library(igraph)
> matt <- as.matrix(read.table(text= "node R S T U
R 7 5 0 0
S 7 0 0 2
T 0 6 0 0
U 4 0 1 0", header=T))
> nms <- matt[,1 ]
> matt <- matt[, -1]
> colnames(matt) <- rownames(matt) <- nms
> matt[is.na(matt)] <- 0
> g <- graph.adjacency(matt, weighted=TRUE)
> plot(g)
```








- > s.paths <- shortest.paths(g, algorithm = "dijkstra")
- > print(s.paths)
- > shortest.paths(g, v="R", to="S")
- >plot(g, edge.label=E(g)\$weight)

```
> g <- graph.adjacency(matt, weighted=TRUE)
Warning message:
'graph.adjacency()' was deprecated in igraph 2.0.0.
i Please use 'graph_from_adjacency_matrix()' instead.
This warning is displayed once every 8 hours.
Call 'lifecycle::last_lifecycle_warnings()' to see where this warning was generated.
> plot(g)
> s.paths <- shortest.paths(g, algorithm = "dijkstra")
Warning message:
'shortest.paths()' was deprecated in igraph 2.0.0.
i Please use 'distances()' instead.
This warning is displayed once every 8 hours.
Call 'lifecycle::last_lifecycle_warnings()' to see where this warning was generated.
> print(s.paths)
    R S T U
R 0 5 5 4
S 5 0 3 2
T 5 3 0 1
U 4 2 1 0
> shortest.paths(g, v="R", to="S")
S
S
S
S
S
> >plot(g, edge.label=E(g)$weight)
Error: unexpected ''' in ">"
> plot(g, edge.label=E(g)$weight)
|> ■
```











### The density of the graph

- The density of a graph is the ratio of the number of edges and the number of possible edges.
- > library(igraph)
  > dg <- graph.formula(1-+2, 1-+3, 2++3)
  > plot(dg)
  > graph.density(dg, loops=TRUE)
  - Without considering loops
- > graph.density(simplify(dg), loops=FALSE)

```
Type 'q()' to quit R.

> library(igraph)

Attaching package: 'igraph'

The following objects are masked from 'package:stats':

    decompose, spectrum

The following object is masked from 'package:base':

    union

> dg <- graph.formula(1-+2, 1-+3, 2++3)
> plot(dg)
> graph.density(dg, loops=TRUE)
[1] 0.4444444

Warning message:
'graph.density()' was deprecated in igraph 2.0.0.
1 Please use 'edge_density()' instead.
This warning is displayed once every 8 hours.

call 'lifecycle:last_lifecycle_warnings()' to see where this warning was generated.
> graph.density(simplify(dg), loops=FALSE)
[1] 0.6666667

> ■
```



# HSNC UNIVERSITY, MUMBAI KISHINCHAND CHELLARAM COLLEGE



### M. Sc Computer Science Semester 3 (2024 – 25)

### Practical No. 5

Aim: Write a program to distinguish between a network as a matrix, a network as an edge list, and a network as a sociogram (or "network graph") using 3 distinct networks representatives of each.

| Name: Vishal Waikar | Roll No.: KFPMSCCS021 |
|---------------------|-----------------------|
| Date: 12/08/24      | Sign:                 |

### A network as a graph

- > library(igraph)
- > ng<-graph.formula(Andy++Garth,Garth-+Bill,Bill-+Elena,Elena++Frank,Carol-+Andy,Carol-+Elena,Carol++Dan,Carol++Bill,Dan++Andy,Dan++Bill)
- $\geq plot(ng)$

```
Platform: x86_64-pc-linux-gnu

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

Natural language support but running in an English locale

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

> library(igraph)

Attaching package: 'igraph'

The following objects are masked from 'package:stats':
    decompose, spectrum


The following object is masked from 'package:base':
    union

> ng<-graph.formula(Andy++Garth,Garth-+Bill,Bill-+Elena,Elena++Frank,Carol-+Andy,Carol-+Elena,Carol++Dan,Carol++Bill,Dan++Andy,Dan++Bill)
> plot(ng)

> plot(ng)
```







# A network as a matrix > get.adjacency(ng)






```
The following objects are masked from 'package:stats':

decompose, spectrum

The following object is masked from 'package:base':

union

> ng<-graph.formula(Andy++Garth,Garth-+Bill,Bill-+Elena,Elena++Frank,Carol-+Andy,Carol-+Elena,Carol++Dan,Carol+Bill,Dan++Andy,Dan++Bill)
> plot(ng)
> plot(ng)
> > 
> set.adjacency(ng)7 x 7 sparse Matrix of class "dgCMatrix"
Error: unexpected numeric constant in "get.adjacency(ng)7"
> get.adjacency(ng)
7 x 7 sparse Matrix of class "dgCMatrix"
Andy Garth Bill Elena Frank Carol Dan
Andy 1 . . . 1
Garth 1 . 1 . . . .
Bill . . . 1 . 1 . . .
Bill . . . 1 . . . .
Bill . . . 1 . . . .
Garol 1 . 1 . . . . .
Carol 1 . 1 . . . . .
Uarning message:
'get.adjacency()' was deprecated in igraph 2.0.0.
```







 $\geq E(ng)$ 









# Practical No. 6 Aim: Write a program to exhibit structural equivalence, automorphic equivalence, and regular equivalence from a network. Name: Vishal Waikar Roll No.: KFPMSCCS021 Date: 26/08/24 Sign:

### Code:

- > library(sna)
- > library(igraph)
- > links2 <- read.csv("/mnt/HDD/Collage/Msc/SEM3/SNA/netscix2016/Dataset2-Media-User-Example-EDGES.csv", header=T, row.names=1)
- > eq<-equiv.clust(links2)
- > plot(eq)

```
-:R — Konsole

> library(igraph)

Attaching package: 'igraph'

The following objects are masked from 'package:sna':

betweenness, bonpow, closeness, components, degree, dyad.census, evcent, hierarchy, 'is.connected, neighborhood, triad.census

The following objects are masked from 'package:network':

%c%, %s%, add.edges, add.vertices, delete.edges, delete.vertices, get.edge.attribute, get.edges, get.vertex.attribute, is.bipartite, is.directed, list.edge.attributes, ist.vertex.attributes, set.edge.attribute, set.vertex.attribute

The following objects are masked from 'package:stats':

decompose, spectrum

The following object is masked from 'package:base':

union

> links2 <- read.csv("/mnt/HDD/Collage/Msc/SEM3/SNA/netscix2016/Dataset2-Media-User-Example-EDGES.csv", heade r=T, row.names=1)

Error: unexpected invalid token in "links2 <- read.csv(""

> links2 <- read.csv("/mnt/HDD/Collage/Msc/SEM3/SNA/netscix2016/Dataset2-Media-User-Example-EDGES.csv", heade r=T, row.names=1)

Error: unexpected invalid token in "links2 <- read.csv(""

> links2 <- read.csv("/mnt/HDD/Collage/Msc/SEM3/SNA/netscix2016/Dataset2-Media-User-Example-EDGES.csv", heade r=T, row.names=1)


> eq<-equiv.clust(links2)

> plot(eq)

> ∏
```








### **Get Structural Equivalence distances**

>g.se<-sedist(links2)

### Plot a metric MDS of vertex positions in two dimensions

>plot(cmdscale(as.dist(g.se)))




### Blockmodeling

- > b<-blockmodel(links2,eq,h=10)
- > plot(b)





```
~: R — Konsole
                                                                                                                                                  The following objects are masked from 'package:sna':
     betweenness, bonpow, closeness, components, degree, dyad.census, evcent, hierarchy, is.connected, neighborhood, triad.census
The following objects are masked from 'package:network':
    %c%, %s%, add.edges, add.vertices, delete.edges, delete.vertices,
get.edge.attribute, get.edges, get.vertex.attribute, is.bipartite,
is.directed, list.edge.attributes, list.vertex.attributes,
set.edge.attribute, set.vertex.attribute
The following objects are masked from 'package:stats':
     decompose, spectrum
The following object is masked from 'package:base':
> links2 <- read.csv("/mnt/HDD/Collage/Msc/SEM3/SNA/netscix2016/Dataset2-Media-User-Example-EDGES.csv", heade
r=T, row.names=1)
Error: unexpected invalid token in "links2 <- read.csv(""
  links2 <- read.csv("/mnt/HDD/Collage/Msc/SEM3/SNA/netscix2016/Dataset2-Media-User-Example-EDGES.csv", heade
r=T, row.names=1)
> eq<-equiv.clust(links2)</pre>
> plot(eq)
  g.se<-sedist(links2)
> plot(cmdscale(as.dist(g.se)))
> b<-blockmodel(links2,eq,h=10)</pre>
```







| Practical No. 7                         |                       |  |
|---|-----------------------|--|
| Aim: Perform SVD analysis of a network. |                       |  |
| Name: Vishal Waikar                     | Roll No.: KFPMSCCS021 |  |
| Date: 3/09/24                           | Sign:                 |  |

### **Code:**

> library(igraph)

> a <- matrix(c(1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1), 9, 4)

> print(a)






```
~: R — Konsole
                                                                                                                        • • •
Type 'q()' to quit R.
> library(igraph)
Attaching package: 'igraph'
The following objects are masked from 'package:stats':
    decompose, spectrum
The following object is masked from 'package:base':
> a <- matrix(c(1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1), 9, 4)
> print(a)
     [,1] [,2] [,3] [,4]
[4,]
[5,]
[6,]
[7,]
[8,]
[9,]
> svd(a)
              Θ
              0
               Θ
[1] 3.464102e+00 1.732051e+00 1.732051e+00 1.922963e-16
             [,1]
                       [,2]
                                          [,3]
                                                         [,4]
```





# Practical No. 8 Aim: Displaying Bipartite network in the graph format. Name: Vishal Waikar Roll No.: KFPMSCCS021 Date: 17/09/24 Sign:


- > library(igraph)
- > davis <-read.csv("/mnt/HDD/Collage/Msc/SEM3/SNA/netscix2016/csv.csv")
- > g <- graph.data.frame(davis, directed=FALSE)
- > plot(g)




- > bipartite.mapping(g)
- > V(g)\$type <- bipartite mapping(g)\$type
- > plot(g)







- > plot(g, vertex.label.cex = 0.8, vertex.label.color = "black")
- > V(g)\$color <- ifelse(V(g)\$type, "lightblue", "salmon")
- > V(g)\$shape <- ifelse(V(g)\$type, "circle", "square")
- > E(g)\$color <- "lightgray"
- > plot(g, vertex.label.cex = 0.8, vertex.label.color = "black")



<sup>&</sup>gt; V(g)\$label.color <- "black"


<sup>&</sup>gt; V(g)\$label.cex <- 1

<sup>&</sup>gt; V(g)\$frame.color <- "gray"






- > V(g)\$size <- 18
- > plot(g, layout = layout\_with\_graphopt)



> plot(g, layout=layout.bipartite, vertex.size=7, vertex.label.cex=0.6)











| Practical No. 9        |                       |  |
|------------------------|-----------------------|--|
| Aim: Hamming distance. |                       |  |
| Name: Vishal Waikar    | Roll No.: KFPMSCCS021 |  |
| Date: 05/10/24         | Sign:                 |  |

### Code:

```
> library(e1071)

> x <- c(0, 0, 0, 0)

> y <- c(0, 1, 0, 1)

> z <- c(1, 0, 1, 1)

> w <- c(0, 1, 1, 1)

> hamming.distance(x, y)

> hamming.distance(y,z)

> hamming.distance(z,w)

> hamming.distance(z,w)

> hamming.distance(x, w)
```

> hamming.distance(x, z)

```
** R

** inst
** byte-compile and prepare package for lazy loading

** help
*** installing help indices

** building package indices

** installing rignettes

** testing if installed package can be loaded from temporary location

** checking absolute paths in shared objects and dynamic libraries

** testing if installed package can be loaded from final location

** testing if installed package can be loaded from final location

** testing if installed package are in

'/tmp/RtmpHecAD9/downloaded_packages'

> library(el071)

X < c (0, 0, 0, 0)

y < c (0, 1, 0, 1)

> x < c (0, 1, 1, 1)

> hamming.distance(x, y)

[1] 2

> hamming.distance(y,w)

[1] 1

> hamming.distance(z,w)

[1] 2

> hamming.distance(x, w)

[1] 3

> hamming.distance(x, z)

[1] 3

> hamming.distance(x, z)

[1] 3

> hamming.distance(x, z)
```