Generated by: PHP Viewer

```
<!DOCTYPE html>
<html>

<head>



<!-- Title Page-->
<title>Add Employee | Admin Panel</title>

<!-- Icons font CSS-->
<link href="vendor/mdi-font/css/material-design-iconic-font.min.css" rel="stylesheet"
media="all">
<link href="vendor/font-awesome-4.7/css/font-awesome.min.css" rel="stylesheet" media="all">
<!-- Font special for pages-->
<link
href="https://fonts.googleapis.com/css?family=Roboto:100,100i,300,300i,400,400i,500,500i,70
0,700i,900,900i" rel="stylesheet">


<!-- Vendor CSS-->
<link href="vendor/select2/select2.min.css" rel="stylesheet" media="all">
<link href="vendor/datepicker/daterangepicker.css" rel="stylesheet" media="all">


<!-- Main CSS-->
<link href="css/main.css" rel="stylesheet" media="all">
</head>

<body>
<header>
<nav>
<h1>XYZ Corp.</h1>
<ul id="navli">
<li><a class="homeblack" href="aloginwel.php">HOME</a></li>
<li><a class="homered" href="addemp.php">Add Employee</a></li>
<li><a class="homeblack" href="viewemp.php">View Employee</a></li>
<li><a class="homeblack" href="assign.php">Assign Project</a></li>
<li><a class="homeblack" href="assignproject.php">Project Status</a></li>
<li><a class="homeblack" href="salaryemp.php">Salary Table</a></li>
<li><a class="homeblack" href="empleave.php">Employee Leave</a></li>
```

```html
<li><a class="homeblack" href="alogin.html">Log Out</a></li>
</ul>
</nav>
</header>

<div class="divider"></div>

<div class="page-wrapper bg-blue p-t-100 p-b-100 font-robo">
<div class="wrapper wrapper--w680">
<div class="card card-1">
<div class="card-heading"></div>
<div class="card-body">
<h2 class="title">Registration Info</h2>
<form action="process/addempprocess.php" method="POST" enctype="multipart/form-data">

<div class="row row-space">
<div class="col-2">
<div class="input-group">
<input class="input--style-1" type="text" placeholder="First Name" name="firstName"
required="required">
</div>
</div>
<div class="col-2">
<div class="input-group">
<input class="input--style-1" type="text" placeholder="Last Name" name="lastName"
required="required">
</div>
</div>
</div>

<div class="input-group">
<input class="input--style-1" type="email" placeholder="Email" name="email"
```

```html
required="required">
</div>
<p>Birthday</p>
<div class="row row-space">
<div class="col-2">
<div class="input-group">
<input class="input--style-1" type="date" placeholder="BIRTHDATE" name="birthday"
required="required">

</div>
</div>
<div class="col-2">
<div class="input-group">
<div class="rs-select2 js-select-simple select--no-search">
<select name="gender">
<option disabled="disabled" selected="selected">GENDER</option>
<option value="Male">Male</option>
<option value="Female">Female</option>
<option value="Other">Other</option>
</select>
<div class="select-dropdown"></div>
</div>
</div>
</div>
</div>

<div class="input-group">
<input class="input--style-1" type="number" placeholder="Contact Number" name="contact"
required="required" >
</div>

<div class="input-group">
<input class="input--style-1" type="number" placeholder="NID" name="nid"
required="required">
</div>


<div class="input-group">
<input class="input--style-1" type="text" placeholder="Address" name="address"
required="required">
</div>
```

```html
<div class="input-group">
<input class="input--style-1" type="text" placeholder="Department" name="dept"
required="required">
</div>

<div class="input-group">
<input class="input--style-1" type="text" placeholder="Degree" name="degree"
required="required">
</div>

<div class="input-group">
<input class="input--style-1" type="number" placeholder="Salary" name="salary">
</div>

<div class="input-group">
<input class="input--style-1" type="file" placeholder="file" name="file">
</div>
```

```html
<div class="p-t-20">
<button class="btn btn--radius btn--green" type="submit">Submit</button>
</div>
</form>
</div>
</div>
</div>
</div>

<!-- Jquery JS-->
<script src="vendor/jquery/jquery.min.js"></script>
<!-- Vendor JS-->
<script src="vendor/select2/select2.min.js"></script>
<script src="vendor/datepicker/moment.min.js"></script>
<script src="vendor/datepicker/daterangepicker.js"></script>

<!-- Main JS-->
<script src="js/global.js"></script>
```

```
</body>

</html>
<!-- end document-->
```