

TrustUs

Web Dashboard — Complete Product Documentation

Every page, role, feature, and fix — grounded in the real codebase

Reference for AI-assisted (“vibe coding”) development. Audited 2026-08-23.

Table of Contents

0. How This Document Was Built

This is not a fresh idealized spec — it is grounded directly in the real uploaded codebase (React 18 + TypeScript + Vite, React Query, Tailwind, react-router-dom, lucide-react icons, Axios with token-refresh interceptor) and the audit you provided. Every page below reflects what is actually implemented today, with bugs converted into precise fix specifications and missing pages fully specified for the first time. Where the real code already does something well, this document says so — the goal is a complete, accurate reference an AI coding assistant (or you) can build against without re-deriving decisions.

One discrepancy found during this review that was not in your audit: the sidebar navigation (DashboardLayout.tsx) only defines menus for four org types — manufacturer, distributor_sub, retailer, social_seller. The server's own data model supports seven — also regional_agent, distributor_authorized, and transporter. Any user created with one of those three org types currently gets an empty or fallback sidebar. Section 2 fixes this.

1. Global Findings From Code Review

Area	Finding
Auth token handling	Solid as built: access token in memory only, refresh token in sessionStorage (never localStorage), single-flight refresh with request queuing on concurrent 401s. No changes needed here.
Org-type nav coverage	Incomplete — 3 of 7 org types have no defined navigation (see above). Not in original audit.
Route guards	Solid: RequireAuth / RequireOrg / RequireAdmin / RootRedirect all correctly layered in App.tsx.
Profile / Account page	Does not exist as a dedicated page. The only account-level control is Logout in the sidebar footer. No way to view your own user_id, change phone, or manage MFA from the UI.
Consistent empty/error/loading states	Present on some pages, inconsistent across others — needs a shared pattern (Section 6).

2. Corrected Role & Navigation Model

This replaces the current ALL_NAV object in DashboardLayout.tsx with complete coverage for every org_type the server actually supports, plus platform_admin (handled separately by AdminLayout).

org_type	Sidebar Items	Notes
manufacturer	Batches & Units, Network, Alerts, Live Map, Team, Settings	Unchanged — already correct.
regional_agent	Network, Alerts, Live Map, Team, Settings	MISSING today. This tier (C&F agent / super-stockist / area dealer per industry) receives from a manufacturer and can extend the network further — needs Network page access, unlike retailer/social_seller.
distributor_authorized	Network, Alerts, Live Map, Team, Settings	MISSING today. Same reasoning as regional_agent — authorized distributors can also invite downstream partners.
distributor_sub	Alerts, Live Map, Team, Settings	Already correct — deliberately no Network invite capability, consistent

		with this tier's lower-trust status (Section 3.6).
retailer	Alerts, Live Map, Team, Settings	Unchanged — already correct.
transporter	Alerts, Team, Settings	MISSING today. No Batches, Network, or Live Map (a transporter doesn't own product or a network) — but should see Alerts relevant to shipments they've scanned.
social_seller	Social Listings, Alerts, Team, Settings	Social Listings is currently entirely absent — the single highest-priority missing page (Section 4.11).

Every org_type row above also gets the conditional KYC Upload link when approval_status is 'pending', and every row gets the new Profile link (Section 4.15) — unchanged from current behavior for KYC, newly added for Profile.

3. Complete Route Map (Target State)

Route	Page	Status
/login	Login	✓ Keep as-is
/onboarding	Onboarding	✓ Keep as-is
/dashboard	Role-aware default (see 4.1 fix)	⚠ Fix routing logic
/dashboard/batches	Batches & Units	⚠ Fix state bug
/dashboard/units/:unitId	Unit Detail	⚠ Add history timeline
/dashboard/network	Network Tree	⚠ UX polish
/dashboard/alerts	Alerts	✓ Keep as-is
/dashboard/map	Live Map	⚠ Fix — wire to real data
/dashboard/users	Team	✓ Keep as-is
/dashboard/settings	Notification Settings	✓ Keep as-is
/dashboard/kyc	KYC Upload	⚠ Fix navigation bug
/dashboard/social-listings	Social Listings	● Build — new
/dashboard/containers	Containers	● Build — new
/dashboard/events	Events Log	● Build — new
/dashboard/profile	My Profile	● Build — new, not previously specified
/admin	Admin: Org Approvals	⚠ Add KYC docs view
/admin/orgs	Admin: Org Approvals	⚠ Add KYC docs view
/admin/fraud	Admin: Fraud Patterns	⚠ Fix — wire to real API
/admin/regulator	Admin: Regulator Access	⚠ Fix — wire to real API
/admin/alerts	Admin: All Alerts	● Build — new
/v/:unitId, /verify/:unitId	Public Verify	✓ Keep as-is

4. Page-by-Page Specification

4.1 Login

- Status: working. No changes required.
- Phone entry → POST /auth/otp/request → OTP entry → POST /auth/otp/verify → tokens stored, AuthContext populated, RootRedirect takes over.

4.2 Onboarding

- Status: working. No changes required.
- Shown when authenticated but org is null. Create org (POST /orgs) or accept an invite code (POST /network/invites/{code}/accept) — confirm both paths remain reachable from this single page.

4.3 Batches & Units — FIX REQUIRED

- Bug (confirmed from code): generated unit_ids are held in local useState, not the React Query cache. Navigating away and back loses the list even though the units exist on the server.
- Fix: after POST /batches/{batchId}/units succeeds, invalidate and refetch via a dedicated useUnits(batchId) query bound to GET /batches/{batch_id} — do not rely on the mutation's local response as the page's only source of truth.
- Elements: Batch list table (product, quantity, mfg/expiry date, recalled badge); “New Batch” button → modal (product select, quantity, dates) → POST /batches; per-batch “Generate Units” action → POST /batches/{id}/units; per-batch “Export Labels” action → POST /batches/{id}/export-labels with format selector (csv / pdf_sheet / zpl); per-batch “Initiate Recall” action (manufacturer org_admin only) → POST /batches/{id}/recall with a required typed reason and a confirmation dialog showing the returned affected_units / affected_orgs_notified counts.
- States: loading skeleton on first load; empty state (“No batches yet — create your first batch”) with the New Batch CTA inline; per-row loading spinner during unit generation (this can take a few seconds for large quantities — do not block the whole page).

4.4 Unit Detail — FIX REQUIRED

- Missing (confirmed from code + audit): the page shows static unit fields but never calls GET /units/{unit_id}/history.
- Fix: add a vertical timeline component below the unit summary card, one entry per event — event_type, actor org, timestamp, GPS (map pin icon + coordinates if present), and resulting_state, most recent first.
- Elements: Unit summary card (unit_id, current_state badge, batch link, current holder org); event history timeline (new); “View on Map” link per event with GPS → opens Live Map centered on that point; if current_state is FLAGGED, a prominent red banner showing the alert reason, pulled from GET /alerts?target_id={unit_id}.

4.5 Network Tree — POLISH

- Bug (confirmed from code): invite code is displayed after POST /network/invites succeeds, but no copy-to-clipboard confirmation and no visible success/failure state on the Accept flow.
- Fix: add a copy icon button next to the generated invite code/link with a 2-second “Copied!” toast; on accept, show a success toast with the new partner org's name before closing the modal, or an inline error if the invite is expired/already used.
- Elements: Expandable tree view (GET /network/tree) with visually distinct styling for authorized vs. unauthorized edges (this must be immediately obvious — not a tooltip, per the earlier product positioning); “Invite Partner” button (manufacturer, regional_agent, distributor_authorized only — distributor_sub and retailer cannot extend the network, per Section 2); “Accept Invite” entry point (also reachable from Onboarding for new orgs).

4.6 Alerts

- Status: working. No changes required for the org-scoped view.
- Elements: filterable list (severity, status) of GET /alerts scoped to the org's own units; clicking a row opens the relevant Unit Detail; PATCH /alerts/{id} action to mark an alert reviewed (org_admin only).

4.7 Live Map — FIX REQUIRED

- Bug (confirmed): a single hardcoded marker, not real data.
- Fix: fetch GET /events (org-scoped, most recent per active unit/container) and plot as clustered markers; marker click opens a popup with unit/container ID, event_type, and a “View Detail” link; auto-refresh on an interval (suggest 60s) rather than requiring a manual page reload.
- Empty state: if the org has no GPS-bearing events yet, show a clear explanatory message rather than a blank map — GPS is optional on scans (Section 5A of the Server spec), so this is an expected, not broken, state for a new org.

4.8 Team (Users)

- Status: working. No changes required.
- Elements: staff list (GET /orgs/me/users) with role and active/inactive badge; “Invite Staff” → POST /orgs/me/users/invite (phone + role); role/active toggle → PATCH /orgs/me/users/{id}, org_admin only; enforce client-side (matching server-side) that the last active org_admin cannot be deactivated or demoted — disable that control with an explanatory tooltip rather than letting the action fail silently.

4.9 Notification Settings

- Status: working. No changes required.
- Elements: channel checkboxes (push/sms/whatsapp/email) and language selector, bound to GET/PATCH /orgs/me/notification-settings.

4.10 KYC Upload — FIX REQUIRED

- Bug (per audit, plausible root cause confirmed against the real refresh-token flow): the page has no explicit navigate() call, but an unrelated 401 (e.g. an expired session hit mid-upload) triggers the global 'trustus:logout' event and forces a redirect to /login, which looks like the KYC page itself is navigating away.
- Fix 1 (primary): before allowing an upload attempt, proactively check token freshness — if the access token is within ~60 seconds of expiry, force a refresh first so the upload request itself doesn't trigger the interceptor's reactive refresh mid-file-transfer.
- Fix 2: on genuine session expiry (refresh also fails), do not silently redirect — show an inline message (“Your session expired — please log in again to continue uploading”) so the user understands why they left the page, rather than experiencing an unexplained redirect.
- Fix 3 (missing feature, confirmed from code): the page never calls GET /orgs/{id}/kyc-documents, so a user has no way to see what they've already uploaded or its review status. Add a document list above the upload form showing document_type, status (pending_review/approved/rejected), and uploaded date.

4.11 Social Listings — BUILD, CRITICAL PRIORITY

This is the single highest-priority gap: it is the core, defining feature for the social_seller org type, and that org type currently has zero features beyond Alerts/Team/Settings.

- Elements: listing list (GET /social-listings, own org's listings only); “New Listing” → form with platform selector (instagram/whatsapp/other), post URL field, and a repeatable Unit ID scanner/input to build the linked_unit_ids array

— ideally a camera-based QR scan using the device camera via the browser (`getUserMedia`), with manual ID entry as a fallback → `POST /social-listings`.

- Each listing card shows a generated shareable verify link per linked unit, a copy button, and (once at least one linked unit has a clean history) a “Verified Seller” badge preview exactly as a buyer would see it — this dual-purpose (functional tool + confidence-building preview) is what makes the feature worth having its own page rather than a modal.
- Delete action → `DELETE /social-listings/{id}`, with a confirmation dialog.
- Empty state for a brand-new `social_seller`: a short explainer of what this feature does and why linking real IDs builds buyer trust, not just a blank list.

4.12 Containers — BUILD, MEDIUM PRIORITY

- Elements: for `manufacturer/regional_agent/distributor_authorized` — a packing workflow: select `container_type` (box/pallet/shipment), scan or select child Units (for a box) or child Containers (for a pallet/shipment), “Create Container” → `POST /containers`.
- Container detail view: nested tree showing every child down to individual units, `current_state`, current holder org; “Disaggregate” action (with a “cannot be undone” confirmation) → `POST /containers/{id}/disaggregate`.
- This page's packing flow should mirror the mobile app's screen-by-screen packing design (see the Mobile spec, Section 5B) so a manufacturer using the web dashboard for packing has the same mental model as one using the app.

4.13 Events Log — BUILD, MEDIUM PRIORITY

- A raw, searchable/filterable log of `GET /events` for the org — useful for ops/support staff investigating a specific unit or time window without needing to already know the `unit_id`.
- Filters: date range, `event_type`, `target_id` search. Table columns: timestamp, target (unit/container, linked), `event_type`, actor, `resulting_state`, GPS present (icon) or not.
- This is a supporting/diagnostic page, not a primary nav item for every role — recommend surfacing it as a secondary link from Alerts and Unit Detail rather than the main sidebar, to avoid cluttering the nav for roles that rarely need raw event search.

4.14 Admin: Org Approvals — FIX REQUIRED

- Bug (confirmed): shows org name/type for pending orgs but never calls `GET /orgs/{org_id}/kyc-documents`, so an admin has no way to actually review what was submitted before approving.
- Fix: each pending org row expands to show its uploaded KYC documents (`document_type`, a “View Document” link/preview, upload date) before the Approve action is enabled — consider disabling “Approve” until at least one document has been viewed, to prevent rubber-stamping.
- Elements: pending orgs list (`GET /admin/orgs?status=pending`); Approve → `POST /admin/orgs/{id}/approve`; a Reject action (with required reason) is referenced in the Admin Guide's org lifecycle but has no corresponding server route in the current build — flagged in the Server doc's gap list (Section 7).

4.15 My Profile — BUILD, NOT PREVIOUSLY SPECIFIED

Currently the only account-level UI is the sidebar footer (phone number, role, logout). Every real product at this scale needs a dedicated account page.

- Elements: display `user_id`, phone, role (read-only — role changes go through Team management by an admin, not self-service); org name/type/approval_status card; “Active Sessions” list if session data is exposed by a future endpoint (flagged as a nice-to-have, not blocking); Logout button (moved here from sidebar footer, or duplicated in both places).

- This page is also the natural home for a future MFA setup flow once that's built server-side for `org_admin/platform_admin` roles (see Server doc Section 6).

4.16 Admin: Fraud Patterns — FIX REQUIRED

- Bug (confirmed): shows static fake data instead of calling `GET /admin/fraud-patterns`.
- Fix: wire directly to the real endpoint; render `top_flag_reasons` as a bar chart and `flagged_by_region` as either a simple table or a map heatmap depending on what data shape the endpoint actually returns — confirm the exact response shape against the live server before finalizing the chart type.

4.17 Admin: Regulator Access — FIX REQUIRED

- Bug (confirmed): shows a static form not wired to the API.
- Fix: wire the form (`regulator_user_id`, `batch_id`, `expires_in_hours`, `reason`) to `POST /admin/regulator-access`; on success show the returned `access_grant_id` and expiry clearly, since this is a compliance-sensitive action that should leave no ambiguity about what was just granted.
- Add a list view of active/past grants if a corresponding GET endpoint exists or is added — currently there is no list endpoint in the server, only the POST to create a grant (flagged in Server doc Section 7).

4.18 Admin: All Alerts — BUILD, MEDIUM PRIORITY

- The server already exposes `GET /admin/alerts` (confirmed in code) with no frontend page at all — a pure gap, not a bug.
- Elements: cross-tenant alert list (aggregate view, per the platform's own privacy boundary — this should show alert metadata/patterns, not raw unrelated-org unit data beyond what's needed to triage) with filters for severity, reason, date range, and org type.

4.19 Public Verify

- Status: working. No changes required to current behavior.
- Important correction to earlier design documents in this project: the real server only returns three result states — genuine, flagged, recalled — not the four-state “`genuine_unauthorized_channel`” variant designed earlier. Update any earlier assumption accordingly; do not build UI for a fourth state the server doesn't produce.
- Confirm the page already renders all three real states with distinct, plain-language treatment, and displays the last 3 custody events returned by the endpoint for chain-of-custody transparency (per the server's own docstring) — verify this is actually rendered, since the audit didn't check this specifically.

5. Admin Layout — FIX REQUIRED

- Bug (confirmed from code intent, matches audit): `platform_admin` has no org, so a “Back to Dashboard” link pointing at `/dashboard` would hit `RequireOrg`'s guard and redirect to `/onboarding` — confusing for an admin who will never have an org.
- Fix: remove the “Back to Dashboard” link entirely for `platform_admin`, or repoint it to stay within `/admin` — there is no dashboard for this role to return to.

6. Shared UI Patterns — Apply Consistently Across All Pages

Pattern	Rule
Loading	Skeleton loaders matching the eventual content's shape, not a generic spinner, on every list/table page.

Empty state	Every list must have a distinct empty state with a short explanation and, where relevant, a primary CTA — never just a blank table.
Error state	Every data fetch must have a visible retry action on failure, using the existing <code>extractError()</code> helper from <code>api/client.ts</code> for the message — never fail silently.
Destructive actions	Recall, Disaggregate, Reject, Deactivate, Delete Listing all require an explicit confirmation dialog — never a single-click destructive action.
Toasts	Use the existing <code>ToastProvider</code> for all success/error feedback on mutations — do not introduce a second notification pattern.
Role-gated controls	Disable (with a tooltip explaining why) rather than hide controls the current role/approval-status can't use — hiding entirely makes the product feel broken rather than restricted.

7. Fix & Build Checklist — Acceptance Criteria

7.1 Bug Fixes

- [] Distributor/retailer/social_seller/regional_agent/distributor_authorized/transporter default route lands on the correct first page for their role, not always `BatchesPage`.
- [] Generated unit IDs persist in the React Query cache and survive navigation away and back.
- [] KYC upload page does not force an unexplained redirect on a routine token refresh; shows an explicit message on genuine session expiry.
- [] KYC upload page shows already-uploaded documents and their review status.
- [] Admin Org Approvals page shows each pending org's KYC documents before approval.
- [] Live Map plots real event data, not a hardcoded marker.
- [] Fraud Patterns page shows real data from `GET /admin/fraud-patterns`.
- [] Regulator Access page submits real `POST /admin/regulator-access` requests.
- [] Network invite flow has copy-to-clipboard confirmation and a visible accept success/error state.
- [] Unit Detail page shows the full event history timeline.
- [] AdminLayout has no dead 'Back to Dashboard' link for `platform_admin`.

7.2 New Pages

- [] Social Listings page built and in `social_seller`'s nav — critical priority.
- [] Containers page built for `manufacturer/regional_agent/distributor_authorized`.
- [] Events Log page built, linked from Alerts and Unit Detail.
- [] My Profile page built and reachable from every role's sidebar/topbar.
- [] Admin: All Alerts page built, wired to `GET /admin/alerts`.

7.3 Navigation Model

- [] Sidebar nav defined for all seven org types (Section 2), not just four.