

PROJECT DESIGN:

ABOUT THE PROJECT:

The aim is to provide an efficient, all-encompassing system of hotel/lodging management. This project was done with the perspective of distribution to a lodging firm, to be implemented as an appendage to their operations. It is to be used by employees of the company, and can be integrated into a website, where particular features can be accessed by the customer. Each lodge consists rooms of 3 tiers with varying prices and facilities accordingly. A hierarchical approach to the operations is used, where in certain functions of the code can only be accessed by those with clearance, for this instance, a password is used to split the operations. A system of booking rooms, checking, “front-desk” operations and Management operations are implemented. Navigation of said functions are done through a concise GUI for a fast UX.

Functions of the project:

- The structure of the code is based on a sequential system of function call used to navigate the text-based UI. The entirety of the code, including function definitions are placed in a MAIN_UI () function defined initially. This, allows for the MAIN_UI () function to be called inside the it, thus making a simple sequence of UI components that can be navigated back and forth and ends the program only on the user's discretion.
- The first frame of the UI sequence is used to specify the user's intent with the application, i.e., if they are a client or an employee. The client only has access to the bookRoom () function, while the employees have access to the employee portal, which brings us to the second frame of the UI.
- The employeePortal () function consists of functions that perform operations for company's perspective, where actions are divided into hierarchical levels of clearance, between higher management and other employees. It also makes use of the aforementioned code structure where the MAIN_UI () function can be called to navigate back and between frames.
- The **Client-side** system used a [bookRoom ()] function to display available branches, display the details of the rooms of the branch (room no., tiers) and finally proceed to enter their details to finalize booking, all in succession through a sequential UI system. The client is asked to enter their name, date of booking and number of days of stay. A bill for the booking will be produced at finalization confirming the booking details and the relative pricing. The pricing is based on tier of the booked rooms, the tier is displayed during the booking process with their respective room numbers. The booking details are entered into the database with a full set of information, to the time and date of booking completion [done using the datetime module].

- The databases for the rooms in each branch are updated to depict occupation, and used to retrieve desired information about the room, i.e., tiers (related to room's pricing and facilities). The bookings databases present for the branch is appended each time a booking is made, with the aforementioned data set.
- The company/server-side of the system is where most of project's functionalities lie. Sequential frames of UIs are used to navigate the project, the employee portal UI is opened after a password is entered. Here, employee actions are divided into sections pertaining to each. Room Services, Reception and Higher management functions comprise the employee UI.
- Rooms requiring assistance are checked from the database, and employees using the function can serve the room mentioned when the function is called. Once served, the employees can use the system to update the database.
- The receptionist menu presents the user with access to the check-in and check-out functions, allows them to check room occupancy upon request, and retrieve booking details; converting them into a printable format. Checking clients out of rooms is done only through the Reception UI where the checkout () function is called. The function updates the respective databases upon checkout, check extended stays and adds penalties accordingly Receptionists can also make use of certain functions and check room occupancy [checkRoomOccupancy_RecpAction ()]. It is meant to be used as a means for the employee to look for empty rooms on short notice or upon the customer's request.
- Employees, through the reception portal, can also retrieve booking data from the database for referrals for their specific branch. The retrieved consisting

of a list of completed bookings, can be converted into a printable format using the `bookingDetails_ForPrint ()` function. The function converts the data retrieved from the database into a list of tuples that are then written onto a spreadsheet using the CSV module. Employees under higher management have access to booking info for all branches.

- Booking Data is stored in two forms to help referrals and are meant to be used as a ledger of sorts, a database comprising details for bookings done on all branches and one for each branch. Employees with Higher Management clearances can access these functions, using them to add new room to the databases of each branch. They are also able to print out the data set for bookings done on all branches for referral.
- Higher Management have access to the booking data for all branches. Employees with higher management clearance(password) also have access to the financial records of all the branches. Data consisting of room numbers and prices are stored in a separate database. Employees can use the features of this function to avail the complete data for each branch or all. They can also avail cumulative profits and booking numbers for calculations. The `Financial_Records_UI ()` function contains the mentioned features. This function only collects financial data brought in through hotel bookings.

MODULES USED:

- mysql.connector
- datetime(date and timedelta functions)
- CSV
- tabulate

MENUS:

LODGING UI MENU:

```
-----  
||LODGING-MANAGEMENT SYSTEM||  
-----  
  
[1]Book Room:  
  
[2]Employee Portal[Employee Access]:  
  
[3]EXIT|
```

BOOKING MENU:

```
Branch  
-----  
[1]:Anna Nagar  
[2]:Mogappair  
[3]:Exit  
1  
Room No  Occupied  Tier  Tier Description  
-----  
1  N  1  Normal  
  
Room No  Occupied  Tier  Tier Description  
-----  
2  N  3  Suite  
  
Room No  Occupied  Tier  Tier Description  
-----  
3  N  2  AC  
  
Room No  Occupied  Tier  Tier Description  
-----  
4  N  3  Suite  
  
Book Room No. [1,2,3,4]: |
```

EMPLOYEE PORTAL:

```
Enter password[Emp. Access: emp123

[1]Room Services:
[2]Reception:
[3]Higher Mgmt:
[4]Back
```

RECEPTION MENU:

```
[1]Check room occupancy
[2]Booking Details[Offical Purposes]
[3]Check In
[4]Checkout
[5]Booking Details[For Print][Offical Purposes]
[6]Back
```

HIGHER MANAGEMENT MENU:

```
[1] Add new room to branch
[2]Booking Details All branches[For Print]
[3]Back
```

HIGHER MANAGEMENT/FINANCIAL RECORDS UI:

```
INPUT PASSWORD[MGMT CLEARANCE]mgmt123

[1]Booking Details All branches[For Print]
[2]Open Financial Records
[3]Back
2

FINANCIAL RECORDS UI
-----

[1]All Branches
[2]Anna Nagar
[3]Moggapair

1

[1]CUMULATIVE RECORDS[ALL BRANCHES]
[2]COMPLETE DATA SET[ALL BRANCHES]
```

FILES/SQL TABLES USED:

bookings_annanagar:

```
mysql> desc bookings_annanagar;
```

Field	Type	Null	Key	Default	Extra
room_no	int	YES		NULL	
occ_name	varchar(30)	YES		NULL	
date_booked	date	YES		NULL	
date_checkout	date	YES		NULL	
days_booked	int	YES		NULL	
early_checkout	varchar(30)	YES		N	
status	varchar(30)	YES		NULL	
late_checkout	varchar(10)	YES		NULL	
a_date_checkout	date	YES		NULL	
booking_completion	date	YES		NULL	

10 rows in set (0.00 sec)

Consists of booking information the lodging firm's Anna Nagar branch. Used as a list of all previous bookings for use of statistics, investigations if need be.

bookings_mogappair:

```
mysql> desc bookings_mogappair;
```

Field	Type	Null	Key	Default	Extra
room_no	int	YES		NULL	
occ_name	varchar(30)	YES		NULL	
date_booked	date	YES		NULL	
date_checkout	date	YES		NULL	
days_booked	int	YES		NULL	
early_checkout	varchar(30)	YES		NULL	
status	varchar(30)	YES		NULL	
late_checkout	varchar(10)	YES		NULL	
a_date_checkout	date	YES		NULL	
booking_completion	date	YES		NULL	

10 rows in set (0.02 sec)

Consists of booking information the lodging firm's Mogappair branch. Used as a list of all previous bookings for use of statistics, investigations if need be.

roomDB annanagar:

```
mysql> desc roomdb_annanagar;
```

Field	Type	Null	Key	Default	Extra
room_no	int	NO	PRI	NULL	
occup_status	varchar(20)	YES		N	
tier	int	YES		NULL	
tier_desc	varchar(30)	YES		NULL	
occ_name	varchar(30)	YES		None	
days_occ	int	YES		0	
room_service_status	varchar(10)	YES		N	

7 rows in set (0.00 sec)

Used as data set/list of rooms in the Anna Nagar branch that is shown as a UI to the user in order pick rooms. Defines tiers, occupation status and handles requests for room service.

roomDB mogappair:

```
mysql> desc roomdb_mogappair;
```

Field	Type	Null	Key	Default	Extra
room_no	int	NO	PRI	NULL	
occup_status	varchar(30)	YES		NULL	
tier	int	YES		NULL	
tier_desc	varchar(30)	YES		NULL	
occ_name	varchar(30)	YES		NULL	
days_occ	int	YES		NULL	
room_service_status	varchar(10)	YES		NULL	

7 rows in set (0.00 sec)

Used as data set/list of rooms in the Mogappair branch that is shown as a UI to the user in order pick rooms. Defines tiers, occupation status and handles requests for room service.

bookings allbranches

Field	Type	Null	Key	Default	Extra
room_no	int	YES		NULL	
occ_name	varchar(30)	YES		NULL	
date_booked	date	YES		NULL	
date_checkout	date	YES		NULL	
days_booked	int	YES		NULL	
branch	varchar(30)	YES		NULL	
status	varchar(30)	YES		NULL	
a_date_checkout	date	YES		NULL	
booking_completion	date	YES		NULL	

9 rows in set (0.00 sec)

Used as data set/list of rooms for all branches that is shown as a UI to the user in order to pick rooms. Defines tiers, occupation status and handles requests for room service. Accessible only by higher management

financialRecords stays:

```
mysql> desc financialRecords_stays;
```

Field	Type	Null	Key	Default	Extra
room_no	int	YES		NULL	
tier_desc	varchar(20)	YES		NULL	
days	int	YES		NULL	
price	int	YES		NULL	
branch	varchar(20)	YES		NULL	

5 rows in set (0.07 sec)

Used as ledger for financial proceedings. Also serves as a data set for profit calculations, max prices etc.

OUTPUT:

Room Booking:

```
Book Room No.[1,2,3,4]: 3
Name of occupant: Vishal
Enter booking day: 27
Enter booking month: 2
Enter booking year: 2021
No. of days for stay: 3

                                BILLING:
                                Date:2021-02-27
                                Name:Vishal
                                Room No:3
                                Booked from:2021-02-27|To:2021-03-02|For:3 days
                                Price:
                                1500
>>> |
```

Room Services:

```
[1]Room Services:
[2]Reception:
[3]Higher Mgmt:
[4]Back1

                                ROOM SERVICES
                                -----
                                Enter branch:[1]Anna nagar [2] Mogappair [3]Back

                                Requiring Service:

                                Room No: 3

                                Press Y once served|
```

Checkout Window:

```
[1]Check room occupancy
[2]Booking Details[Offical Purposes]
[3]Check In
[4]Checkout
[5]Booking Details[For Print][Offical Purposes]
[6]Back4
Enter the branch[1]Anna Nagar [2]Mogappair [3]Exit: 1
Room No  Occupied      Tier  Tier Description
-----  -
      1   N             1   Normal

Room No  Occupied      Tier  Tier Description
-----  -
      2   N             3   Suite

Room No  Occupied      Tier  Tier Description
-----  -
      3   Y             2   AC

Room No  Occupied      Tier  Tier Description
-----  -
      4   N             3   Suite

Enter room no: 3
Check Out Complte, Thanks for staying
```

Room Occupancy Check:

```
Room Occupancy
-----
Enter branch:[1]Anna nagar [2]Mogappair
1
EMPTY ROOMS

Room.No  Tier Desc
-----  -
      1   Normal

Room.No  Tier Desc
-----  -
      2   Suite

Room.No  Tier Desc
-----  -
      4   Suite

>>> |
```

Booking Details:

```
Room No: 1
Occupant Name: ABC
Date Booked 2021-02-27
Date checked Out 2021-02-27
Days Booked 3
Early Checkout?: Y
Status: Checked Out
Late Checkout: N
Checked Out on: 2021-03-02
Date of booking Completion: 2021-02-27
-----
```

```
>>> |
```

Financial Records:

```
[1]Booking Details All branches[For Print]
[2]Open Financial Records
[3]Back
2
```

```
FINANCIAL RECORDS UI
-----
```

```
[1]All Branches
[2]Anna Nagar
[3]Moggapair
```

```
1
```

```
[1]CUMULATIVE RECORDS[ALL BRANCHES]
[2]COMPLETE DATA SET[ALL BRANCHES]
```

```
1
```

```
No.Of Bookings    Total[in Rs.]
-----
```

```
2                3250
```

```
>>> |
```

CSV Files OUTPUT:

```
[1]Check room occupancy
[2]Booking Details[Offical Purposes]
[3]Check In
[4]Checkout
[5]Booking Details[For Print][Offical Purposes]
[6]Back5

Enter branch [1]Anna Nagar [2]Mogappair1
CSV File created: BookingsDetails_AnnaNagar.csv
>>> |
```

ANNA NAGAR(Above example):

Room No	Occ.Name	Check In Date	Checked out on	Days Booked	Early Checkout	Status	Late Checkout	Date to checkout	Booking Completion
1	ABC	2/27/2021	2/27/2021	3	Y	Checked Out	N	3/2/2021	2/27/2021

MOGAPPAIR:

Room No	Occ.Name	Check In Date	Checked out on	Days Booked	Early Checkout	Status	Late Checkout	Date to checkout	Booking Completion
1	ABC	2/27/2021	2/27/2021	3	Y	Checked Out	N	3/2/2021	2/27/2021

ALL BRANCHES:

	A	B	C	D	E	F	G	H	I
1	Room No	Occ.Name	Check In Date	Checked Out on	Days Booked	Branch	Status	Date to CheckOut	Booking Completion
2	1	ABC	2/27/2021	2/27/2021	3	1	Checked Out	3/2/2021	2/27/2021
3	3	VIS	2/27/2021		5	2	staying	3/4/2021	2/27/2021