

Practical No. 05

Name: Vishal Shivraj Kumbhar

Roll no: 13274

Class: TE (B)

Subject: Web Technology Laboratory

SQL Database :-

```
CREATE DATABASE ebookdb;
```

```
USE ebookdb;
```

```
CREATE TABLE ebookshop (
```

```
    book_id INT PRIMARY KEY,
```

```
    book_title VARCHAR(100),
```

```
    book_author VARCHAR(100),
```

```
    book_price DOUBLE,
```

```
    quantity INT
```

```
);
```

```
INSERT INTO ebookshop VALUES
```

```
(1,'Java Programming','James Gosling',550,10),
```

```
(2,'Python Basics','Guido Rossum',450,8),
```

```
(3,'Servlet & JSP','Kathy Sierra',650,5),
```

```
(4,'Data Structures','Mark Allen',500,7);
```

EbookServlet.java :=

```
import java.io.*;
```

```
import java.sql.*;
```

```
import javax.servlet.*;
import javax.servlet.http.*;

public class EbookServlet extends HttpServlet {

    public void doGet(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {

        response.setContentType("text/html");

        PrintWriter out = response.getWriter();

        out.println("<html><body>");

        out.println("<h2>Ebook Shop Details</h2>");

        try {

            // Load Driver

            Class.forName("com.mysql.cj.jdbc.Driver");

            // Create Connection

            Connection con = DriverManager.getConnection(

                "jdbc:mysql://localhost:3306/ebookdb",

                "root",

                "root");

            // Create Statement

            Statement stmt = con.createStatement();

            // Execute Query

            ResultSet rs = stmt.executeQuery("SELECT * FROM ebookshop");

            // Display Data

            out.println("<table border='1'>");
```

```

out.println("<tr><th>ID</th><th>Title</th><th>Author</th><th>Price</th><th>Qty</th></tr>");

    while (rs.next()) {

        out.println("<tr>");

        out.println("<td>" + rs.getInt(1) + "</td>");

        out.println("<td>" + rs.getString(2) + "</td>");

        out.println("<td>" + rs.getString(3) + "</td>");

        out.println("<td>" + rs.getDouble(4) + "</td>");

        out.println("<td>" + rs.getInt(5) + "</td>");

        out.println("</tr>");

    }

    out.println("</table>");

    con.close();

} catch (Exception e) {

    out.println(e);

}

out.println("</body></html>");

}

}

```

web.xml :-

```

<web-app>

    <servlet>

        <servlet-name>EbookServlet</servlet-name>

        <servlet-class>EbookServlet</servlet-class>

```

</servlet>

<servlet-mapping>

<servlet-name>EbookServlet</servlet-name>

<url-pattern>/display</url-pattern>

</servlet-mapping>

</web-app>

Running [URL :-](#)

http://localhost:8080/EbookServletApp/display