

Practical No. 08

Name: Vishal Shivraj Kumbhar

Roll no: 13274

Class: TE (B)

Subject: Web Technology Laboratory

web.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://xmlns.jcp.org/xml/ns/javaee"
xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee
http://xmlns.jcp.org/xml/ns/javaee/web-app_4_0.xsd"
id="WebApp_ID" version="4.0">

<display-name>struts_validation</display-name>

<welcome-file-list>
<welcome-file>index.jsp</welcome-file>
</welcome-file-list>

<filter>
<filter-name>struts2</filter-name>
<filter-class>org.apache.struts2.dispatcher.filter.StrutsPrepareAndExecuteFilter</filter-
class>
</filter>

<filter-mapping>
<filter-name>struts2</filter-name>
<url-pattern>/*</url-pattern>
</filter-mapping>

</web-app>
```

index.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
```

```
<%@taglib uri="/struts-tags" prefix="s" %>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<title>Login</title>
```

```
<s:head />
```

```
</head>
```

```
<body bgcolor="lightgreen">
```

```
<s:form action="Login">
```

```
<s:textfield name="userName" label="User Name" placeholder="Default 'Sanjyot'"/>
```

```
<s:password name="password" label="Password" />
```

```
<s:textfield name="phoneNumber" label="Phone Number" placeholder="10 digit phone number"/>
```

```
<s:textfield name="email" label="Email" type="email" />
```

```
<s:submit value="Login" />
```

```
</s:form>
```

```
</body>
```

```
</html>
```

welcome.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
```

```
pageEncoding="UTF-8"%>
```

```
<%@taglib uri="/struts-tags" prefix="s" %>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<title>Login Successful</title>
```

```
</head>
```

```
<body>
```

```
<h3>Congratulations! You have logged in successfully.</h3>
```

```
<h4>Welcome <s:property value="userName"/>!!!</h4>
```

```
</body>
</html>
```

Login.java

```
package com.SanjyotPanure.struts2;

import com.opensymphony.xwork2.ActionSupport;

public class Login extends ActionSupport {

    private String userName;
    private String password;
    private String phoneNumber;
    private String email;

    public String execute() {
        return SUCCESS;
    }

    public String getUserName() {
        return userName;
    }

    public void setUserName(String userName) {
        this.userName = userName;
    }

    public String getPassword() {
        return password;
    }

    public void setPassword(String password) {
        this.password = password;
    }

    public String getPhoneNumber() {
        return phoneNumber;
    }
}
```

```
public void setPhoneNumber(String phoneNumber) {  
    this.phoneNumber = phoneNumber;  
}
```

```
public String getEmail() {  
    return email;  
}
```

```
public void setEmail(String email) {  
    this.email = email;  
}
```

```
public void validate() {
```

```
    if (getUserName().length() == 0) {  
        addFieldError("userName", "UserName is required");  
    } else if (!getUserName().equals("Sanjyot")) {  
        addFieldError("userName", "Invalid User");  
    }
```

```
    if (getPassword().length() == 0) {  
        addFieldError("password", "Password is required");  
    }
```

```
    if (getPhoneNumber().length() == 0) {  
        addFieldError("phoneNumber", "Phone Number is required");  
    } else if (!(getPhoneNumber().length() == 10)) {  
        addFieldError("phoneNumber", "Enter 10 digit phone number");  
    }
```

```
    if (getEmail().length() == 0) {  
        addFieldError("email", "Email is required");  
    }
```

```
    }  
}
```

struts.xml

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<!DOCTYPE struts PUBLIC
"-//Apache Software Foundation//DTD Struts Configuration 2.0//EN"
"http://struts.apache.org/dtds/struts-2.0.dtd">
```

```
<struts>
```

```
<constant name="struts.custom.i18n.resources" value="LoginAction" />
```

```
<package name="default" extends="struts-default" namespace="/">
```

```
<action name="Login" class="com.SanjyotPanure.struts2.Login">
```

```
<result name="success">welcome.jsp</result>
```

```
<result name="input">index.jsp</result>
```

```
</action>
```

```
</package>
```

```
</struts>
```