

Practical No. 06

Name: Vishal Shivraj Kumbhar

Roll no: 13274

Class: TE (B)

Subject: Web Technology Laboratory

Students.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"
pageEncoding="UTF-8"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<title>Student Registration Form</title>
```

```
<style>
```

```
body { font-family: Arial; background-color: #eef2f7; }
```

```
h1 { text-align: center; }
```

```
form {
```

```
    max-width: 500px;
```

```
    margin: 40px auto;
```

```
    padding: 30px;
```

```
    background: white;
```

```
    border-radius: 8px;
```

```
}
```

```
input {
```

```
    width: 100%;
```

```
    padding: 10px;
```

```
    margin-bottom: 15px;
```

```
}
```

```
input[type="submit"] {
```

```
    background-color: #e6b225;
```

```
        font-weight: bold;
    }
</style>

</head>

<body>

<h1>Student Registration Form</h1>

<form action="studentinsert.jsp" method="post">
    Student ID:
    <input type="number" name="student_id" required>

    Student Name:
    <input type="text" name="student_name" required>

    Class:
    <input type="text" name="class_Name" required>

    Division:
    <input type="text" name="division" required>

    City:
    <input type="text" name="city" required>

    <input type="submit" value="Submit">
</form>

</body>
</html>
```

studentinsert.jsp

```
<%@ page import="java.sql.*" %>
<html>
<head>
<title>Students Information</title>

<style>
```

```

table {
    border-collapse: collapse;
    width: 80%;
    margin: auto;
}

th, td {
    border: 1px solid black;
    padding: 10px;
}

th {
    background-color: green;
    color: white;
}
</style>

</head>

<body>

<%
String id = request.getParameter("student_id");
String name = request.getParameter("student_name");
String className = request.getParameter("class_Name");
String division = request.getParameter("division");
String city = request.getParameter("city");

try {
    Class.forName("com.mysql.cj.jdbc.Driver");

    Connection con = DriverManager.getConnection(
        "jdbc:mysql://localhost:3306/student",
        "root",
        "root" // change password if needed
    );

    PreparedStatement ps = con.prepareStatement(
        "INSERT INTO student_info VALUES (?, ?, ?, ?, ?)"
    );

```

```

);
ps.setString(1, id);
ps.setString(2, name);
ps.setString(3, className);
ps.setString(4, division);
ps.setString(5, city);
int i = ps.executeUpdate();
if(i > 0) {
    PreparedStatement ps1 = con.prepareStatement("SELECT * FROM student_info");
    ResultSet rs = ps1.executeQuery();
    out.println("<h2 align='center'>STUDENT DATA</h2>");
    out.println("<table>");
    out.println("<tr><th>ID</th><th>Name</th><th>Class</th><th>Division</th><th>City</th></tr>");
    while(rs.next()) {
        out.println("<tr>");
        out.println("<td>" + rs.getString(1) + "</td>");
        out.println("<td>" + rs.getString(2) + "</td>");
        out.println("<td>" + rs.getString(3) + "</td>");
        out.println("<td>" + rs.getString(4) + "</td>");
        out.println("<td>" + rs.getString(5) + "</td>");
        out.println("</tr>");
    }
    out.println("</table>");
    out.println("<h3 style='text-align:center;color:green;'>Data Inserted Successfully!</h3>");
}
} catch(Exception e) {
    out.println("Error: " + e.getMessage());
}
%>
</body>
</html>

```

MySQL Table Creation :-

```

CREATE DATABASE student;
USE student;
CREATE TABLE student_info (

```

```
student_id INT,  
student_name VARCHAR(50),  
class_Name VARCHAR(10),  
division VARCHAR(5),  
city VARCHAR(50)  
);
```