



TS ICET 24th May 2019 Shift-1

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in any retrieval system of any nature without the permission of cracku.in, application for which shall be made to support@cracku.in

Analitical Ability

Instructions

In the following questions a question is followed by data in the form of two statements labeled as I and II. You must decide whether the data given in the statements are sufficient to answer the questions. Using the data make an appropriate choice from (a) to (d) as per the following guidelines:

Question 1

For $a > 1$, $b > 1$, what is the LCM of a and b ?

I. Product of a and b is 1763

II. a and b are coprimes

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

Free Banking Study Material (15,000 Solved Questions)

Question 2

If a, b, c are positive integers, is their product abc even?

I. $a + b + c$ is odd

II. $a + c$ is odd

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

Question 3

Is $a > b$?

I. $x - 3$ is a factor of $x^3 - 27^a$

II. $x - 2$ is a factor of $x^4 - 16^b$

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

Question 4

Is the porallelogram ABCD a rectangle?

I. $AC = BD$

II. $\angle A + \angle B = 180^\circ$

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

Daily Free Banking Online Tests

Question 5

What is the area of the circle?

I. The circle is inscribed in a square

II. The length of the side of the square is 8 cm

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

Question 6

What is the three digit number P, where $100 < P < 210$?

I. P gives remainder 9 when divided by 10

II. P is divisible by 11

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

Question 7

What is the cost of one chair?

I. 1 Chair and 1 Table cost Rs. 12,000

II. The cost of Table is twice the cost of the Chair

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

SSC CHSL Previous Question papers (download pdf)

Question 8

What is selling price of each article?

I. The trader made a profit of Rs. 100

II. Two successive discounts of 10% each were given

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

Question 9

What are the two natural numbers a and b?

I. LCM of a and b = 240

II. HCF of a and b = 20

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

Question 10

How many people in the city speak Hindi?

I. 10% of people in the city can speak two languages

II. 5% of people in the city who can speak two languages can speak Hindi

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

SSC CHSL Free Mock Test

Question 11

Does the point(x, y) lie in the first quadrant?

I. $xy < -10$

II. $x + y \leq 10$

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

Question 12

Is 6 a factor of $n + 3$?

I. n is even and divisible by 3

II. n is divisible by a prime number

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

Question 13

What is the height of the tree?

I. The height of mountain is 300mts

II. The angles of depression of the top of the tree and the bottom of the tree are 45° and 60° respectively as seen from the top of the mountain.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

SSC CGL Free Mock Test

Question 14

How many men are required to complete the work in 40 days?

I. 8 men and 10 women can complete the work in 20 days.

II. 12 women can complete the work in 30 days.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

Question 15

What is the value of x in the matrix $A = \begin{bmatrix} x & 1 & 0 \\ 1 & 2 & 3 \\ 3 & 4 & x \end{bmatrix}$

- I. A is a singular matrix
- II. A is a non-singular matrix

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

Question 16

C is a point on the line joining B and E . D and A are point above BC such that $\angle DCE = \frac{1}{2} \angle ACE$. Is CD parallel to AB ?

- I. ABC is a scalene triangle
- II. $BC = CE$

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

Daily Free SSC Practice Set

Question 17

What are the co-ordinates of the point Q ?

- I. Q lies on the straight line l whose slope is 3
- II. l makes an intercept of 4 on y -axis

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

Question 18

What is the number of divisors of n ?

- I. $1 \leq n \leq 10,000$
- II. $n = 6000$

- A if the statement I alone is sufficient to answer the question.

- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

Question 19

How many positive integers are less than n and relatively prime to n ?

I. $n = 2^3 \cdot 5^2 \cdot 7^3$

II. n is composite

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

SSC CGL Free Online Coaching

Question 20

What is the first term of the Geometric Progression $t_1, t_2, t_3, \dots$?

I. $t_4 : t_3 = 2$

II. $t_5 = 64$

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statements alone is sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

Instructions

In each of the questions a sequence of numbers or letters that follow a definite pattern is given. Each question has a blank space. This has to be filled by the correct answer from the four given options to complete the sequence without breaking the pattern.

Question 21

27, 343, 6859.

- A 3375
- B 1331
- C 2197
- D 1728

Answer: C

Question 22

7, 3, 8,, 9, 5.

- A 2
- B 10
- C 6
- D 4

Answer: D

Free SSC Study Material (18,000 Solved Questions)

Question 23

I, L, S,, Y

- A E
- B G
- C F
- D H

Answer: C

Question 24

Z, W, Q,, V

- A H
- B J
- C G
- D I

Answer: A

Question 25

170, 1332, 50,, 10.

- A 82
- B 75
- C 120
- D 126

Answer: D

SSC CGL Previous Papers (DOWNLOAD PDF)

Question 26

6FL : 9IR :: : 5EJ

A 3CE

B 2BD

C 4DF

D 8HP

Answer: B

Question 27

Book : Publisher :: Film :

A Director

B Editor

C Script Writer

D Producer

Answer: D

Question 28

RAM : UGV :: CAT :

A FGV

B FCG

C FGC

D GFC

Answer: C

1500+ Very Important Free SSC Solved Questions

Question 29

$\frac{Z}{M} : 2 :: \frac{T}{E} : \dots\dots\dots$

A 2

B 3

C 4

D 5

Answer: C

Question 30

OP : 30 :: CX :

A 72

B 24

C 9

D 18

Answer: C

Instructions

Pick the odd thing out:

Question 31

A Chord

B Radius

C Circumference

D Diagonal

Answer: D

Free Banking Study Material (15000 Solved Questions)

Question 32

A Crow

B Parrot

C Eagle

D Duck

Answer: D

Question 33

A $x^2 + y - 2x\sqrt{y}$

B $x + y + 2\sqrt{xy}$

C $x^2 - y^2 + 2yx$

D $4x^2 - 4\sqrt{3xy} - 3y^2$

Answer: C

Question 34

A 62

B 59

C 67

D 73

Answer: A

AP SI Free Solved Previous Papers PDF

Question 35

- A Hyderabad
- B Mumbai
- C Bhubaneswar
- D Indore

Answer: D

Instructions

Each of the questions follow a definite pattern. Observe the same and fill in the blanks with suitable answers.

Question 36

9,, 126, 48, 1332, 168

- A 8
- B 10
- C 9
- D 12

Answer: A

Question 37

DOG, HDN, PHB,

- A ABW
- B BAW
- C BAV
- D BAX

Answer: B

Free Banking Study Material (15,000 Solved Questions)

Question 38

Z, U, Q,, L

- A K
- B M
- C I
- D N

Answer: D

Question 39

1, 4, 8, 11, 22,

- A 25
- B 33
- C 26
- D 44

Answer: A

Question 40

A2A, D9E, G16I,

- A K 32 U
- B J 32 O
- C J 23 O
- D I 25 O

Answer: A

Daily Free Banking Online Tests

Question 41

EDU, IGS,, QMO

- A MJQ
- B UPN
- C MJP
- D LJQ

Answer: A

Question 42

BAT, EVA,, QFU,

- A HMI, YTI
- B JOJ, ZUH
- C KOK, HUX
- D IMH, TYI

Answer: B

Question 43

6, 3, 1, 0.25,

- A 0.0083
- B 0.05

- C 0.5
D 0.005

Answer: B

SSC CHSL Previous Question papers (download pdf)

Question 44

$\{X, Y\}, \{X + Y, X - Y\}, \{2X, 2Y\}, \{2(X + Y), 2(X - Y)\}, \{\dots, \dots\}$

- A $3X, 3Y$
B $3(X + Y), 3(X - Y)$
C $4X, 4Y$
D $4(X + Y), 4(X - Y)$

Answer: C

Question 45


$2 + \sqrt{6}, 4 + \sqrt{20}, 6 + \sqrt{42}, \dots$

- A $8 + \sqrt{72}$
B $12 + \sqrt{72}$
C $8 + \sqrt{74}$
D $8 + 3\sqrt{7}$

Answer: A

Instructions

Study the following Bar diagram carefully and answer questions



Question 46

The average food production (in Tonnes) from 2001 to 2005 is

- A 50,000
- B 40,000
- C 45,000
- D 55,000

Answer: A

SSC CHSL Free Mock Test

Question 47

The ratio between the increase in production between 2000 and 2003 and 2000 and 2005 is:

- A 3:2
- B 4:3
- C 5:3
- D 5:2

Answer: D

Question 48


The approximate percentage increase in production of food grains from 2001 to 2003 is.

- A 15.66%
- B 15.03%
- C 16.66%
- D 16.075%

Answer: C

Instructions

The marks obtained by a student in the examination in (A) Mathematics (B) English (C) Telugu. (D) Social Science (E) Science are depicted in the following Pie Diagram. Based on this data answer the questions



Question 49

If the student secured 150 marks in A. how many total marks did he secure in the complete examination?

- A 360

- B 450
- C 600
- D 1000

Answer: C

SSC CGL Free Mock Test

Question 50

The ratio of the marks obtained by the student in Mathematics and Telugu.

- A 11:9
- B 15:13
- C 18:13
- D 19:14

Answer: A

Question 51

If a student has scored 150 marks in Mathematics, how many marks did he score in social science?

- A 100
- B 105
- C 110
- D 120

Answer: A

Question 52

What is the percentage of the total marks scored by the student in C, D and E put together?

- A $52\frac{1}{3}$
- B $58\frac{1}{3}$
- C $60\frac{1}{3}$
- D $61\frac{1}{3}$

Answer: A

Daily Free SSC Practice Set

Question 53

If a student got 150 marks in A. how many marks did he get in D & E put together?

- A $240\frac{1}{3}$

B $241\frac{2}{3}$

C 245

D $245\frac{1}{3}$

Answer: A

Instructions

The following passage to be analyzed for answering the questions:

In a class of 60 students. 23 play Hockey, 15 play Basketball and 20 plays Cricket. 7 play Hockey and Basketball. 5 play Cricket and Basket Ball. 4 play Hockey and Cricket. and 15 students do not play any of these games. Using this data. answer the questions

Question 54

The number of students who play Hockey, Basketball and Cricket is.

A 3

B 8

C 11

D 6

Answer: A

Question 55

The number of students who play Cricket and Hockey but not Basketball is

A 4

B 2

C 3

D 1

Answer: D

SSC CGL Free Online Coaching

Instructions

The letters A, B, C,, Z of the English Alphabet are numbered 1, 2,, 26 respectively. A Code is designed by the following rule:

Rule: The i th the letter is coded as the j th letter where $j \equiv 3i + 2 \pmod{26}$. The reverse process is followed for decoding.

Example: The 9th letter I is coded as C because, $3 \times 9 + 2 \pmod{26}$ is $29 \pmod{26}$ which is 3 and the letter C is numbered as 3. Based on this coding procedure answer the questions

Question 56

The code for COMPUTER is?

A KUOXMJQD

B KUPYNLRE

C KVPXMQJD

D KVOXNJQD

Answer: A

Question 57

What is the code for STATE?

A GSFSP

B GJEJQ

C GJFJP

D GQEQR

Answer: B

Question 58

Which word is coded as FULLY?

A SILLY

B JETTY

C JOLLY

D SORRY

Answer: C

Free SSC Study Material (18,000 Solved Questions)

Question 59

The number of letters of the alphabet that remain unchanged in this coding is

A 4

B 1

C 3

D 2

Answer: D

Question 60

What is the code for MANAGER?

A OEREWQD

B OFSFWPD

C OGRGVQE

D OHQHURD

Answer: A

Instructions

A word or a group of letters to be coded or decoded based on the certain codes. Using the information, answer the questions

Question 61

If "CHENNAI" is coded as "XSVMMZR" than "MUMBAI" is coded as:

- A NONAYR
- B LFLYZR
- C OFOXZR
- D NFNYZR

Answer: D

SSC CGL Previous Papers (DOWNLOAD PDF)

Question 62

If "PUNE" is coded as "QXSL", then the code for "CUTE" is

- A EXZL
- B DXYL
- C CXYL
- D FXAL

Answer: B

Question 63

If "MAHATMA" is coded as "PDKAQJX" then "KRISHNA" is coded as

- A NULSKEX
- B NULSXEX
- C NULSEXM
- D NULSEKX

Answer: D

Question 64

If "RING" is coded as "SJMF" then which of the following is coded as "GSNF"?

- A FIGO
- B FRUG
- C FROG
- D FORK

Answer: C

1500+ Very Important Free SSC Solved Questions

Question 65

If "2018" is coded as "7981" then "1947" is the code for

- A 8153
- B 8052
- C 8025
- D 8513

Answer: B

Instructions

For the following questions answer them individually

Question 66

If today is Friday, then the day after 185 days will be

- A Sunday
- B Wednesday
- C Tuesday
- D Monday

Answer: D

Question 67

At what time between 7'O clock and 8'O clock will the two hands in the clock be at right angles to each other?

- A $7.45\frac{5}{11}$
- B $7.55\frac{5}{11}$
- C $7.48\frac{5}{11}$
- D $7.46\frac{5}{11}$

Answer: B

Free Banking Study Material (15000 Solved Questions)

Question 68

If a clock takes 20 seconds to strike 11, how many seconds will it take to strike 5?

- A 8
- B 5
- C 6
- D 10

Answer: A

Question 69

P says "my father is the only son of Q's mother and A.Q are sisters". If R is grandfather of A: B is Q's son then how is P related to B?

- A Brother
- B Cousin
- C Father
- D Uncle

Answer: B

Question 70

Ram left office for the bus stop 15 minutes early. It takes 25 minutes for him to reach bus stop. Due to traffic he reached 10 minutes late and missed the bus. How much time did he take to come to bus stop?

- A 30 minutes
- B 25 minutes
- C 50 minutes
- D 40 minutes

Answer: C

AP SI Free Solved Previous Papers PDF

Question 71

A train leaves Hyderabad at 6:10 a.m. and reaches Warangal at 9:25 a.m. The average speed of the train is 44 Kmph. Then the distance from Hyderabad to Warangal in km is:

- A 130
- B 135
- C 143
- D 140

Answer: C

Question 72

A, F are in different rows and columns. B is opposite to F and H is opposite to D, who is in the same row as that of A, E and G are neighbors of F. If the persons sitting in the rows face each other and C is immediate right to D, then who is diagonally nearest to D?

- A H
- B F
- C G
- D B

Answer: C

Question 73

If $+$ means $\div$, $-$ means $\times$, $\div$ means $+$ and $\times$ means $-$. Then the value of $16 + 4 \div 5 - 3 \times 1$ is

- A 20
- B 18
- C 14
- D 02

Answer: B

Free Banking Study Material (15,000 Solved Questions)

Question 74

$$a * b = \frac{a^2 + b^2}{ab}, a > 0, b > 0 \Rightarrow \frac{(1*2)*(1*1)}{1*3} =$$

- A $\frac{111}{10}$
- B $\frac{121}{100}$
- C $\frac{123}{150}$
- D $\frac{123}{200}$

Answer: D

Question 75

If the symbols $*$, $\#$, $@$, $\mathcal{L}$ represent addition, subtraction, multiplication and division respectively then:

$$\frac{(15*x)@(12\#8)\mathcal{L}(15\#2)}{(15\#3)@(12*8)\mathcal{L}(5*5)} =$$

- A 4
- B 3
- C 1
- D 0

Answer: A

Daily Free Banking Online Tests

Mathematical Ability

Instructions

For the following questions answer them individually

Question 76

$$\frac{\left(x + \frac{1}{y}\right)^a \cdot \left(x - \frac{1}{y}\right)^b}{\left(y + \frac{1}{x}\right)^a \cdot \left(y - \frac{1}{x}\right)^b} =$$

A $\left(\frac{x}{y}\right)^{a+b}$

B $\left(\frac{y}{x}\right)^{a+b}$

C $(x+y)^{a+b}$

D $(x-y)^{a-b}$

Answer: A

Explanation:

$$\begin{aligned} & \left(\frac{x+y}{y+x}\right)^a \left(\frac{x-y}{y-x}\right)^b \\ &= \left(\frac{xy+1}{xy+1} \times \frac{x}{y}\right)^a \left(\frac{xy-1}{xy-1} \times \frac{x}{y}\right)^b \\ &= \left(\frac{x}{y}\right)^a \left(\frac{x}{y}\right)^b \\ &= \left(\frac{x}{y}\right)^{a+b} \end{aligned}$$

Hence the answer is option A

SSC CHSL Previous Question papers (download pdf)

Question 77

$$3^a = 5^b = 75^c \Rightarrow c(2a+b) =$$

A $a+b$

B ab

C $a-b$

D $(ab)^{-1}$

Answer: B

Explanation:

$$3^a = 5^b = 75^c = k$$

$$3 = k^{\frac{1}{a}}, 5 = k^{\frac{1}{b}}, 75 = k^{\frac{1}{c}}$$

$$75 = 3 \times 5^2$$

$$k^{\frac{1}{c}} = k^{\frac{1}{a}} \times k^{\frac{2}{b}}$$

$$\frac{1}{c} = \frac{1}{a} + \frac{2}{b}$$

$$c = \frac{ab}{2a+b}$$

$$c(2a+b) = ab$$

Hence the answer is option B

Question 78

$$ab : bc : ca = 3 : 1 : 2 \Rightarrow \frac{a}{bc} : \frac{b}{ca} =$$

A 1:4

B 4:1

C 4:3

D 2:1

Answer: B

Explanation:

Shortcut

$$ab : bc : ca = 3 : 1 : 2$$

$$c = 2 \quad a = 6 \quad b = 3$$

$$\frac{a}{bc} : \frac{b}{ca}$$

$$\Rightarrow \frac{6}{6} : \frac{3}{12}$$

$$1 : \frac{1}{4}$$

$$\Rightarrow 4 : 1$$

Explanation:

$$ab : bc : ca = 3 : 1 : 2$$

$$\Rightarrow \frac{1}{c} : \frac{1}{a} : \frac{1}{b} = 3 : 1 : 2$$

$$c = \frac{k}{3}, a = k, b = \frac{k}{2}$$

Ratio $c = 2k, a = 6k, b = 3k$

$$\frac{a}{bc} : \frac{b}{ca}$$

$$\frac{6}{6} : \frac{3}{12}$$

$$4 : 1$$

Hence the answer is option B

Question 79

$$a : b = 3 : 5 :: ab = 2535 \Rightarrow a + b =$$

A 104

B 108

C 112

D 116

Answer: A

Explanation:

$$a = 3k$$

$$b = 5k$$

$$15k^2 = 2535$$

$$k^2 = 169$$

$$k = 13$$

$$\text{sum} \Rightarrow 8k = 104$$

Hence the answer is option A

SSC CHSL Free Mock Test

Question 80

$$x = 5 + \sqrt[3]{5} + \sqrt[3]{25} \Rightarrow x^3 - 15x^2 + 60x + 10 =$$

- A 40
- B 70
- C 90
- D 100

Answer: C

Explanation:

$$(x - 5)^3 = 5 + 25 + 3 \times 5(x - 5)$$

$$(x - 5)^3 = 30 + 15(x - 5)$$

$$(x - 5)[x^2 + 25 - 10x - 15] = 30$$

$$(x - 5)[x^2 - 10x + 10] = 30$$

$$x^3 - 15x^2 + 60x - 50 = 30$$

$$x^3 - 15x^2 + 60x = 30 + 50$$

$$x^3 - 15x^2 + 60x + 10 = 90$$

Hence the answer is option C

Question 81

$$\sqrt{6 + \sqrt{6 + \sqrt{6 + \sqrt{6 + \dots}}}} =$$

- A 6
- B 4
- C 3
- D 1

Answer: C

Explanation:

$$\text{short cut } 2 \times 3 = 6$$

Longer Method

$$\sqrt{6 + \sqrt{6} \dots} = x$$

$$6 + x = x^2$$

$$x^2 - x - 6 = 0$$

$$(x - 3)(x + 2) = 0$$

$$x = 3, x = -2$$

$$x = -2 \text{ not possible}$$

So answer is $x = 3$

Hence the answer is option C

Question 82

What is the least value of x such that $43x4567$ is divisible by 11?

- A 4
- B 6
- C 7
- D 8

Answer: D

Explanation:

$43x4567$ is divisible by 11

So, $4+x+5+7 - (3+4+6)$ is divisible by 11

So, $x+16 - 13$ is divisible by 11

So, $x+3$ is divisible by 11

So, $x = 8$

Hence the answer is option D

SSC CGL Free Mock Test

Question 83

The number of positive integers between 1 and 2087 that are divisible by 31 is:

- A 53
- B 59
- C 67
- D 73

Answer: C

Explanation:

First no 31

Last no

31) 2087 (67

186

227

217

10

$1 \rightarrow 67$

Total no = 67

Hence the answer is option C

Question 84

What is the largest four digit number that leaves a remainder 4 when it is divided by 36, 48 and 64?

- A 9697

B 9782

C 9796

D 9802

Answer: C

Explanation:

$$\text{No} = \text{LCM}(36, 48, 64)k + 4$$

$$= 576k + 4$$

$$= 576 \times 9999 + 4$$

$$\underline{576}$$

$$4239$$

$$\underline{4032}$$

$$\underline{207}$$

$$9999 - 207 + 4$$

$$9999 - 203$$

$$= 9796$$

Hence the answer is option C

Question 85

What is the minimum number of square tiles required to pave a floor of dimensions 24.78 meters x 22.26 meters?

A 3027

B 3127

C 3242

D 3247

Answer: B

Explanation:

$$\text{HCF } 2478 \quad 2226$$

$$252$$

$$2 \times 126$$

$$2 \times 18 \times 7$$

$$\text{HCF} = 2 \times 3 \times 7$$

$$= 42$$

$$\text{No. of tiles } 2478 \times 2226$$

$$42 \times 42$$

$$\Rightarrow 59 \times 53$$

$$= 3127$$

Hence the answer is option B

Daily Free SSC Practice Set

Question 86

$$\frac{3.61}{0.361} = \frac{361}{x} \Rightarrow x =$$

- A 36.1
- B 3.61
- C 0.361
- D 0.0361

Answer: A

Question 87

If the recurring decimal number 1.27 is equal to the rational number $\frac{p}{q}$ then p - q =

- A 3
- B 8
- C 27
- D 83

Answer: A

Question 88

The difference between the largest and the smallest of the following rational numbers is:

$$\frac{3}{5}, \frac{3}{8}, \frac{2}{3}, \frac{4}{9}, \frac{1}{2}, \frac{6}{11}$$

- A $\frac{11}{48}$
- B $\frac{13}{48}$
- C $\frac{11}{24}$
- D $\frac{7}{24}$

Answer: D

SSC CGL Free Online Coaching

Question 89

What is the least fraction to be added to the sum of the following fractions to make it an integer?

$$\frac{1}{3}, \frac{11}{6}, \frac{7}{12}, \frac{4}{36}, \frac{1}{5}, \frac{1}{12}, \frac{1}{7}, \frac{1}{4}$$

- A $\frac{7}{9}$
- B $\frac{5}{9}$
- C $\frac{2}{9}$
- D $\frac{1}{9}$

Answer: C

Question 90

If the length of a rectangle is increased by 15% and the breadth decreased by 10% then the percentage change in its area is:

- A 7% increase
- B 7% decrease
- C $3\frac{1}{2}\%$ decrease
- D $3\frac{1}{2}\%$ increase

Answer: D

Question 91

A spends 70% of his income and saves the rest. If his income increases by 15% and expenses increase by 20% the percentage change in his saving will be:

- A 30% increase
- B $\frac{10}{3}\%$ increase
- C $\frac{3}{10}\%$ decrease
- D $\frac{1}{10}\%$ decrease

Answer: B

Free SSC Study Material (18,000 Solved Questions)

Question 92

A person buys an article for Rs. 18000 and after one year sells it for less than 25% of its cost price. What is the sale price (in Rs.) ?

- A 15,000
- B 13,500
- C 12,500
- D 12,000

Answer: B

Question 93

A buys a piece of land for Rs. 75 lakhs and sells it to B at a profit of 10%. B in turn sells it to C at a profit of 20%. The amount of money paid by C (in Rs. lakhs) is:

- A 97
- B 98
- C 99
- D 101

Answer: C

Question 94

A and B started a business with capitals of Rs. 12 lakhs and Rs. 24 lakhs respectively. A receives a monthly salary for running the business. At the end of the year they receive Rs. 1.80.000 each. What was the monthly salary of A (in Rs.)?

- A 6,000
- B 7,500
- C 9,000
- D 10,500

Answer: B

SSC CGL Previous Papers (DOWNLOAD PDF)

Question 95

A and B enter into a partnership business with capitals in the ratio 4:5 respectively. At the end of 4 months A withdraws and B continued. At the end of the business they share profits in the ratio 1:5. The number of months B's Capital was used is:

- A 8
- B 12
- C 16
- D 20

Answer: C

Question 96

2 pipes can fill a tank in 30 minutes and 36 minutes respectively. A third pipe empties the tank at the rate of 11 liters per minute. If all the three pipes are opened simultaneously it takes $22\frac{1}{2}$ minutes for the tank to be full. The capacity of the tank in litres is:

- A 1060
- B 960
- C 760
- D 660

Answer: D

Explanation:

(10) Two pipes say A and B fill the tank in 30 min & 36 min respectively.
 Let us suppose pipe C emptied the tank in x min.

Then Using Unit Work Method,

	(A)	(B)	(C)	LCM
Min.	30	36	x	$180x$
Unit/min.	$+8x$	$+5x$	-180 (∵ drain)	

Total unit of work by all three pipes (A) (B) & (C)
 $= (11x - 180)x$

Now, Total time required = $\frac{\text{Total work}}{\text{Total work/min}}$

$$22\frac{1}{2} = \frac{180x}{11x - 180}$$

$$\frac{45}{2} = \frac{180x}{11x - 180}$$

$$\boxed{x = 60}$$

Therefore, pipe C took 60 minutes to empty the whole tank.

So, the capacity of tank = Rate $\times$ Total Time
 $= 11 \text{ L/min} \times 60$
 $= 660 \text{ Liters.}$

Question 97

Two pipes A and B can fill a tank in 2 hours and 3 hours respectively. If both the pipes are opened together the time required in minutes to fill the tank is:

A 72

B 85

C 105

D 108

Answer: A

Explanation:

⑨ Pipe (A) can fill the tank in 2 hr.
" (B) can " " 3 hr.

Using Unit Work Method.

	(A)	(B)	LCM
hr.	2	3	6
Unit/hr	3	2	5 = unit/hr.

Therefore time required by both A and B = $\frac{\text{Total Unit}}{\text{Unit of work/hr}}$

$= \frac{6}{5} \text{ hr}$

$= \frac{6}{5} \times 60 \text{ min}$

$= 72 \text{ minutes.}$

1500+ Very Important Free SSC Solved Questions

Question 98

A man is walking at a speed of 10 kmph. After every kilometer he takes rest for 5 minutes. How much time he takes in minutes to cover a distance of 7 kms?

A 68

B 70

C 72

D 76

Answer: E

Explanation:

OPTION E = 67

(8)

Speed of man = 10 km/hr
He has to cover 7 km and after each km he takes
5 mint rest.

∴ No. of times of Rest taken by Him.

1 (2) (3) (4) (5) (6) 7 km.
5 times rest.

Total rest time = $5 \times 5 = 25$ mint.

Time required to cover 7 km = $\left(\frac{7 \times 60}{10} + 25 \right)$ mint.
 $= (42 + 25)$ mint = 67 mint.

Question 99

What is the time taken in hours by a cart to cover a distance of 0.9 km at 0.25 (meters per second) ?

- A 1
- B 1.2
- C 1.4
- D 1.5

Answer: A

Explanation:

(7)

Speed of cart = 0.25 m/s
 $= 0.25 \times \frac{18}{5}$ km/hr
 $= 0.9$ km/hr.

Distance to travelled = 0.9 km.

Therefore Time required = $\frac{\text{Distance}}{\text{Speed}} = \frac{0.9}{0.9}$ hr = 1 hr.

Question 100

R and S can finish a job in 10 days, S and M can finish it in 12 days and M and R can finish it in 15 days. In how many days will R, S and M together finish the job?

- A** 8
- B** 7
- C** $6\frac{1}{2}$
- D** 6

Answer: A

Explanation:

6. $(R+S)$ can finish a job in 10 days
 $(S+M)$ " " = 12 Days
 $(M+R)$ " " = 15 Days.

Using Unit Work Method

	$(R+S)$	$(S+M)$	$(M+R)$
Days	10	12	15
Unit/day	6	5	4

LCM

$60 = \text{Total unit work.}$

Unit/day

oneday work of $2(R+S+M) = 15$ unit.

" " $(R+S+M) = \frac{15}{2}$ units

" " " do 60 units

Oneday work of (R+S+M) = $\frac{15}{2}$ units
 " " " " "
 Therefore No. of Days required to do 60 units work = $\frac{60 \times 2}{15} = 8$ days

Free Banking Study Material (15000 Solved Questions)

Question 101

P can do a work in 12 days and O can do the same work in 16 days. Both start the work together and O left after 4 days. How many more days are required by P to finish the work?

- A** 4
- B** 5
- C** 6
- D** 7

Answer: B

Explanation:

- (5) P can do a work in 12 days.
Q can do the work in 16 days.

By Unit Work Method,

LCM (Take LCM of No. of days).

	P	Q
Day =	12	16
Unit/day	4	3

48

7 = Total work/day by both.

(P+Q) 4 day work = $7 \times 4 = 28$ unit.

remaining unit of work = $(48 - 28) = 20$ unit.

Therefore No. of days required by "P" alone to complete

the remaining work = $\frac{20}{4}$ days
= 5 days.

Question 102

The length of a plot is 5 times its breadth. A playground measuring 500 sq.m is occupied by one fourth of the total area of the plot. The length of the plot in meters is:

- A 80
- B 100
- C 120
- D 125

Answer: B

Explanation:

(4) Sol Let the length of the plot = $5x$ m.

then, Breadth of the plot = $\frac{5x}{5}$ m = x m.

Since, the playground occupied $\frac{1}{4}$ th of the area of plot.

Therefore, The area of plot = $4 \times$ Area of playground

$$(l \times b) = 4 \times 500$$

$$(5x \times x) = 2000$$

$$5x^2 = 2000$$


$$x^2 = 400$$

$$x = 20$$

Then, Length of the plot = $5x = 5 \times 20$ m = 100 m.

Question 103

Area of the given figure.



- A $18 + (1 + \pi)$
- B $18 + (2 + \pi)$
- C $18 + (1 + 2\pi)$
- D $36 + (1 + \pi)$

Answer: E

Explanation:

(9) solⁿ From the figure We can find that there are 4 Semicircle and a square at the center.

Now, Radius of Semicircle = 3m.

$$\begin{aligned}\therefore \text{Area of Each Semicircle} &= \pi \times (\text{radius})^2 \\ &= \pi \times 9 \text{ m}^2 \\ &= 9\pi \text{ m}^2\end{aligned}$$

$$\begin{aligned}\text{And Area of Square} &= (\text{side})^2 = (6\text{m})^2 \\ &= 36 \text{ m}^2.\end{aligned}$$

$$\begin{aligned}\text{Therefore Total area of given fig.} &= \left(4 \times \text{Ar. of Semicircle} + \text{Area of Square} \right) \\ &= (4 \times 9\pi + 36) \text{ m}^2 \\ &= 36(\pi + 1) \text{ m}^2.\end{aligned}$$

AP SI Free Solved Previous Papers PDF


Question 104

What is the volume of a cube (in cu.cms) whose total surface area is 726 sq cms?

- A 1231
- B 1321
- C 1331
- D 1728

Answer: C

Explanation:




$$\text{Area of cube} = 6 \times (\text{side})^2$$

$$726 = 6 \times (\text{side})^2$$

$$\text{Side} = 11 \text{ cm}$$

$$\begin{aligned} \text{Volume of cube} &= (\text{side})^3 \\ &= (11)^3 = 1331 \end{aligned}$$



Question 105

The length, breadth and the height of a cuboid are in the ratio $6 : 5 : 4$ and its total surface area is $33,300 \text{ sq.m.}$ What is the length of the cuboid (in meters)?

- A 60
- B 75
- C 85
- D 90

Answer: D

Explanation:

① Let the length, breadth and height be $6n$, $5n$ & $4n$
Since Total Surface area of Cuboid $= 2(lb + bh + hl)$

Then,

$$2\{(6n \times 5n) + (5n \times 4n) + (4n \times 6n)\} = 33300$$

$$2\{30n^2 + 20n^2 + 24n^2\} = 33300$$

$$2 \times 74n^2 = 33300$$

$$n^2 = \frac{33300}{148}$$

$$n^2 = 225$$

$$\boxed{n = 15}$$

Therefore length $= 6n = 90\text{m}$
Breadth $= 5n = 75\text{m}$
Height $= 4n = 60\text{m}$.

Question 106

If the length and breadth of a rectangular plot area 120m and 76m respectively, then the cost of fencing it at Rs.8 per metre (in Rs) is:

- A 3136
- B 3130
- C 3124
- D 3118

Answer: A

Free Banking Study Material (15,000 Solved Questions)

Question 107

The area (in sq.cm) of a regular hexagon of side 4 cm is:

- A $16\sqrt{3}$
- B $24\sqrt{3}$
- C $24\sqrt{2}$
- D $16\sqrt{2}$

Answer: B

Question 108

Two equal cubes of side of length 18 cm are joined together to form a cuboid. Then the total surface area of this cuboid (in sq.cm) is:

- A 2430
- B 3240
- C 4860
- D 7290

Answer: B

Explanation:

$L=36, B=18, H=18$

$TSA=2(LB+BH+HL)$

$=2(36*18+18*18+18*36)$

$=2*1620=3240$

Question 109

$\{x : |8 - 4x| > 12\} =$

- A $(-\infty, -1) \cup (6, \infty)$
- B $(-\infty, -1) \cup (5, \infty)$
- C $(-1, 5)$
- D $(1, 5)$

Answer: B

Daily Free Banking Online Tests

Question 110

If $5x + 7 \equiv 12 \pmod{18}$, then the smallest integral value of such an x is:

- A 19

- B 17
C 13
D 15

Answer: A

Question 111

If p, q are any two statements, the negation of the statement $((\sim p \vee q) \wedge (p \vee \sim q)) \vee (p \wedge q)$ is

- A $(p \vee q) \wedge ((\sim p) \vee (\sim q))$
B $(p \wedge q) \vee ((\sim p) \wedge (\sim q))$
C $(p \wedge q) \wedge ((\sim p) \vee (\sim q))$
D $(p \vee q) \wedge ((\sim p) \wedge (\sim q))$

Answer: D

Question 112

For any two statements p, q a tautology among the following is:

- A $p \vee (\sim (p \wedge q))$
B $(p \vee q) \Rightarrow p$
C $\sim (p \wedge q) \Rightarrow p$
D $\sim (p \wedge q) \Rightarrow \sim p$

Answer: A

SSC CHSL Previous Question papers (download pdf)

Question 113

Let A, B be subsets of a set X and let $n(A)$ denote the number of elements in A . If $n(A) = 15, n(A \cap B) = 4, n(A \cup B) = 21$ then $n(B - A) =$

- A 4
B 6
C 10
D 14

Answer: B

Question 114

If a set X has four elements. then the number of relations on X that are symmetric is:

- A $2^{16} - 2^6$
B 2^{10}

- C 2^6
- D $2^{16} - 2^{10}$

Answer: B

Question 115

Let $R = \{(m, n) \in \mathbb{N}^2 : m + n \text{ is even}\}$. Then the relation R on $\mathbb{N}$ is:

- A Reflexive only
- B Reflexive and symmetric but not transitive
- C An equivalence relation
- D Symmetric only

Answer: C

SSC CHSL Free Mock Test

Question 116

A line l which makes equal intercepts with the coordinate axes, passes through the point $(3, -4)$. Then it also passes through the point:

- A $(5, -6)$
- B $(-6, 7)$
- C $(-3, 4)$
- D $(-2, 3)$

Answer: A

Question 117

If A(2, -3), B(3, 4) and C(-1, 5) are vertices of a triangle, then the length of median through A is:

- A $\frac{15}{2}$
- B $\sqrt{\frac{229}{4}}$
- C $\sqrt{\frac{219}{4}}$
- D $\frac{13}{2}$

Answer: B

Question 118

If $\sin \theta = \frac{5}{13}$ and θ is not in the first quadrant, then $\sec \theta + \tan \theta =$

- A $-\frac{3}{2}$
- B $\frac{12}{13}$
- C $\frac{2}{3}$
- D $\frac{13}{12}$

Answer: A

SSC CGL Free Mock Test

Question 119

$$\sec \theta - \tan \theta = x \Rightarrow \frac{1 + x^2}{1 - x^2} =$$

- A $\sin \theta$
- B $\operatorname{cosec} \theta$
- C $\cos \theta$
- D $\cot \theta$

Answer: B

Question 120

$$A + B = \frac{\pi}{4} \Rightarrow (1 + \tan B)(1 + \tan B) =$$

- A 1
- B 2
- C 0
- D -1

Answer: B

Question 121

The angles of elevation of a tower from the top and bottom of a building of height 30 meters are 30° and 60° respectively. Then the height of the tower (in meters) is:

- A 45
- B 60
- C 75
- D 90

Answer: A

Daily Free SSC Practice Set

Question 122

$$x + \frac{1}{x} = 5 \Rightarrow x^3 + \frac{1}{x^3} =$$

- A 125
- B 110
- C 90
- D 105

Answer: B

Question 123

$3x - 4y = 7$; $xy = 5 \Rightarrow 9x^2 + 16y^2 = ?$

- A 120
- B 144
- C 169
- D 196

Answer: C

Question 124

The remainder when the polynomial $7x^3 + 13x^2 - 19x - 20$ is divided by $x + 2$ is:

- A 14
- B 18
- C -14
- D -18

Answer: A

SSC CGL Free Online Coaching

Question 125

If a polynomial in x leaves remainders -19, 17 respectively when divided by $x + 4$ and $x - 5$, then the remainder it leaves when divided by $x^2 - x - 20$ is

- A $3x + 4$
- B $3x - 4$
- C $4x + 3$
- D $4x - 3$

Answer: D

Question 126

The value of k for which the system $ky + 3y = k - 3$ and $12x + ky = k$ of equations has infinitely many solutions is:

- A 4
- B 5
- C 6
- D 7

Answer: C

Explanation:

$$KX + 3Y = K - 3$$

$$KX + 3Y - (K - 3) = 0 \text{ -----(1)}$$

And,

$$12X + KY = K$$

$$12X + KY - K = 0$$

These equations are of the form of $A_1X + B_1Y + C_1 = 0$ and $A_2X + B_2Y + C_2 = 0$

Where,

$$A_1 = K, B_1 = 3 \text{ and } C_1 = -K + 3$$

And,

$$A_2 = 12, B_2 = K \text{ and } C_2 = -K$$

For no solution we must have,

$$A_1/A_2 = B_1/B_2 = C_1/C_2 \text{ [Where # stand for not equal]}$$

$$K / 12 = 3/K$$

$$K^2 = 12 \times 3$$

$$K^2 = 36$$

$$K = \sqrt{36} = 6$$

Question 127

A fraction becomes $\frac{4}{5}$ if 1 is added to both its numerator and denominator while it becomes $\frac{1}{2}$ if 5 is subtracted from its numerator and denominator. The fraction is

A $\frac{5}{11}$

B $\frac{6}{11}$

C $\frac{7}{9}$

D $\frac{7}{10}$

Answer: C

Explanation:

Q) 115676.

$$\frac{x+1}{y+1} = \frac{4}{5}$$

$$5x+5 = 4y+4 \quad \text{--- (1)}$$

$$5x - 4y = -1$$

$$\frac{x-5}{y-5} = \frac{1}{2}$$

$$2x - 10 = y - 5$$

$$2x - y = 5 \rightarrow (2)$$

Multiply (1) $\times 2$, (2) $\times 5$

$$10x - 8y = -2 \rightarrow (1)$$

$$10x - 5y = 25 \rightarrow (2)$$

Solve (1) & (2) we get $y = 9$
 $x = 7$

$$\frac{x+1}{y+1} = \frac{4}{5} \text{-----equation 1}$$

$$\frac{x-5}{y-5} = \frac{1}{2} \text{-----equation 2}$$

from equation 1 and 2,

$$5x - 4y = -1 \text{----- multiply with 2}$$

$$2x - y = 5 \text{-----multiply with 5}$$

therefore

$$10x - 8y = -2 \text{-----(1)}$$

$$10x - 5y = 25 \text{-----(2)}$$

by subtracting we get $Y = 9$

substitute y value in any equation we get $X = 7$

Question 128

If the sum of first 21 terms of an arithmetic progression is 609, then the 11th term of progression is

- A 23
- B 25
- C 27
- D 29

Answer: D

Explanation:

Q) 115675

$$S_n = \frac{n}{2} [2a + (n-1)d]$$

$$609 = \frac{21}{2} [2a + (21-1)d]$$

$$= \frac{21}{\cancel{2}} \times \cancel{2} [a + 10d]$$

$$\frac{609}{21} = a + 10d$$

$$a_{11} = a + 10d = 29$$

$$S_n = \frac{n}{2} [2a + (n-1)d]$$

$$609 = \frac{21}{2} [2a + (21-1)d]$$

by taking 2 common and eliminate 2

$$609/21 = a + 10d \text{ i.e } a_{11}$$

$$a_{11} = 29$$

Question 129

The harmonic mean of $\frac{1}{x}$ and $\frac{1}{y}$ is

- A the reciprocal of average of x and y
- B product of x and y
- C the average of x and y
- D the reciprocal of the sum of x and y

Answer: A

Explanation:

Q) 115674.

If a, b, c , are in Harmonic Progression,

$\therefore$ To find Harmonic mean we need $\frac{1}{a}, \frac{1}{b}, \frac{1}{c}$.

$$\text{Formula for Harmonic Mean} = \frac{n}{\frac{1}{a} + \frac{1}{b} + \frac{1}{c} + \dots}$$

n = Number of values.

a, b, c = values.

$\therefore$ Harmonic mean of $\frac{1}{x}$ and $\frac{1}{y}$ ~~is~~ 

Reciprocals of

$$\frac{1}{x} = x.$$

$$\frac{1}{y} = y$$

$$= \frac{2}{x+y}$$

harmonic mean = $\frac{n}{\frac{1}{x_1} + \frac{1}{x_2} + \frac{1}{x_3}}$

Therefore harmonic mean of $\frac{1}{x}$ and $\frac{1}{y}$ is $\frac{x+y}{2}$

Question 130

The coefficient of x^{12} in the expansion of $(x-1)(x-2)(x-3)\dots(x-13)$ is

- A -78
- B 78
- C -91
- D 91

Answer: C

Explanation:

Co-efficient of x^{12}

$$(x-1)(x-2)(x-3)\dots(x-13)$$
$$(x-1)(x-2) = x^2 - (1+2)x + 2$$

$\therefore$ Co-efficient of $x^2 = 1$
co-efficient of $x = -3$

similarly

~~Co-efficient of~~ Co-efficient of x^{12}

$$= -[1+2+3+4+5+6+7+8+9+10+11+12+13]$$
$$= -91$$

SSC CGL Previous Papers (DOWNLOAD PDF)

Question 131

The sum of all the coefficients in the expansion of $(1-2x+3x^2)^9$ is

- A 4^9

B 2^{11}

C 2^9

D 0

Answer: C

Explanation:

$$(1 - 2x + 3x^2)^9$$

substitute $x=1$

$$(1 - 2 \times 1 + 3 \times 1^2)^9$$

$$(1 - 2 + 3)^9$$

$$2^9$$

Question 132

$$A = \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix} \rightarrow A^{2019} =$$

A $3^{2020} A$

B $3^{2019} A$

C $3^{2018} A$

D $3^{2017} A$

Answer: C

Explanation:

Q) $1156 \div 11$

$$A = \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix} \quad A^{2019} =$$


$$A^{2019} = \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix} \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix}$$

By using Matrix
Multiplication.

$$= \begin{bmatrix} 1+1+1 & 1+1+1 & 1+1+1 \\ 1+1+1 & 1+1+1 & 1+1+1 \\ 1+1+1 & 1+1+1 & 1+1+1 \end{bmatrix}$$

$$= \begin{bmatrix} 3 & 3 & 3 \\ 3 & 3 & 3 \\ 3 & 3 & 3 \end{bmatrix}$$

$$= 3 \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix}$$



$$A = \begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{pmatrix}$$

by help of $A = \begin{pmatrix} a_1 & a_2 & a_3 \\ b_1 & b_2 & b_3 \\ c_1 & c_2 & c_3 \end{pmatrix}$

$$A^2 = \begin{pmatrix} a_1^2 + b_1^2 + c_1^2 & a_1 a_2 + b_1 b_2 + c_1 c_2 & a_1 a_3 + b_1 b_3 + c_1 c_3 \\ a_2 a_1 + b_2 b_1 + c_2 c_1 & a_2^2 + b_2^2 + c_2^2 & a_2 a_3 + b_2 b_3 + c_2 c_3 \\ a_3 a_1 + b_3 b_1 + c_3 c_1 & a_3 a_2 + b_3 b_2 + c_3 c_2 & a_3^2 + b_3^2 + c_3^2 \end{pmatrix}$$

$$A^3 = \begin{pmatrix} 1^3 + 1^3 + 1^3 & 1^2 + 1^2 + 1^2 & 1^2 + 1^2 + 1^2 \\ 1^2 + 1^2 + 1^2 & 2^3 & 2^2 + 2^2 + 2^2 \\ 1^2 + 1^2 + 1^2 & 2^2 + 2^2 + 2^2 & 2^3 \end{pmatrix}$$

$$A^3 = \begin{pmatrix} 3 & 2 & 2 \\ 2 & 8 & 6 \\ 2 & 6 & 8 \end{pmatrix}$$

$$A^3 = 2 \begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{pmatrix}$$

$$A^{2019} = 3^{2018} \begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{pmatrix}$$

$$A^{2019} = 3^{2018} A$$

Question 133

$$A = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}, B = \begin{pmatrix} 0 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 0 & 0 \end{pmatrix} \Rightarrow A^{99} B^{100} + B^{99} A^{100} =$$

A $A + B$

B $A - B$

C AB

D 0

Answer: A

1500+ Very Important Free SSC Solved Questions

Question 134

$$\lim_{x \rightarrow 0} \frac{\sin x - x}{x^3} =$$

A $\frac{1}{3}$

B $-\frac{1}{3}$

C $\frac{1}{6}$

D $\frac{1}{6}$

Answer: D

Explanation:

Q) 115669

$$\lim_{x \rightarrow 0} \frac{\sin x - x}{x^3}$$

By use of Binomial theorem.

$$\sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \dots \infty$$

$$\therefore \sin x - x = -\frac{x^3}{3!} + \frac{x^5}{5!} - \dots \infty$$

$$\frac{\sin x - x}{x^3} = -\frac{1}{6} + \frac{x^2}{5!} - \frac{x^5}{7!} + \dots \infty$$

$$\therefore \lim_{x \rightarrow 0} \frac{\sin x - x}{x^3} = -\frac{1}{6}$$

Question 135

If $y = x \sin x$, then at $x = \frac{\pi}{2}$, $\frac{dy}{dx} =$

A $\frac{\pi}{2}$

B 1

C 0

D $\frac{\pi}{4}$

Answer: B

Explanation:

Q) 115668.

$$y = x \sin x.$$

$$\frac{dy}{dx} = \frac{d}{dx}(x \sin x)$$

$$= \frac{dx}{dx} + \frac{d(\sin x)}{dx}$$

$$= 1 + \cos x$$

$$\therefore x = \frac{\pi}{2} = \frac{180}{2} = 90^\circ.$$

$$\frac{dy}{dx} = 1 + \cos 90^\circ \quad \left[\because \cos 90^\circ = 0 \right]$$

$$\frac{dy}{dx} = 1$$

$y = x \sin x$, then at $x = \frac{\pi}{2}$

$y = x \sin x$, then at $x = \frac{180}{2}$

$\frac{d(\sin 90)}{dx}$

1

Question 136

In a triangle ABC , $\angle A = \angle B = \angle C$. The bisectors of the angles $\angle B$ and $\angle C$ intersect at D . Then $\angle BDC =$

- A 30°
- B 60°
- C 90°
- D 120°

Answer: D

Explanation:

In a $\triangle ABC$,

$$\angle A + \angle B + \angle C = 180^\circ$$

$$\angle A = \angle B = \angle C = 60^\circ$$

since, bisector of $\angle B$ and $\angle C$ meet at D

$$\therefore \angle DBC = \angle DCB = 30^\circ$$

In $\triangle DBC$,

$$\angle DBC + \angle DCB + \angle BDC = 180^\circ$$

$$30^\circ + 30^\circ + \angle BDC = 180^\circ$$

$$\angle BDC = 120^\circ$$

Free Banking Study Material (15000 Solved Questions)

Question 137

If the diagonals of a rhombus are 9 cm and 12 cm, then the perimeter of the rhombus(in cm) is:

- A 30
- B 21
- C 32
- D 28

Answer: A

Explanation:

Let ABCD be rhombus with AC and BD it's diagonals bisecting each other at O ,where

$$AC = 9\text{cm}, AO = OC = 4.5\text{cm}$$

$$BD = 12\text{cm}, BO = OD = 6\text{ cm}$$

In $\triangle AOB$,

$$\angle AOB = 90^\circ \text{ (we know diagonals of rhombus bisect each other at } 90^\circ \text{)}$$

Apply Pythagoras theorem,

$$AO^2 + BO^2 = AB^2$$

$$4.5^2 + 6^2 = AB^2$$

$$20.25 + 36 = AB^2$$

$$AB^2 = 56.25$$

$$AB = 7.5$$

$$\text{Perimeter of rhombus} = 4 \times 7.5 = 30$$

Question 138

Let P be an external point to a circle and PT be a tangent drawn from P meeting the circle at T. If AB is a chord of the circle such that A, B, P are collinear, PT = 5 cm and PB = 4 cm then PA =

- A 6 cm
- B 6.25 cm
- C 6.5 cm
- D 6.75 cm

Answer: B

Explanation:

Using tangent secant theorem,

$$PT^2 = PA \times PB$$

$$5^2 = PA \times 4$$

$$PA = \frac{25}{4} = 6.25$$

Question 139

If the area of the triangle with vertices (1, 2), (2, 3) and (x, 4) is 40 sq. units then the value of $x - 3$ is:

- A 70
- B 80
- C 85
- D 90

Answer: B

Explanation:

Consider a triangle ABC, Let $A(1, 2) = (x_1, y_1)$

$$B(2, 3) = (x_2, y_2)$$

$$C(x, 4) = (x_3, y_3)$$

Area of triangle =

$$\frac{1}{2} [x_1(y_2 - y_3) + x_2(y_3 - y_1) + x_3(y_1 - y_2)]$$

$$40 = \frac{1}{2} [1(3 - 4) + 2(4 - 2) + x(2 - 3)]$$

$$80 = -1 + 4 - x$$

$$x = -7$$

$$x - 3 = -7 - 3 = -10$$

AP SI Free Solved Previous Papers PDF

Question 140

Area (in sq. units) of the quadrilateral ABCD with vertices A(2, -1), B(4, 3), (-1, 2), D(-3, -2) is:

- A 30
- B 21
- C 22

D 18

Answer: D

Explanation:

Area of quadrilateral ABCD = Area of $\triangle DAB$ + Area of $\triangle BCD$

Area of $\triangle DAB = \frac{1}{2} \times [1 \times 3 + 2 \times (1 \times 3 + 2 \times (1 \times 2)) + 4 \times (1 \times 2 + 1 \times 3)]$

$= \frac{1}{2} \times [12 + 10 + 4]$

$= 9 \text{ sq. units}$

Area of $\triangle BCD = \frac{1}{2} \times [4 \times (2 \times 2 + 1 \times (1 \times 2)) + (1 \times 1)(1 \times 2 + 1 \times 3) + (1 \times 3)(3 \times 2)]$

$= \frac{1}{2} \times [16 + 5 + 6] = 9 \text{ sq. units}$

Area of quadrilateral ABCD $= 9 + 9 = 18 \text{ sq. units}$

Question 141

Arithmetic mean of 56, 57, 58, ..., 100 is:

A 78

B 80

C 82

D 76

Answer: A

Explanation:

Arithmetic mean $= \frac{\text{sum of observations}}{\text{total no. of observations}}$

sum of first n natural no. $= \frac{n(n+1)}{2}$

sum of first 100 natural no. $= \frac{100 \times 101}{2} = 5050$

sum of first 55 natural no. $= \frac{55 \times 56}{2} = 1540$

sum of 56, 57, ..., 100 $= 5050 - 1540$

$= 3510$

Arithmetic mean $= \frac{3510}{45} = 78$

Question 142

The median of some observations is 12. If two additional observations 10, 15 are added to these observations. then the median of the new series of observations is:

A 11

B 14

C 13

D 12

Answer: D

Free Banking Study Material (15,000 Solved Questions)

Question 143

If the arithmetic mean of some observations is 26.5 and their median is 25.4. then their mode is:

- A 22.3
- B 23.2
- C 23.4
- D 24.3

Answer: B

Explanation:

Arithmetic mean = 26.5

Median = 25.4

Using empirical formula,

$$\text{mode} = 3 \times \text{median} - 2 \times \text{mean}$$

$$= 3 \times 25.4 - 2 \times 26.5$$

$$= 76.2 - 53$$

$$= 23.2$$

Question 144

Standard deviation of first 2n natural numbers is:

- A $\sqrt{\frac{4n^2 - 1}{12}}$
- B $\sqrt{\frac{4n^2 + 1}{12}}$
- C $\sqrt{\frac{n^2 - 1}{12}}$
- D $\sqrt{\frac{n^2 + 1}{12}}$

Answer: A

Question 145

For the ten observations $X_1, X_2, \dots, X_{10}$ it is given that $\sum_{i=1}^{10} x_i = 12$ and $\sum_{i=1}^{10} x_i^2 = 18$. Then the standard deviation of the data is:

- A $\frac{5}{3}$
- B $\frac{2}{5}$
- C $\frac{3}{5}$
- D $\frac{5}{2}$

Answer: C

Explanation:

$$\text{Mean}(\overline{x}) = \frac{1}{n} \sum_{i=1}^{10} x_i = \frac{12}{10} = 1.2$$

$$\text{Standard deviation} = \sqrt{\frac{\sum_{i=1}^{10} x_i^2}{n} - (\overline{x})^2}$$

Daily Free Banking Online Tests

Question 146

If the sum of the squares of the deviations of ranks of two students in seven subjects is 21. then the coefficient of rank correlation is:

- A $\frac{3}{8}$
- B $\frac{5}{8}$
- C $\frac{7}{8}$
- D $\frac{1}{8}$

Answer: B

Explanation:

here we have

number of subject $n = 7$

square of sum of deviation are $\sum d_i^2 = 21$

now we know the formula of the coefficient of rank correlation is $r = 1 - \frac{\sum d_i^2}{n(n^2-1)}$

the coefficient of rank correlation is $r = 1 - \frac{\sum d_i^2}{n(n^2-1)}$

$$r = 1 - \frac{21}{7(7^2-1)}$$

$$r = \frac{5}{8} \text{ answer}$$

Question 147

A problem in mathematics is given to three students P, Q and R whose chances of solving it are $\frac{1}{3}$, $\frac{1}{4}$ and $\frac{1}{2}$ respectively. Then the probability that the problem will be solved is:

- A $\frac{2}{3}$
- B $\frac{3}{4}$
- C $\frac{4}{5}$
- D $\frac{5}{6}$

Answer: B

Explanation:

probability of solving problems by P, is $\frac{1}{3}$

probability of not solving the problem by P, is $\frac{2}{3}$

probability of solving problems by q, is $\frac{1}{4}$

probability of not solving the problem by Q, is $\frac{3}{4}$

probability of solving problems by r, is $\frac{1}{2}$

probability of not solving the problem by R, is $\frac{1}{2}$

so the probability of solving the problem are = problem is solved by p * problem is not solved by q and r + problem is solved by q * problem is not solved by p and r + problem is solved by r * problem is not solved by p and q + problem is solved by p and q and not solved by r + problem is solved by q and r and not solved by p + problem is solved by p and r and not solved by q + problem is solved by all three of them

$$P(\text{solved}) = \frac{1}{3} \times \frac{3}{4} \times \frac{1}{2} + \frac{1}{4} \times \frac{2}{3} \times \frac{1}{2} + \frac{1}{2} \times \frac{2}{3} \times \frac{3}{4} + \frac{1}{3} \times \frac{2}{3} \times \frac{3}{4} + \frac{1}{4} \times \frac{1}{2} \times \frac{3}{4} + \frac{1}{3} \times \frac{1}{2} \times \frac{3}{4} + \frac{1}{3} \times \frac{1}{4} \times \frac{1}{2}$$

$$P(\text{solved}) = \frac{18}{24}$$

$$P(\text{solved}) = \frac{3}{4} \text{ answer}$$

or

probability of not solving problems by P, Q and R are $\frac{2}{3}$, $\frac{3}{4}$ and $\frac{1}{2}$ respectively

so the probability of problem is solved is = 1 - probability of not solving problems by P, Q and R are $\frac{2}{3}$, $\frac{3}{4}$ and $\frac{1}{2}$

{2}\$\$

$$= 1 - \frac{2}{3} \times \frac{3}{4} \times \frac{1}{2}$$

$$= 1 - \frac{6}{24}$$

so the probability of problem is solved is $= \frac{3}{4}$

Question 148

Four dice are thrown simultaneously. The probability that all of them show the same numbers is:

A $\frac{1}{6^4}$

B $\frac{1}{6^3}$

C $\frac{1}{720}$

D $\frac{1}{1440}$

Answer: B

Explanation:

when 4 dice are thrown the number of total event occurs $= 6 \times 6 \times 6 \times 6 = 1296$

showing same number event are $= \{1,1,1,1\}, \{2,2,2,2\}, \{3,3,3,3\}, \{4,4,4,4\}, \{5,5,5,5\}, \{6,6,6,6\}$

total number of favorable events are $= 6$

Probability of getting same number on four dice are $= \frac{\text{number of favorable cases}}{\text{total number of events occurs}}$

$$P(e_4) = \frac{6}{6^4}$$

$$P(e_4) = \frac{1}{6^3} \text{ answer}$$

SSC CHSL Previous Question papers (download pdf)

Question 149

If two cards are drawn at random from a well shuffled pack of 52 cards, then the probability of getting both cards from same suit is:

A $\frac{1}{17}$

B $\frac{2}{17}$

C $\frac{3}{17}$

D $\frac{4}{17}$

Answer: D

Explanation:

total number of event occurs when 2 card are drawn from pack of 52 cards $= 52 \times 51 = 2652$

number of suits are there in packs of cards $= 4$

in a suit to total number of cards are there $= 13$

total number of favorable events when two cards are drawn from suits $= 13 \times 12 \times 4 = 156 \times 4$

now the probability of getting both cards are from same suits are $= \frac{\text{total number of favorable events}}{\text{total number of event occurs when 2 card are drawn from pack of 52 cards}}$

$$P(e_2) = \frac{156 \times 4}{2652}$$

$$P(e_2) = \frac{4}{17} \text{ answer}$$

Question 150

When two dice are rolled at random, then the probability of getting same prime number on both dice is

- A $\frac{1}{12}$
- B $\frac{5}{36}$
- C $\frac{1}{9}$
- D $\frac{7}{36}$

Answer: A

Explanation:

now the total number of event occurs when two unbiased dice are thrown = 36

we have to choose prime number which are 2, 3 and 5

so the favorable outcomes pair are $\{(2, 2)\}$, pair $\{(3, 3)\}$, pair $\{(5, 5)\}$

then the probability of getting same prime number are

$$P(\text{same- prime}) = \frac{\text{number of favorable outcomes}}{\text{total number of possible outcomes}}$$

$$P(\text{same- prime}) = \frac{3}{36}$$

$$P(\text{same- prime}) = \frac{1}{12} \text{ answer}$$

SSC CHSL Free Mock Test

Communication Ability

Instructions

Choose the correct meaning for the word given:

Question 151

Slipshod

- A slippers
- B careless
- C careful
- D cunning

Answer: B

SSC CGL Free Mock Test

Question 152

Recalcitrant

- A lesson
- B recall
- C sympathetic
- D disobedient

Answer: D

Question 153

Placid

- A turbulent
- B tranquil
- C agitated
- D troubled

Answer: B

Question 154

Frugal

- A economical
- B financial
- C monetary
- D industrial

Answer: A

Daily Free SSC Practice Set

Question 155

Conciliate

- A change
- B rouse
- C offend
- D placate

Answer: D

Question 156

Wholesome

- A delicate
- B gaunt
- C unsound
- D healthy

Answer: D

Instructions

Fill in the blank choosing the correct word:

Question 157

A printed list of questions to be answered by a number of people is called

- A a survey
- B an agenda
- C a menu
- D a questionnaire

Answer: D

SSC CGL Free Online Coaching

Question 158

Many would not prefer to live a life like that of a hermit.

- A solitary
- B solitude
- C solo
- D solitaire

Answer: A

Question 159

The old people in the village still the old traditions.

- A observe
- B ignore
- C discourage
- D forget

Answer: A

Question 160

Although he is shy it certainly has not his career in any way

- A helped
- B encouraged
- C impeded
- D impelled

Answer: C

Free SSC Study Material (18,000 Solved Questions)

Instructions

Choose the correct answer

Question 161

A storage area in memory that stores information temporarily while in use is known as

- A** Buffer
- B** Bug
- C** Capacity
- D** Check box

Answer: A

Question 162

Pictorial representation of programming procedure is called

- A** Algorithm
- B** Program
- C** Flowchart
- D** Executive file

Answer: C

Question 163

An inter connection of two or more computing devices is generally known as

- A** Web page
- B** Server
- C** Network
- D** Data Communication

Answer: C

SSC CGL Previous Papers (DOWNLOAD PDF)

Question 164

Which of the following is not a guided transmission media?

- A** Fiber optic cables
- B** Twisted pair cables
- C** Coaxial Cables
- D** Radio waves

Answer: D

Question 165

The storing and accessing of data and programs over the internet instead of on another type of hardware drive is known as

- A Cloud computing
- B Compression
- C Content
- D Chip

Answer: A

Question 166

When do you conduct an induction of a new employee in an organisation?

- A Before recruitment
- B Before Selection
- C Before completion of probation period
- D Before assigning the job

Answer: D

1500+ Very Important Free SSC Solved Questions

Question 167

A report of accounts that represents ending balance of each account in the list at the end of the accounting period is known as

- A Account Receivables
- B Trial Balance
- C Allocation Rate
- D Asset Stripping

Answer: B

Question 168

The economic concept that each consecutive unit of good consumed or resource used. is less useful or productive than the preceding one is known as

- A Diminishing Returns
- B Deflation
- C Depression
- D Discounting

Answer: A

Question 169

One of the assumptions in economics is that human wants are

- A scarce

- B constrained by resource
- C seasonal
- D unlimited

Answer: D

Free Banking Study Material (15000 Solved Questions)

Question 170

A legal document by which a bank lends money at an interest in exchange for the title of a debtor's property is known as

- A Mortgage
- B Premium
- C Loan
- D Credit

Answer: A

Question 171

A: "Look at what you have done! You have knocked me down with your cycle."

B: "Well you should be more careful while crossing the road." 'B' is

- A apologetic
- B furious
- C unapologetic
- D angry

Answer: C

Question 172

A: "My friend went through many ups and downs before he could reach the present stage."

B: "Patience has its rewards, after all". 'B' is

- A hostile
- B philosophical
- C derogatory
- D unfriendly

Answer: B

AP SI Free Solved Previous Papers PDF

Question 173

Change the following sentence into active voice:

My pocket has been picked.

- A Someone has picked my pocket
- B Someone have picked my pocket
- C Someone picks my pocket
- D Someone has been picking my pocket

Answer: A

Question 174

"You had better hold your tongue." The underlined expression means

- A keep the tongue between the teeth
- B take back what is said
- C not mince words
- D not speak

Answer: D

Question 175

"Membership in the sports club can cost you an arm and a leg." The underlined expression means, it is

- A physically strenuous
- B exhaustive
- C dangerous
- D expensive

Answer: D

Free Banking Study Material (15,000 Solved Questions)

Question 176

There is so much red tape involved in getting official permits. The underlined phrase means

- A cost
- B risk
- C bribe
- D delay

Answer: D

Question 177

"Nobody appreciated the manager throwing his weight around". underlined expression means

- A losing weight
- B giving up the authoritative position

C wielding authority in a heavy - handed way

D losing the authority and power

Answer: C

Instructions

Fill in the blanks with the appropriate phrase/verbs/ preposition:

Question 178

I must protest this course of action

A at

B by

C from

D along

Answer: A

Daily Free Banking Online Tests

Question 179

He delights being helpful.

A in

B over

C after

D through

Answer: A

Question 180

..... being a gentleman, he was also a reputed singer.

A Beside

B Besides

C Although

D Despite of

Answer: B

Question 181

I waiting here for the last three hours.

A am

B have been

C was

D had been

Answer: B

SSC CHSL Previous Question papers (download pdf)

Question 182

I wish she dead.

A were

B was

C had

D has

Answer: A

Question 183

You are walking too fast. I can't with you.

A keep up

B make up

C bring up

D get by

Answer: A

Question 184

I love to the stars in the sky at night.

A look out

B look up at

C look forward

D look away

Answer: B

SSC CHSL Free Mock Test

Question 185

A crisis can the best in someone.

A bring up

B bring out

- C bring over
- D bring round

Answer: B

Instructions

Read the following passage and answer questions

To avoid the various foolish opinions to which mankind is prone, no superhuman genius is required. A few simple rules will keep you, not from error, but from silly error!

If the matter is one that can be settled by observation, make the observation yourself. Aristotle could have avoided the mistake of thinking that women have fewer teeth than men, by the simple device of asking Mrs. Aristotle to keep her mouth open while he counted. He did not do so because he thought he knew.

Thinking that you know when in fact you don't is a fatal mistake to which we are all prone. I believe myself that hedgehogs eat black beetles, because I have been told that they do: but if I were writing a book on the habits of hedgehogs I should not commit myself until I had seen one enjoying this unappetizing diet. Aristotle, however, was less cautious. Ancient and medieval authors knew all about unicorns: not one of them thought it necessary to avoid dogmatic statements about them because he had never seen one of them.

Question 186

What do humans require to avoid being dogmatic?

- A super human genius
- B open-mindedness
- C a few simple rules
- D a firm belief in themselves

Answer: C

Question 187

What was a common personality trait in Aristotle?

- A He was right about his beliefs
- B He did not verify his beliefs
- C He was always obstinate
- D He never made any mistakes

Answer: B

SSC CGL Free Mock Test

Question 188

What does the author believe in?

- A Intention
- B Dogmatism
- C Verification
- D Ignorance

Answer: C

Question 189

What would the author do if he had to write a book on the eating habits of hedgehogs?

- A see hedgehogs eating black beetles
- B believe that hedgehogs ate black beetles
- C write about hedgehogs eating black beetles
- D read about hedgehogs eating black beetles.

Answer: A

Question 190

According to the author, what did the ancient and medieval authors feel about their observations?

- A It was foolproof
- B It was cautious
- C It was doubtful
- D It was verified

Answer: A

Daily Free SSC Practice Set

Instructions

Read the following passage and answer questions

Most managers don't do things in the order of priority that they have rationally selected. They do things according to feelings. That's how their day is run. Professional managers fall into two categories. There are doers and there are feelers. Doers do what needs to be done to reach a goal that they themselves have set. They come to work having planned out what needs to be done. Feelers, on the other hand, do what they feel like doing. Feelers take their emotional temperature throughout the day, checking in on themselves, figuring out what they feel like doing right now. Their lives, their outcomes, their financial security are all dictated by the fluctuation of their feelings. Their feelings will change constantly, of course, so it's hard for a feeler to follow anything through to a successful conclusion. By contrast, a doer has high self-esteem. A doer enjoys many satisfactions throughout the day, even though some of them were preceded by discomfort. A feeler is almost always comfortable, but never really satisfied. A doer experiences more and more power every year of his life. A feeler feels less and less powerful as the years go on.

Question 191

What is the major shortcoming in most managers?

- A they are inactive
- B they do not act rationally
- C they are dependent on others
- D they are foolish

Answer: B

Question 192

Who is a 'feeler'?

- A a person with a goal

- B a person who plans his day
- C a person who is a slave to his emotions
- D a person who enjoys life

Answer: C

Question 193

What is the meaning of "emotional temperature" ?

- A constant changes in one's feelings
- B the temperature of the physical body
- C intensity of one's emotions
- D attitude to life

Answer: A

SSC CGL Free Online Coaching

Question 194

What does a 'doer' have?

- A plenty of work
- B high self-esteem
- C a loss of confidence
- D others to work with

Answer: B

Question 195

What does a 'feeler' experience as the years go by?

- A a sense of achievement
- B a sense of failure
- C a sense of satisfaction
- D a sense of happiness

Answer: B

Instructions

Read the following passage and answer questions:

It requires a sense of superiority assurance, and self-confidence, to write about bores at all, except as one of them. But since a true bore is always unconscious of his 'borishness', and indeed usually thinks of himself as the most companionable of men. to write as one of them is to acquit oneself of the stigma.

Bores are happy largely because they have so much to tell and they can find people to tell it to. The tragedy is they can always find their listeners. me almost first And why can they? Why can even notorious bores always be sure of an audience? The answer is the ineradicable kindness of human nature. Few men are strong enough to say "For Heaven's sake go away. you weary me"

One of the bore's greatest assets is his simplicity which disarms. Astute crafty men are seldombores: very busy men are seldom bores.

Question 196

Which quality is NOT required to write about bores?

- A Kindness
- B Confidence
- C A sense of superiority
- D Belief in oneself

Answer: A

Free SSC Study Material (18,000 Solved Questions)

Question 197

Which of the following is NOT true of a true bore?

- A being conscious of his boorishness
- B being happy by and large
- C finding their listeners
- D sure of an audience

Answer: A

Question 198

Why are bores happy?

- A they love their audience
- B they have neverfaced any tragedy in their lives
- C they always find their listeners
- D they are loved by everyone

Answer: C

Question 199

Which quality stands out in a bore?

- A Astuteness
- B Cunningness
- C Simplicity
- D Busyness

Answer: C

SSC CGL Previous Papers (DOWNLOAD PDF)

Question 200

What does 'ineradicable' mean?

- A extreme
- B feeling
- C shameless
- D deep-rooted

Answer: D

1500+ Very Important Free SSC Solved Questions

Free Banking Study Material (15,000 Solved Questions)

Daily Free Banking Online Tests

SSC CHSL Previous Question papers (download pdf)

SSC CHSL Free Mock Test

SSC CGL Free Mock Test

Daily Free SSC Practice Set

SSC CGL Free Online Coaching

Free SSC Study Material (18,000 Solved Questions)

SSC CGL Previous Papers (DOWNLOAD PDF)

1500+ Very Important Free SSC Solved Questions

Free Banking Study Material (15000 Solved Questions)

AP SI Free Solved Previous Papers PDF