



All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in any retrieval system of any nature without the permission of cracku.in, application for which shall be made to support@cracku.in

Analytical Ability

Instructions [1 - 20]

In questions a question is followed by data in the form of two statements labelled as I and II. You must decide whether the data given in the statements are sufficient to answer the questions. Using the data make an appropriate choice from (a) to (d) as per the following guidelines :

1. **Is 6 a factor of $n + 3$?**

I. n is even and divisible by 3.

II. n is divisible by a prime number.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

Free Banking Study Material (15000 Solved Questions)

2. **The product of two integers a and b is 270. What is the LCM of a and b ?**

I. The GCD of a and b is 9.

II. a and b are divisible by 3.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

3. **What is the value of the positive integer n ?**

I. $1^2 + 2^2 + \dots + n^2 = 285$

II. $3 < n < 20$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

4. If a and b are positive integers such that the product ab is 30, then what is the value of $a + b$?

I. $a > b$

II. $1 < \frac{a}{b} < 2$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

Daily Free Banking Online Test

5. If a, b, c are integers, is $a + b + c$ divisible by 3?

I. $a = 2b - 10$ and $c = 3b + 25$

II. $a + b + c$ is an odd integer.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

6. If x is a non-negative integer, is x even ?

I. 8^x is an even integer.

II. 9^x is an odd integer.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

7. Is $\triangle ABC$ equilateral ?

I. $AB = BC$

II. $\angle ABC = 60^\circ$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

200+ Free GK Tests for Banking exams

8. Is $a + b \neq 0$, if a and b are real numbers ?

I. $ab = 0$

II. $a^2 + b^2 = 0$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

9. If x and y are real numbers, is $x > y$?

I. x is the smaller of the roots of $x^2 - 1 = 0$

II. y is the real root of $y^3 - 1 = 0$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

10. If a and b are real numbers, is $ab > 0$?

I. $2|a| + |b| = 0$

II. $2|a| = |b|$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

Latest Job Updates on Telegram - Join here

11. At how many points do the two circles intersect?

I. The radii of the two circles are equal.

II. The distance between their centres is 12 cms.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

12. What is the share of A in a profit of ₹ 1,500 in that year?

I. A's capital is ₹ 5,000 more than that of B.

II. A and B are the only partners in the business.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

13. For two sets A and B, what is $n(A \cap B)$?

I. $n(A) = 6$ and $n(B - A) = 8$

II. $n(A - B) = 8 = n(B - A)$ and $n(A \cup B) = 24$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

Whatsapp "JOB" to 7661025557 for Updates

14. If 'a' is a positive integer, is it a prime number ?

I. It is odd number,

II. It is an even integer greater than 2.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

15. If x and y are real numbers, what is the value of xy?

I. $x + y = 16$

II. $x^2 + y^2 = 160$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

16. What is the value of $\sin(2\theta)$?

I. $\tan\theta + \cot\theta = 3$

II. $(\operatorname{cosec}\theta + \cot\theta)(\operatorname{cosec}\theta - \cot\theta) = 1$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

AP SI Free Solved Previous Papers PDF

17. What is the sum of the first 20 terms of the Arithmetic Progression ?

I. The sum of the first term and 20^{th} term of the AP is 120.

II. The common difference of the AP is 5.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

18. What is the surface area of the cuboid ?

I. Ratio of its length to its breadth is 2 : 5.

II. Volume of the cuboid is 100 cu. units.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

19. If 'a' is an integer, what is the value of a ?

I. $a^2 = 9$

II. $a^2 + a = 6$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

200+ Banking Previous Papers (Download PDF)

20. If a and b are real numbers, is $a^2 > b^2$

I. $a > b$

II. $a > 0$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

Instructions [21 - 30]

In each of the questions, a sequence of numbers or letters that follow a definite pattern is given. Each question has a blank space. This has to be filled by the correct answer from the four given options to complete the sequence without breaking the pattern.

21. $6 : 210 :: \dots : 120$

- A** 3

B 4

C 5

D 7

Answer: C

22. $\frac{3}{4} : \frac{5}{6} : \frac{7}{8} : \dots$

A $\frac{11}{12}$

B $\frac{9}{8}$

C $\frac{11}{10}$

D $\frac{9}{7}$

Answer: C

SSC CHSL Previous Question papers (download pdf)

23. **5 : 3125 :: 6 :**

A 36656

B 38656

C 46545

D 46656

Answer: C

24. **BFJ : OSW :: DJR :**

A AGP

B BIQ

C CIR

D QWE

Answer: A

25. **136 : 358 :: : 489**

A 258

B 267

C 289

D 369

Answer: D

SSC CHSL Free Mock Test

26. 1331 : 11 :: 1728 :

A 24

B 22

C 14

D 12

Answer: D

27. 6FJ : 16PT :: 8HL :

A 15PT

B 18TX

C 18RV

D 16QV

Answer: B

28. 64 : 100 :: 72 :

A 144

B 121

C 112

D 81

Answer: D

SSC CGL Free Mock Test

29. 9 : 72 :: : 64

A 6

B 7

C 8

D 9

Answer: C

30. **Train : Driver :: Class :**

A Benches

B School

C Teacher

D Blackboard

Answer: D

Instructions [31 - 35]

In following questions pick the odd thing out :

A (2, 3,
7)

B (3, 5,
8)

C (5, 7, 12)

D (7, 11, 16)

Answer: C

SSC CGL Free Online Coaching

A 25

B 81

C 121

D 289

Answer: A

A Goat

B Cow

C Cat

D Camel

Answer: B

A Chlorine

B Bromine

C Iodine

D Methane

Answer: C

SSC CGL PREVIOUS PAPERS (download pdf)

A 15

B 35

C 77

D 99

Answer: D

Instructions [31 - 40]

Each of the questions follow a definite pattern. Observe the same and fill in the blanks with suitable answers.

31. **C, F, I, L,, R**

A N

B O

C P

D Q

Answer: C

32. **AZB, EXD, IVF, OTH,**

A USK

B URJ

C ORK

D URK

Answer: D

SBI PO Solved Previous Papers (Download PDF)

33. $\frac{2}{3}, \frac{5}{7}, \frac{9}{11}, \dots, \frac{19}{23}$

A $\frac{13}{17}$

B $\frac{12}{17}$

C $\frac{13}{16}$

D $\frac{17}{18}$

Answer: B

34. $\frac{5}{3}, \frac{29}{6}, \dots, \frac{131}{12}, \frac{179}{15}$

A $\frac{59}{9}$

B $\frac{71}{9}$

C $\frac{89}{9}$

D $\frac{91}{9}$

Answer: B

35. 2, 6, 12, 20,, 42

A 30

B 32

C 34

D 36

Answer: A

SBI Clerk Free Mock Test (Latest Pattern)

36. 2, 9, 28, 65,, 217

A 85

B 96

C 126

D 185

Answer: A

37. 1, 5, 9, 15,

A 23

B 22

C 21

D 19

Answer: A

38. 1, 3, 6, 11, 18,

A 24

B 26

C 29

D 32

Answer: C

SBI Clerk Previous Papers (Download PDF)

39. 0, 7, 26,, 124, 215

A 37

B 50

C 63

D 94

Answer: C

40. $\sqrt{12}, \sqrt{80}, \sqrt{252}, \dots, \sqrt{1100}$

A $\sqrt{396}$

B $\sqrt{441}$

C $\sqrt{534}$

D $\sqrt{576}$

Answer: C

Instructions [41 - 45]

In the following table, production of various crops (in tons) is given from 2000 to 2004. Study this table and answer the questions.

Year	Rice	Wheat	Sugarcane	Barley	Maize
2000	414	5308	1210	916	370
2001	632	5514	1432	979	415
2002	610	5210	1541	845	440
2003	520	4634	1274	741	290
2004	570	4921	1337	935	328

41. The highest growth rate of sugarcane production over its previous year is recorded in the year

- A 2004
- B 2003
- C 2002
- D 2001

Answer: A

Free Banking Study Material (15000 Solved Questions)

42. The average production of wheat (rounded off to the nearest integer) in the period given in the table.

- A 5019
- B 5117
- C 5118
- D 5018

Answer: D

43. The difference between the average production of Barley and average production of Rice is

- A 324
- B 334
- C 344
- D 364

Answer: B

44. The percentage growth of sugarcane in the year 2004 over the year 2000 is approximately

- A** 15
- B** 15.5
- C** 10
- D** 8.5

Answer: B

Daily Free Banking Online Test


45. In 2001, the crop that recorded the highest growth percent over its previous year, is

- A** Rice
- B** Wheat
- C** Sugarcane
- D** Maize

Answer: C

Instructions [46 - 50]

In the following Pie diagram, people of difference age groups of a town are represented by the angle made by that sector at the centre. The Total population of that town is 72,000. Based on this information, answer the questions.



In the above diagram :

A stands for less than 10 years of age.

B stands for 10 to 20 years of age.

C stands for 20 to 30 years of age.

D stands for 30 to 40 years of age.

E stands for 40 to 50 years of age.

F stands for above 50 years of age.

46. The people in the age group 40 to 50 are less than those in the age group 20 to 30 by

- A** 11,000

B 10,000

C 8,000

D 7,000

Answer: B

47. The ratio of people that are more than 50 years to those that are less than 10 years is

A 1 : 3

B 3 : 4

C 4 : 3

D 3 : 2

Answer: A

200+ Free GK Tests for Banking exams

48. The People in the age group 10 to 20 and 30 to 40 years put together exceed those of age group 40 to 50 by

A 18,000

B 22,000

C 24,000

D 36,000

Answer: D

49. The percentage of people in 30 to 40 years age group in the total population is

A 20

B 25

C 30

D 40

Answer: C

50. Number of people in the age group 20 to 30 years is

A 18,000

B 20,000

C 24,000

D 36,000

Answer: B

Latest Job Updates on Telegram - Join here

Instructions [51 - 60]

The letters of the English alphabet are arranged around a circle and are coded as follows:

(1) A vowel is coded as third vowel from it in the clock-wise direction.

(2) A consonant is coded as fifth consonant from it in the clock-wise direction.

Reverse process is used for decoding. Answer questions using this coding and decoding processes.

51. The letter that is coded as U is

A E

B A

C O

D I

Answer: C

52. The code word for MASTER is

A TOZBUY

B SOYZUX

C SUYZAX

D TUZBAY

Answer: D

53. The string of letters that is coded as NORMAL is

A HELGIF

B HALHIF

C HALGIF

D HALFIF

Answer: A

Whatsapp "JOB" to 7661025557 for Updates

54. The code word for TIGER is

- A ZANUX
- B YAMUX
- C ZAMUY
- D ZAMUX

Answer: B

55. The code word for APICET is

- A OVAJUZ
- B OVAKUZ
- C OVAJOZ
- D OVAJUY

Answer: C

56. The string of letters which is coded as MUSIC is

- A GEMVW
- B GEMUW
- C GEMVZ
- D GEMVY

Answer: D

AP SI Free Solved Previous Papers PDF

57. The Code word for MATCH is

- A SOYJN
- B SOZJM
- C SOZJN
- D TOZJN

Answer: A

58. The letters P, T, O are coded respectively as the letters

- A** V, E, Z
- B** Z, V, E
- C** E, V, Z
- D** V, Z, E

Answer: B

59. The code word for PRINCE is

- A** WXATJU
- B** UXATJU
- C** VXATJU
- D** VXUTJU

Answer: C

200+ Banking Previous Papers (Download PDF)

60. The letter X is coded as

- A** F
- B** C
- C** G
- D** D

Answer: D

61. The angle between the two hands of a clock at 8.20 AM is

- A** 125°
- B** 130°
- C** 120°
- D** 135°

Answer: B

62. The number of seconds in $\frac{11}{36}$ of an hour is

- A** 1100

- B** 1000
- C** 600
- D** 3600

Answer: B

SSC CHSL Previous Question papers (download pdf)

63. A is father of C, D is son of B and E is brother of A. If C is sister of D, then how is B related to E ?

- A** Husband
- B** Brother-in-law
- C** Daughter
- D** Sister-in-law

Answer: A

64. Sunil reached the venue of a meeting at 8.50 am. He found that he was 30 minutes earlier than the chairperson who came 40 minutes late. The meeting was scheduled at

- A** 9.00 am
- B** 8.30 am
- C** 8.40 am
- D** 8.20 am

Answer: D

65. Given that $x * y = \frac{x^2 + 4y^2}{xy}$ and $x \triangle y = \frac{x^2}{y}$ for any real numbers x and y. If $a * b = 4 \triangle 4$ then b =

- A** 2a
- B** $\frac{a}{2}$
- C** a
- D** $\frac{a}{3}$

Answer: C

SSC CHSL Free Mock Test

66. For any $a, b \in R$, define $a * b = \max \{a, b\}$ and $a \circ b = \min \{a, b\}$. Then $a * (b \circ c) =$

A $(a * b) \circ (a * c)$

B $(a * b) \circ c$

C $a \circ (b * c)$

D $(a \circ b) * (a \circ c)$

Answer: B

67. In 20 seconds the hours hand in a clock moves an angle

A $\left(\frac{1}{4}\right)^\circ$

B $\left(\frac{1}{6}\right)^\circ$

C $\left(\frac{1}{3}\right)^\circ$

D $\left(\frac{1}{5}\right)^\circ$

Answer: A

68. $1 + \frac{2}{3} + \left(\frac{2}{3}\right)^2 + \left(\frac{2}{3}\right)^3 + \dots$ to infinity =

A 1

B 2

C 3

D 4

Answer: B

SSC CGL Free Mock Test

69. $\{x^2 : x \text{ is an integer, } x - 2 < 4\}$ =

A $\{-1, 0, 1, 2, 3, 4, 5\}$

B $\{1, 4, 9, 16, 25\}$

C $\{0, 1, 2, 4, 9, 16\}$

D $\{0, 1, 4, 9, 16, 25\}$

Answer: C

70. If the year 2003 starts with Monday, then it ends with

- A** Sunday
- B** Monday
- C** Tuesday
- D** Wednesday

Answer: D

SSC CGL Free Online Coaching

Mathematical Ability

71. The greatest number which divides 121, 134 and 147 leaving 4 as the remainder in each case is

- A** 17
- B** 14
- C** 13
- D** 9

Answer: C

SSC CGL PREVIOUS PAPERS (download pdf)

72. The reciprocal of the sum of the reciprocals of $\frac{5}{8}$ and $\frac{3}{4}$ is

- A** $\frac{5}{22}$
- B** $\frac{15}{22}$
- C** $\frac{15}{44}$
- D** $\frac{25}{44}$

Answer: C

Explanation:

Sum of the reciprocals of $\frac{5}{8}$ and $\frac{3}{4} = \frac{8}{5} + \frac{4}{3} = \frac{24+20}{15} = \frac{44}{15}$

$\therefore$ Reciprocal of the Sum of the reciprocals of $\frac{5}{8}$ and $\frac{3}{4} = \frac{15}{44}$

Hence, the correct answer is Option C

73. The correct order of $a = \frac{3}{4}$, $b = \frac{4}{7}$, $c = \frac{11}{13}$ and $d = \frac{13}{15}$ is

- A** $b < c < d < a$
B $b < a < c < d$
C $a < b < c < d$
D $a < c < b < d$

Answer: C

74. $\frac{1}{3} + 3\frac{3}{4} \div \frac{3}{4} - 2\frac{1}{3} \left(6\frac{1}{2} - 2\frac{1}{4} \right) \div 2\frac{1}{4} =$

- A** $\frac{73}{27}$
B $\frac{77}{27}$
C $\frac{79}{27}$
D $\frac{82}{27}$

Answer: C

Explanation:

$$\frac{1}{3} + \frac{\frac{15}{4}}{\frac{3}{4}} - \frac{7}{3} \left(\frac{17}{4} \right) \div \frac{9}{4}$$

$$\frac{1}{3} + 5 - \frac{119}{27}$$

$$\frac{63}{27} + \frac{105}{27} - \frac{119}{27} = \frac{79}{27}$$

SBI PO Solved Previous Papers (Download PDF)

75. Two numbers x and y are respectively 20% and 25% more than the third number z. If x is a% of y, then a =

- A** 80
B 90
C 96
D 85

Answer: C

Explanation:

x is 20% more than z

$$\Rightarrow x = \frac{120}{100}z$$

y is 25% more than z

$$\Rightarrow y = \frac{125}{100}z$$

Also, x is a% of y

$$\Rightarrow x = \frac{a}{100}y$$

$$\Rightarrow \frac{120}{100}z = \frac{a}{100} \times \frac{125}{100}z$$

$$\Rightarrow a = 96$$

76. By selling an item for ₹ 754, a trader gets 16% profit. Then the cost price of the item in rupees is

A 680

B 670

C 660

D 650

Answer: D

Explanation:

$$S.P = 754$$

trader get 16 % profit

$$\text{so } 116 \text{ unit} = 754$$

$$1 \text{ unit} = 6.5$$

$$100 \text{ unit} = 650$$

So C.P is 650.

77. A pipe can fill an empty tank in 15 hours. Due to a leak at the bottom, the tank is filled in 20 hours. If the tank is full, then in how much time (in hours) will the leak take to empty the tank ?

A 35

B 30

C 60

D 75

Answer: C

Explanation:

Pipe can fill in 15 hr

Pipe along with Leak hole take 20 hr

So lcm of both 60

hence efficiency of pipe is $60/15 = 4$

Efficiency of both is $60/20 = 3$

So efficiency of leak is $4-3=1$ so the leak hole take $60/1 = 60$ hr to leak out all water.

SBI Clerk Free Mock Test (Latest Pattern)

78. Two pipes A and B can fill an empty tank independently in 3 hours and 4 hours, respectively. If the pipes A and B are opened in alternate hours starting with B, then the total time taken, in hours, to fill the tank is

A $2\frac{1}{2}$

B $3\frac{2}{3}$

C $3\frac{1}{2}$

D $2\frac{3}{4}$

Answer: C

Explanation:

A and B can fill the tank in 3 hours and 4 hours respectively.

Let the capacity of the tank be 12 units (LCM of 3 and 4)

Efficiency of A = $\frac{12}{3} = 4$ units/hour.

Efficiency of B = $\frac{12}{4} = 3$ units/hour.

If A and B are open every alternate hour starting with B, then in 2 hours, 7 units of the tank is filled.

Remaining capacity = $12 - 7 = 5$ units.

3 units will be filled by B in 1 hour.

Remaining 2 units will be filled by A in $\frac{1}{2}$ hour.

Therefore, Total tank is filled in $2 + 1 + \frac{1}{2} = 3\frac{1}{2}$ hours.

79. Two cars A and B start at the same time and move in opposite directions between the places x and y. The time taken by Car A and Car B to reach their destinations after they meet each other on their way is 4 hours and 9 hours respectively. Then the ratio of the speeds of cars A and B is

A 3 : 2

B 2 : 3

C 9 : 4

D 4 : 9

Answer: A

Explanation:

let the speed of car A is S_A
and the speed of car B is S_B

Car A & B moves in opposite direction
between the place x & y.

After meet each other

Time taken by car A is $t_A = 4$ hr.

Time taken by car B is $t_B = 9$ hr

So here we know that

$$\frac{S_A}{S_B} = \sqrt{\frac{t_B}{t_A}} \\ = \sqrt{\frac{9}{4}} = \frac{3}{2}$$

So the ratio of speeds of car A & B is 3:2

80. A car travels at $\frac{8}{7}$ times its usual speed and reaches the destination 15 minutes early. Then the time taken by the car in hours to reach its destination with its usual speed is

- A 2
B $1\frac{1}{2}$
C 3
D $2\frac{1}{2}$

Answer: A

Explanation:

New Speed of car is $\frac{8}{7}$ of old speed

So new time is $\frac{7}{8}$ of old time

$8-7=1$ unit $=15$ min early

So original time is $8 \times 15 = 120$ min or 2 hr

SBI Clerk Previous Papers (Download PDF)

81. A can turnout twice the amount of work that B can do. If B alone can complete that work in 12 days, then in how many days can A and B complete that work together ?

A 3

B 4

C 5

D 6

Answer: B

Explanation:

A is twice efficient than B

So $A=2$

$B=1$

Total efficiency of A & B $=3$

B can complete the work in 12 days

So total work is $12 \times 1 = 12$

A & B complete the work in together is $= \frac{12}{3} = 4$ days

82. 2 men and 3 women can do a particular work in 10 days, whereas 4 men can do that work in 10 days. Then in how many days can 3 men and 3 women complete the same work ?

A 8

B 6

C 5

D 4

Answer: A

Explanation:

2 men + 3 women complete the work in 10 days.

2 men + 3 women = 10 days

4 men = 10 days

So equate both equation

2 men + 3 women = 4 men

3 women = 2 men

men/women = $\frac{3}{2}$

Total work is = $(2m + 3w) \times 10 \text{ days} = (2 \times 3 + 3 \times 2) \times 10 = 12 \times 10 = 120$

So 3 men + 3 women = $3 \times 3 + 3 \times 2 = 15$

So $120/15 = 8$ days.

83. The sides of a rectangle of perimeter 52 meter are in the ratio 4 : 9. Then the area in square meters of that rectangle is

A 100

B 120

C 132

D 144

Answer: D

Explanation:

Breadth to Length ratio is 4:9

So let Breadth is $4x$ & Length is $9x$

We know perimeter of rectangle is $2(L+B)$

$$2(4x + 9x) = 52$$

$$26x = 52$$

$$x = 2$$

$$\text{so Length is } 9x = 9 \times 2 = 18$$

$$\text{Breadth} = 4x = 4 \times 2 = 8$$

So area of rectangle is $L \times B$

$$18 \times 8 = 144 \text{ meter square.}$$

Free Banking Study Material (15000 Solved Questions)

84. The radius of the base of a right circular cylinder is r and the radius of a sphere is $\frac{r}{2}$. If the volumes of that cylinder and the sphere are equal, then the height of the circular cylinder in proper units is

A $\frac{r}{2}$

B $\frac{r}{4}$

C $\frac{r}{6}$

D $\frac{r}{8}$

Answer: C

Explanation:

Volume of Cylinder $= V = \pi r^2 h$

Volume of sphere $V = \frac{4}{3} \times \pi (r/2)^3$

Cylinder Volume = Sphere Volume

So $\pi r^2 \times h = \frac{4}{3} \times \pi \times (r/2)^3$

$h = r/6$

85. The volume of a cube (in cubic feet) whose total surface area is 384 square feet is

A 468

B 512

C 525

D 1000

Answer: B

Explanation:

Total surface area of cube $6a^2 = 384$

So $a = 8$ feet

Where a = side of cube

So volume of cube is $a^3 = (8)^3 = 512$ cube feet

86. A copper sphere of 6 cm diameter is melted to prepare a long wire of diameter 0.2 cm. Then the length of the wire (in metres) is

A 36

B 34

C 32

D 28

Answer: A

Explanation:

Q) 116286

Volume of sphere

$$V = \frac{4}{3} \pi R^3$$

$$D = 6 \text{ cm}$$

$$\therefore D = 2r$$

$$r = 3$$

$$V = \frac{4}{3} \times \pi \times 3^3 \\ = 36\pi \text{ cm}^3$$

Volume of wire

$$\pi R^2 h$$

$$D = 0.2 \text{ cm.}$$

$$R = 0.1 \text{ cm (R=2D)}$$

$$\pi \times (0.1)^2 \times h$$

$$\pi \times 0.01 \times h$$

$$\therefore 36\pi = h\pi$$

$$h = 36$$

Daily Free Banking Online Test

87. If $\frac{7 - 2x}{4} = 2$, then $x =$

A $\frac{15}{4}$

B $\frac{15}{6}$

C $\frac{15}{2}$

D $\frac{-15}{2}$

Answer: C

Explanation:

$$\left| \frac{7-2x}{4} \right| = 2.$$

$$|7-2x| = 8.$$

$$2x = |15|$$

$$x = \frac{15}{2}$$

88. For integers a, b and $m > 0$, write $a \equiv b \pmod{m}$ if m divides $a - b$. Then Which one of the following is true ?

A $110 \equiv -1 \pmod{11}$

B $120 \equiv -1 \pmod{11}$

C $130 \equiv -1 \pmod{11}$

D $140 \equiv -1 \pmod{11}$

Answer: B

89. A copper rod of diameter 1 cm and length 8 cm is drawn into a wire of length 18 meters of uniform diameter. Then the diameter of the wire in centimeters is

A $\frac{1}{15}$


B $\frac{1}{12}$

C $\frac{1}{9}$

D $\frac{1}{8}$

Answer: A

Explanation:



$$\begin{aligned}\text{Volume of wire } \pi r^2 h \\ &= \pi r^2 \times 1800 \\ &= 1800 \pi r^2 \text{ cm}^2 \rightarrow (2)\end{aligned}$$

$$(1) = (2)$$

$$\pi r^2 = \frac{1800 \pi r^2}{900}$$

$$r^2 = \frac{1}{900}$$

$$r = \sqrt{\frac{1}{900}} = \frac{1}{30}$$

∴ Diameter of wire = $2r$.

$$2 \times \frac{1}{30} = \frac{1}{15} \text{ cm.}$$

200+ Free GK Tests for Banking exams

90. In a class, the number of boys and girls are in the ratio 2 : 1. If five boys leave the class and five girls join class. Then the ratio becomes 7 : 5. The number of boys in that class at the beginning is

A 20

B 30

C 40

D 50

Answer: B

Explanation:

Q) 116282

Boys : Girls

2 : 1

Let it be Boys = $2x$

girls = x .

$$\frac{2x-5}{x+5} = \frac{7}{5}$$

$$10x - 25 = 7x + 35$$

$$3x = 60$$

$$\boxed{x = 20}$$

Boys = $2x = 40$

$$\text{Girls} = x = 20.$$

91. If $A : B : C :: 2 : 3 : 4$, then $\frac{A}{B} : \frac{B}{C} : \frac{C}{A}$ is

A $4 : 9 : 16$

B $8 : 9 : 24$

C $6 : 9 : 8$

D $5 : 7 : 6$

Answer: B

Explanation:

Q) $A : B : C = 2 : 3 : 4$

$$\frac{A}{B} : \frac{B}{C} : \frac{C}{A} = \frac{2}{3} : \frac{3}{4} : \frac{4}{2}$$

Lcm of 3, 4, 2 = 12

$$\therefore \frac{A}{B} : \frac{B}{C} : \frac{C}{A} = 8 : 9 : 24$$

92. $\frac{1}{\sqrt{3}} + \sqrt{2} = x\sqrt{2} + y\sqrt{3} \Rightarrow x - y =$

A 0

B 1

C -2

D 2


Answer: B

93. The curved surface area of a cone is 4070 sq. cm. If the diameter of the base of that cone is 70 cm, then its slant height in centimeters is

- A 22
- B 37
- C 44
- D 23

Answer: B

Explanation:



Q) 116279.

$D = 70$

$R = 35$

Curved Surface Area of cone = $\pi R h$.

$4070 = \frac{22}{7} \times 35 \times h$

$h = 37 \text{ cm}$

94. A solution of $8x \equiv 3 \pmod{21}$ is

- A 1
- B 3
- C 7
- D 9

Answer: C

95. If 20 and 24 are factors of n , then which one of the following is a factor of n ?

- A 120

B 240

C 50

D 25

Answer: B

Whatsapp "JOB" to 7661025557 for Updates

96. The value of $\left(1 - \frac{1}{5}\right)\left(1 - \frac{1}{6}\right)\left(1 - \frac{1}{7}\right) \dots \left(1 - \frac{1}{20}\right)$ is

A $\frac{5}{19}$

B 5

C $\frac{19}{5}$

D $\frac{1}{5}$

Answer: A

97. If 12% of x = 8% of y , then the ratio $x : y$ is

A 2 : 3

B 3 : 2

C 4 : 3

D 3 : 4

Answer: A

Explanation:

Q) 116275

$$\frac{12}{100} \times x = \frac{8}{100} \times y$$

$$12x = 8y$$

$$\frac{x}{y} = \frac{2}{3}$$

98. The rate of simple interest per annum that makes some amount of money double in 12 years is

- A 10%
- B 12%
- C $8\frac{1}{3}\%$
- D 15%

Answer: C

Explanation:

$$Q) 116274.$$

Let

$$P = P.$$

$$\cancel{SI = 2P} \quad A = 2P.$$

$$R = R\%$$

$$T = 12 \text{ years.}$$

$$SI = A - P = 2P - P = P.$$

$$S.I = \frac{PTR}{100}$$

$$P = \frac{P \times 12 \times R}{100}$$

$$\therefore R = \frac{100}{12}$$

~~SI~~

~~SI~~ %

~~SI~~ %

$$= 8\frac{1}{3}\%$$

AP SI Free Solved Previous Papers PDF

99. $\frac{3^{\frac{3}{5}} \cdot \sqrt[5]{3^{12}}}{27^{\frac{5}{3}}} =$

A 1

B $\frac{1}{3}$

C $\frac{1}{9}$

D $\frac{1}{27}$

Answer: C

Explanation:

a) $3^{\frac{3}{5}} \cdot \sqrt[5]{3^{12}}$
 $\frac{3^{\frac{3}{5}} \cdot 3^{\frac{12}{5}}}{27^{\frac{5}{3}}}$

$$\frac{3^{\frac{3}{5}} \cdot 3^{\frac{12}{5}}}{(3^3)^{\frac{5}{3}}}$$

$$\frac{3^{\frac{3}{5}} \cdot 3^{\frac{12}{5}}}{3^{\frac{15}{3}}}$$

$$\frac{3^{\frac{15}{5}}}{3^5} = \frac{3^3}{3^5}$$

$$3^{3-5} = 3^{-2} = \frac{1}{3^2} = \frac{1}{9}$$


00. If a, b, c are real and $a + b + c = 0$, then $x^{a^2b^{-1}c^{-1}} \cdot x^{a^{-1}b^2c^{-1}} \cdot x^{a^{-1}b^{-1}c^2} =$

- A 1
- B x^2
- C x^3
- D x^{-2}

Answer: A

Explanation:

$$\begin{aligned} & \therefore x^{a^2b^{-1}c^{-1}} \cdot x^{a^{-1}b^2c^{-1}} \cdot x^{a^{-1}b^{-1}c^2} \\ &= x^{a^2b^{-1}c^{-1} + a^{-1}b^2c^{-1} + a^{-1}b^{-1}c^2} \\ &= x^{a^2b^{-1}c^{-1} + a^{-1}b^2c^{-1} + a^{-1}b^{-1}c^2} \\ &= x^{a^2b^{-1}c^{-1} + a^{-1}b^2c^{-1} + a^{-1}b^{-1}c^2} \end{aligned}$$



01. If $7^{3x+1} = 49^{x+2}$, then $x =$

- A 1
- B 2
- C 3
- D 4

Answer: C

Explanation:

Q) (16271)

$$7^{3x+1} = 49^{x+2}$$

$$7^{3x+1} = (7^2)^{x+2}$$

$$7^{3x+1} = 7^{2x+4}$$

Bases are equal
Exponents must be equal.

$$3x+1 = 2x+4$$

$$\underline{x=3}$$

200+ Banking Previous Papers (Download PDF)

02. If $9x^2 + 16y^2 - 24xy = 0$, then the ratio $y : x$ is

A 4 : 3

B 2 : 3

C 3 : 4

D 3 : 2

Answer: A

Explanation:

Q) 116270

$$9x^2 + 16y^2 - 24xy = 0$$

This is in form of $a^2 + b^2 - 2ab = (a-b)^2$.

$$\therefore (3x - 4y)^2 = 0$$
$$3x = 4y$$
$$\frac{y}{x} = \frac{4}{3}$$
$$y : x = 4 : 3$$

03. If $\sqrt{19 - 4\sqrt{x}} = \sqrt{12} - \sqrt{7}$, then $x - 1 =$

A 15

B 20

C 24

D 22

Answer: D

04. $\sqrt{15 + 2\sqrt{15} + 2\sqrt{21} + 2\sqrt{35}} + \sqrt{15 - 2\sqrt{15} - 2\sqrt{21} + 2\sqrt{35}}$
=

A $\sqrt{5} + \sqrt{7}$

B $2(\sqrt{5} + \sqrt{7})$

C $2\sqrt{5}$

D $2\sqrt{7}$

Answer: A

SSC CHSL Previous Question papers (download pdf)

05. The greatest three digit number which when divided by 6, 9 and 12 leaves the remainder 4 in each case is

A 976


B 963


C 939

D 924

Answer: A

Explanation:






06. If $(-4, 5)$ is a vertex and $7x - y + 8 = 0$ is the equation of a diagonal of a square, then the equation of other diagonal of the square is

- A $7x + y + 23 = 0$
- B $x + 7y - 31 = 0$
- C $7x - y + 33 = 0$
- D $x - 7y + 39 = 0$

Answer: B

Explanation:



$$8 = 0$$

$$+ C$$

$$+ 8$$

$$= -1$$

$$= -1$$

$$= -\frac{1}{7}$$

$$y = mx + c$$

$$y = -\frac{1}{7}x + c$$

$$5 = -\frac{1}{7}(-4) + c \quad [(-4, 5) \text{ are vertex}]$$

$$c = \frac{31}{7}$$

$$\therefore y = -\frac{1}{7}x + \frac{31}{7}$$

$$7y = -x + 31$$

$$\boxed{x + 7y = 31}$$

07. Equation of the straight line passing through the point (1, -5) and making intercepts in the ratio 2 : 3 on the axes is

- A** $3x + 2y + 7 = 0$
B $2x + 3y + 13 = 0$
C $3x + 2y - 7 = 0$
D $2x + 3y - 13 = 0$

Answer: C

Explanation:

As Per given Equation

Ratio of intercept $= \frac{2}{3}$

$$\therefore x = 2k, y = 3k.$$

$$\therefore x \text{ co-ordinates} = (2k, 0)$$

$$y \text{ co-ordinates} = (0, 3k)$$

$\therefore$ Equation of line,

$$(y-0) = \frac{3k-0}{0-2k}(x-2k)$$

$$y = \frac{-3}{2}(x-2k)$$

$$2y = -3(x-2k)$$

Line Passing through

$$(1, -5)$$

$$\therefore 2(-5) = -3(1-2k)$$

$$-10 = -3 + 6k.$$

$$k = -\frac{7}{6}$$

$\therefore$ Equation will be.

$$2y = -3\left(x - 2\left(-\frac{7}{6}\right)\right)$$

$$2y = -3\left[x + \frac{14}{6}\right]$$

$$2y = -x \left[\frac{3x+7}{2} \right]$$

$$3x + 2y = 7$$

SSC CHSL Free Mock Test

08. If $\sec \theta + \tan \theta = \frac{2}{3}$ then the quadrant in which θ lies is

- A I
- B II
- C III
- D IV

Answer: B

09. $2(\sin^6 \theta + \cos^6 \theta) - 3(\sin^4 \theta + \cos^4 \theta) =$

- A 0
- B 1
- C -1
- D 5

Answer: C

Explanation:

$$\begin{aligned}
 & 2(\sin^6 \theta + \cos^6 \theta) - 3(\sin^4 \theta + \cos^4 \theta) \\
 &= 2[(\sin^2 \theta)^3 + (\cos^2 \theta)^3] - 3[(\sin^2 \theta)^2 + (\cos^2 \theta)^2] \\
 &= 2[(\sin^2 \theta + \cos^2 \theta)^3 - 3\sin^2 \theta \cos^2 \theta (\sin^2 \theta + \cos^2 \theta) - 3(\sin^2 \theta + \cos^2 \theta)^2 - 2\sin^2 \theta \cos^2 \theta] \\
 &= 2(1 - 3\sin^2 \theta \cos^2 \theta) - 3(1 - 2\sin^2 \theta \cos^2 \theta) \\
 &= 2 - 6\sin^2 \theta \cos^2 \theta - 3 + 6\sin^2 \theta \cos^2 \theta = 2 - 3 = -1
 \end{aligned}$$

10. If $\cos \theta + \sec \theta = 2$, then $\cos^4 \theta + \sec^4 \theta =$

- A 2
- B 4

- C** 8
D 16

Answer: C

SSC CGL Free Mock Test

11. If the angles of elevation of the top of a tower of height 60 m and the top of a flag staff on the tower from a point on the level ground are 30° and 60° respectively, then the length of the flag staff in metres is

- A** 90
B 105
C 120
D 135

Answer: C

12. $\cos^2 45^\circ + \cos^2 135^\circ + \cos^2 225^\circ + \cos^2 315^\circ =$

- A** 2
B $2\sqrt{2}$
C 16
D 8

Answer: A

Explanation:

116260

$$\cos^2 45^\circ + \cos^2 135^\circ + \cos^2 225^\circ + \cos^2 315^\circ$$

$$\cos^2 45^\circ + \cos^2 (90+45) + \cos^2 (180+45) + \cos^2 (270+45)$$

$$\cos^2 45^\circ + (-\sin^2 45^\circ) + (-\cos^2 45^\circ) + \sin^2 45^\circ$$

$$\therefore \cos^2 A + \sin^2 A = 1$$

$$\therefore \cos^2 45 + \sin^2 45 = 1$$

$$\therefore 1 + 1 = 2$$

$$\left[\cos 135^\circ = \cos (90+45) \right.$$

$$\cos (90+x) = -\sin x$$

$$\cos 225^\circ = \cos (180+45)$$

$$\cos (180+x) = -\cos x \left. \right]$$

13. The remainder obtained when $7x^2 - 13x + 5$ is divided by $x - 3$ is

A 107


B -29

C 29

D -107

Answer: C

Explanation:



$$\begin{array}{r}
 7x^2 - 13x + 5 \div (7x + 8) \\
 \underline{7x^2 + 21x} \\
 -34x + 5 \\
 \underline{-34x - 24} \\
 29
 \end{array}$$

Remainder = 29.

SSC CGL Free Online Coaching

14. If the polynomial $7x^4 + 4x^3 - 6x^2 + ax + b$ is divisible by $x - 1$ and $x + 1$, then $a + b =$

A -5

B -4

C -3

D -1

Answer: A

15. The remainder obtained when $\sum_{n=1}^{100} (n!)$ is divided by 6 is

A 1

B 2

C 3

D 5

Answer: D

16. The sum of the first 10 terms of the progression 2, 5, 8, 11, is

A 155

B 29

C 165

D 310

Answer: C

Explanation:

Solution

Sum of A.P. = $\frac{n}{2} (2a + (n-1)d)$

Here, $a = 2$

$$d = 8 - 5 = 5 - 2 = 3$$

and $n = 10$.

Putting the values in the Formula

$$S = \frac{10}{2} (2 \times 2 + (10-1)3)$$

$$= 5 (4 + 27)$$

$$= 5 \times 31$$

$$= 165 \text{ Answer}$$

SSC CGL PREVIOUS PAPERS (download pdf)

17. If the n^{th} term of the G.P. $2, 2\sqrt{2}, 4, \dots$ is 128, then $n =$

- A 11
- B 12
- C 13
- D 14

Answer: A

Explanation:

Solution

Here $a = 2$

and $r = \sqrt{2}$

n th term = 128

$$T_n = a \cdot r^{(n-1)}$$

Putting the values,

$$128 = 2 \cdot (\sqrt{2})^{(n-1)}$$

$$64 = 2^{\frac{(n-1)}{2}}$$

$$2^6 = 2^{\frac{(n-1)}{2}}$$

Comparing the exponents

$$6 = \frac{(n-1)}{2}$$

On solving, $n = 13$ **Answer**

18. The constant term in the binomial expansion of $\left(3x^2 - \frac{1}{4x}\right)^6$ is

- A $\frac{135}{256}$
- B $\frac{315}{256}$
- C $\frac{-135}{256}$
- D $\frac{-315}{256}$

Answer: A

Explanation:

Solution:

The constant term in the binomial expansion of $\left(3x^2 - \frac{1}{4x}\right)^6$ is

$$\left(3x^2 - \frac{1}{4x}\right)^6$$

General term

$$T_{r+1} = {}^nC_r x^{n-r} y^r$$

$${}^nC_r \left(3x^2\right)^{(6-r)} \left(-\frac{1}{4x}\right)^r$$

$$3^6 {}^nC_r x^{(12-2r)} \frac{(-1)^r}{4^r x^r}$$

$$= \text{Constant } x^{\left(12-2r\right)} x^{(-r)}$$

$$= \text{Constant } x^{\left(12-2r-r\right)} = \text{Constant } x^{\left(12-3r\right)}$$

For constant term, power of x should be 0

$$12-3r = 0$$

$$r = 4$$

$$\text{Constant} = {}^6C_r \cdot 3^{\left(6-r\right)} \cdot \frac{\left(-1\right)^r \cdot \left(4\right)^r}{\left(6-2\right)! \cdot 3^{\left(6-4\right)} \cdot \left(-\frac{1}{4}\right)^4} = \frac{6!}{\left(6-2\right)! \cdot 3^{\left(6-4\right)} \cdot \left(-\frac{1}{4}\right)^4}$$

$$= \frac{6!}{\left(4\right)! \cdot 3^{\left(2\right)} \cdot \frac{1}{4^4}} = \frac{5.6}{2} \cdot 9 \cdot \left(\frac{1}{256}\right)$$

$$= 135/256$$

19. If ${}^nC_r = {}^{10}C_r$, for $0 \leq r \leq 10$, then $2C_0 + 3C_1 + 4C_2 + \dots + 11C_{10} =$

A 2^{10}

B 6656

C 10240

D 5632

Answer: A

Explanation:

Solution

$$2 \cdot {}^{10}C_0 + 3 \cdot {}^{10}C_1 + 4 \cdot {}^{10}C_2 + \dots$$

$$= 2 \cdot 1 + \frac{3 \cdot 10!}{1!9!} + \frac{4 \cdot 10!}{2!8!} + \frac{5 \cdot 10!}{3!7!} + \dots$$

$$= 2 + 30 + 180 + 600 + \dots$$

SBI PO Solved Previous Papers (Download PDF)

20. If A is a 4×4 matrix and $\det 2A = 192$, then $\det A =$

A 96

B 48

C 24

D 12

Answer: D

Explanation:

Let A be an $n \times n$ matrix and c be a scalar then:

$$\det (cA) = c^n \det (A)$$

$$\det (2A) = 2^4 \det (A) = 192$$

$$\det(A) = \frac{192}{2^4} = \frac{192}{16} = 12$$

12 Answer

21. $\begin{pmatrix} 2 & 6 \\ 1 & 3 \end{pmatrix} \begin{pmatrix} 3 & -6 \\ -1 & 2 \end{pmatrix} =$

A $\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$

B $\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$

C $\begin{pmatrix} -1 & 0 \\ 0 & -1 \end{pmatrix}$

D $\begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix}$

Answer: D

Explanation:

Solution:

$$\begin{pmatrix} 2 & 6 \\ 1 & 3 \end{pmatrix} \begin{pmatrix} 3 & -6 \\ -1 & 2 \end{pmatrix} =$$

$$\begin{pmatrix} 2 & 6 \\ 1 & 3 \end{pmatrix} \begin{pmatrix} 3 & -6 \\ -1 & 2 \end{pmatrix}$$

let the resultant matrix be, $\begin{pmatrix} A_{11} & A_{12} \\ A_{21} & A_{22} \end{pmatrix}$

$$A_{11} = 2.3 + 6.(-1) = 0$$

$$A_{12} = 2.(-6) + 6.2 = 0$$

$$A_{21} = 1.3 + 3.(-1) = 0$$

$$A_{22} = 1.(-6) + 3.2 = 0$$

$$= \begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix}$$

22. $\lim_{x \rightarrow 3} \frac{x^3 - 3x^2}{3x^2 - 4x - 15} =$

A $\frac{-9}{14}$

B $\frac{9}{17}$

C $\frac{-9}{17}$

D $\frac{9}{14}$

Answer: D

Explanation:

Solution:

$$\lim_{x \rightarrow 3} \frac{x^3 - 3x^2}{3x^2 - 4x - 15}$$

As on putting limit, $\lim_{x \rightarrow 3} f(x) \rightarrow \frac{0}{0}$ form

So using L hospital's rule

$$\lim_{x \rightarrow 3} \frac{(3x^2 - 6x)}{(6x - 4)} =$$

Putting the limits,

$$\frac{\left(3 \times 2 - 6\right)}{6 - 4} = \frac{\left(3.3^2 - 6.3\right)}{6.3 - 4} = \frac{\left(27 - 18\right)}{14} = \frac{9}{14}$$

$\frac{9}{14}$ Answer

SBI Clerk Free Mock Test (Latest Pattern)

23. $\lim_{x \rightarrow 0} \frac{4^{3x} - 1}{x} =$

A $\log_e 4$

B $3 \log_e 4$

C $\log_e 3$

D $4 \log_e 3$

Answer: B

Explanation:

Solution

$$\lim_{x \rightarrow 0} \frac{4^{3x} - 1}{x} =$$

As the fraction is in the form of $\frac{0}{0}$ form

We can use L' Hospitals rule

Differentiating Nr and Dr.

$$\lim_{x \rightarrow 0} \frac{4^{3x} - 1}{x} = \frac{\frac{d}{dx} (4^{3x} - 1)}{\frac{d}{dx} x} = \frac{\ln 4 \cdot 4^{3x} \cdot 3}{1} = 3 \ln 4$$

Now again putting limits $\frac{\ln 4 \cdot 4^{3 \cdot 0} \cdot 3}{1} = 3 \ln 4$

Answer

24. $\frac{d}{dx} (\cos(3 \log_e x)) =$

A $\frac{\sin(3 \log_e x)}{x}$

B $-3 \sin(3 \log_e x)$

C $\frac{-3 \sin(3 \log_e x)}{x}$

D $\frac{-\sin(3 \log_e x)}{x}$

Answer: C

Explanation:

we will use chain rule, moving inwards

there are 3 functions in the form: cos K, 3M, and log Z

For cos K differentiation, -sin K = -sin (3log x).....where K = (3 logx)

For 3M, differentiation, =3

For $\log x$, differentiation $= 1/x = 1/x$

Combining all the three

$$\frac{d}{dx} \left(\frac{1}{\cos(3 \log_e x)} \right) = \frac{-\sin(3 \log_e x) \cdot \frac{3}{x}}{\cos^2(3 \log_e x)} = \frac{-3 \sin(3 \log_e x)}{x \cos^2(3 \log_e x)}$$

Answer

25. The internal angle between two adjacent sides of a regular pentagon in radians is

- A $\frac{3\pi}{5}$
- B $\frac{2\pi}{5}$
- C $\frac{\pi}{5}$
- D $\frac{\pi}{10}$

Answer: A

Explanation:

Solution

Sum of interior angles $= S = (n-2) \times 180$

$$S = (5-2) \times 180 = 540$$

$$\text{Each interior angle} = 540/5 = 108$$

in radians $\frac{108}{180} \pi = \frac{3}{5} \pi$ radian **Answer**

SBI Clerk Previous Papers (Download PDF)

26. If the lengths of the side and one diagonal of a rhombus are respectively 13 cm and 10 cm, then the area of the rhombus in square centimeters is


- A 60
- B 130
- C 65
- D 120

Answer: D

Explanation:

Solution:

The diagonals of rhombus form right angle at the centre.



$$AO = 10/2 = 5 \text{ cm}$$

$$AD = 13 \text{ cm}$$

$$\text{So } DO = \sqrt{(AD^2) - (AO^2)}$$

$$= \sqrt{(13^2) - (5^2)} = 12 \text{ cm}$$

$$\text{Length of diagonal} = 24$$

$$\text{Area of diagonals} = \frac{1}{2} \times \text{Product of diagonals} = \frac{1}{2} \times 10 \times 24 = 120 \text{ cm}^2$$

27. The point on x-axis which is equidistant from the points (7, 6), (-3, 4) is

A (-3, 0)

B (6, 0)

C (-6, 0)

D (3, 0)

Answer: D

Explanation:

Solution:

Any point on X-axis is represented as (x,0)

$$\text{Distance of this point from (7,6)} = \sqrt{(7-x)^2 + (6-0)^2}$$

$$\text{Distance of this point from (-3,4)} = \sqrt{(-3-x)^2 + (4-0)^2}$$

Both the distances should be same.

$$\sqrt{(7-x)^2 + (6-0)^2} = \sqrt{(-3-x)^2 + (4-0)^2}$$

$$\sqrt{(49+x^2-14x)+36} = \sqrt{9+x^2+6x+16}$$

$$\sqrt{(49+x^2-14x)+36} = \sqrt{9+x^2+6x+16}$$

$$60 = 20x$$

$$x = 3$$

So, point = $(3, 0)$ Answer

28. The ratio in which x-axis divides the line segment joining the points (3, -4) and (-2, 5) is

- A 3 : 2 externally
- B 4 : 5 internally
- C 3 : 2 internally
- D 4 : 5 externally

Answer: D

Explanation:

Solution

Let the required point be (x,0). Any point on x axis will have y ordinate 0

The two given points are

(3,-4) and (-2,5)

Using the formula

$$P = \left(\frac{mx_2 + nx_1}{m+n}, \frac{my_2 + ny_1}{m+n} \right)$$

As y = 0, so equating y part to 0.

$$0 = \frac{(m1 \cdot 5) + (m2 \cdot (-4))}{m1 + m2} \Rightarrow \frac{(5m1 - 4m2)}{m1 + m2} = 0$$

$\frac{(5m1 - 4m2)}{m1 + m2} = 0$; Hence $\frac{m1}{m2} = \frac{4}{5}$ External division. **Answer**

Free Banking Study Material (15000 Solved Questions)

29. The inverse of the statement $p \rightarrow (q \wedge r)$ is

- A $(\sim q) \vee (\sim r) \rightarrow \sim p$
- B $\sim p \rightarrow (\sim q) \wedge (\sim r)$
- C $q \wedge r \rightarrow p$
- D $\sim p \rightarrow (\sim q) \vee (\sim r)$

Answer: D

Explanation:

Solution:

inverse of $p \rightarrow (q \wedge r)$

$$\sim(p \rightarrow (q \wedge r))$$

$$\sim p \rightarrow \sim(q \wedge r)$$

$\sim p \rightarrow (\sim q) \vee (\sim r)$ Answer

30. If p, q are two statements, then which one is a tautology among the following ?

- A** $(p \vee (\sim q)) \rightarrow p$
- B** $(p \vee q) \rightarrow p$
- C** $(p \wedge q) \rightarrow p$
- D** $((\sim p) \wedge (\sim q)) \rightarrow p$

Answer: C

Explanation:

Solution

A/q

P	Q	$P \wedge Q$	$(p \wedge q) \rightarrow p$
0	0	0	1
0	1	0	1
1	0	0	1
1	1	1	1

So correct option C

31. The number of reflexive relations that can be defined on a set A with 5 elements is

- A** $2^{25} - 5$
- B** 2^{20}
- C** $2^{25} - 2^5$
- D** 2^5

Answer: B

Explanation:

Solution

No. of reflexive relation = $2^{n \cdot (n-1)}$

here $n = 5$

A/q

No. of reflexive relation = $2^{5 \cdot (5-1)} = 2^{20}$

Daily Free Banking Online Test

32. Let $A = \{x \in \mathbb{R} / x^2 < 9\}$ and $B = \{x \in \mathbb{R} / 4 < x^2 < 16\}$ then $A \cap B =$

- A** $(-3, -2) \cup (2, 3)$

B ϕ

C (2, 3)

D (-3, -2)

Answer: A

Explanation:

A/q

Let $A = \{x \in \mathbb{R} / x^2 < 9\}$ and $B = \{x \in \mathbb{R} / 4 < x^2 < 16\}$ then $A \cap B =$

$A = (-3, 3)$

$B = (-4, -2) \cup (2, 4)$

So $A \cap B = (-3, -2) \cup (2, 3)$ **Answer**

33. If A, B are two sets such that $n(A - B) = 40$, $n(B - A) = 57$ and $n(A \cap B) = 16$ then $n(A) =$

A 97

B 73

C 56

D 113

Answer: B

Explanation:

Solution

$$n(A) = n(A - B) + n(A \cap B)$$

$$= 40 + 16$$

$$= 56$$

Therefore, $n(A)$ is 56.

$$\text{Now } n(B) = n(A \cap B) + n(B - A)$$

Therefore, $n(B)$ is $16 + 57 = 73$.

$$n(B) = 73.$$

Hence **$n(B) = 73$ Answer**

34. Let $f: \mathbb{R} \rightarrow \mathbb{R}$ be a function defined by $f(x) = 2x^3 + 8$ for all $x \in \mathbb{R}$, then the function f is

A one one but not onto

B onto but not one one


C A bijection

D Neither one one nor onto

Answer: C

Explanation:

Solution:



The graph will be similar to that of $y = x^3$, just displaced 8 units upwards.

As, a function is a **one-to-one function** when it will pass the **vertical line test** (to make it a *function*) and also a **horizontal line test** (to make it *one-to-one*).

So it is one-one.

Also,

Also, as you progress along the line, every possible y -value is used. So it is also Onto.

Hence it is bijection.

200+ Free GK Tests for Banking exams

35. Let Q be the set of all rational numbers and $f : Q \rightarrow Q$ be a function defined $f(x) = \frac{3x - 1}{10}$ for all $x \in Q$. Then $f^{-1}(5) =$

A 17

B 51

C $\frac{7}{5}$

D does not exist

Answer: A

Explanation:

Solution

Given $y = \frac{3x - 1}{10}$

$10y = 3x - 1$

Hence $f^{-1}(x) = \frac{10x + 1}{3}$

Putting $x = 5$

$\frac{10x + 1}{3} = \frac{10 \cdot 5 + 1}{3} = \frac{51}{3} = 17$

36. The standard deviation of first 13 natural numbers is

A 42

- B** 14
- C** $\sqrt{42}$
- D** $\sqrt{14}$

Answer: D

Explanation:

Solution:

Formula used

$$\sigma = \sqrt{\frac{n^2 - 1}{12}}$$

Here, $n = 13$

$$\sqrt{\frac{\left(\left(13\right)^2 - 1\right)}{12}} = \sqrt{\frac{\left(13+1\right)\left(13-1\right)}{12}} = \sqrt{\frac{14 \cdot 12}{12}} = \sqrt{14}$$

$$\sigma = \sqrt{14} \quad \text{Answer}$$

37. If the mean and median of a data are respectively 56 and 48, then the mode of the data is

- A** 52
- B** 46
- C** 32
- D** 48

Answer: C

Explanation:

Solution:

Relation used

$$3\text{median} = \text{mode} + 2\text{mean}$$

$$3 \text{ median} - 2 \text{ mean} = \text{mode}$$

$$3 \times 48 - 2 \times 56 = 32 \quad \text{Answer}$$

Latest Job Updates on Telegram - Join here

38. The mean deviation of the observations 15, 17, 20, 23 and 25 about the arithmetic mean is

- A** 2.0
- B** 3.2
- C** 1.6

D 0

Answer: B

Explanation:

Solution:

The mean of given set is $= \frac{(15+17+20+23+25)}{5} = 20$

Observation	Deviation from mean (20)
15	5
17	3
20	0
23	3
25	5

mean deviation of the observations about the arithmetic mean $= \frac{(5+3+0+3+5)}{5} = \frac{16}{5} = 3.2$

3.2 Answer

39. If 8 persons sit in a row at random, then the probability that 3 particular persons among them sit together in a given specified order is

A $\frac{3}{28}$

B $\frac{1}{8}$

C $\frac{1}{56}$

D $\frac{1}{7}$

Answer: D

40. When Two unbiased dice are thrown at random, then the probability that the sum on them is an odd prime number is

A $\frac{7}{18}$

B $\frac{5}{12}$

C $\frac{7}{12}$

D $\frac{11}{18}$

Answer: C

Whatsapp "JOB" to 7661025557 for Updates

41. If a number is chosen at random from the first 150 natural numbers, then the probability that the number chosen is divisible by 11 is

A $\frac{1}{11}$

B $\frac{13}{150}$

C $\frac{10}{11}$

D $\frac{17}{150}$

Answer: B

Explanation:

Solution:

Nearest multiple of 11 before 150 = 143

So total 13 nos. below 150 are multiples of 11.

Sample space = 150

Probability = $\frac{13}{150}$ **Answer**

42. If a 4 digit number is formed at random without repetition using the digits 0, 1, 2, 3, 4, then the probability that the number thus formed is even is

A $\frac{3}{5}$

B $\frac{2}{5}$

C $\frac{5}{8}$

D $\frac{3}{8}$

Answer: C

Explanation:

If a 4 digit number is formed at random without repetition using the digits 0, 1, 2, 3, 4, then the probability that the number thus formed is even is

There are 4 places: _ _ _ _

As repetition is not allowed,

Thousands place cannot have 0, so there are only **4 choices** for that position.

Hundreds place can have all other remaining **4 choices** for that position.

Tens place can have all other remaining **3 choices** for that position.

Units places can have only remaining 2 choices

So, through fundamental process of counting

No. of numbers possible = $4 \times 4 \times 3 \times 2 = 96$

For even nos. units place should be either 2 or 4 or 0

In a similar way of counting lets first fix 2 or 4

So for thousands place 3 options are remaining (except 0).

Hundreds place can have all other remaining **3 choices** for that position.

Tens place can have all other remaining **2 choices** for that position.

Units places can have only remaining 2 choices. (2 or 4)

No. of numbers possible = $3 \times 3 \times 2 \times 2 = 36$

In a similar way of counting lets first fix 0

So for thousands place **4 options** are remaining (except 0).

Hundreds **place** can have all other remaining **3 choices** for that position.

Tens place can have all other remaining **2 choices** for that position.

Units places can have only remaining 1 choices. (only 0)

No. of numbers possible = $4 \times 3 \times 2 \times 1 = 24$

Total Even nos. $36 + 24 = 60$

Probability = $60/96 = 5/8$ Answer

43. **The mode of the following frequency distribution is**

x	2	5	8	11	14
f	12	14	24	13	12

- A** 8
- B** 24
- C** 5
- D** 14

Answer: A

Explanation:

Solution: For mode of tabulated data, the observation with highest frequency is the mode.

Here maximum frequency is 24, the corresponding observation is 8.

Answer 8

AP SI Free Solved Previous Papers PDF

44. **The median of the following data is**

28, 4, 21, 42, 10, 9, 24, 30, 16, 5, 13

- A** 10
- B** 13
- C** 16
- D** 21

Answer: B

Explanation:

Data Set: 28, 4, 21, 42, 10, 9, 24, 30, 16, 5, 13

To find median, we first need to sort them in ascending order,

4,5,9,10,13,16,21,24,28,30,42

No. of terms, $n = 11$,

So median = $\left(\frac{n+1}{2}\right)^{\text{th}} \text{ term}$ if n is odd

$= \left(\frac{11+1}{2}\right)^{\text{th}} = \frac{12}{2} = 6^{\text{th}} \text{ term}$

= 16 Answer

Option (C)

45. If 6, 5, 4 and 3 occur in a data with frequencies 2, 5, 3 and 4 respectively, then the arithmetic mean of the data is

A $\frac{9}{7}$

B $\frac{61}{14}$

C $\frac{34}{7}$

D $\frac{43}{14}$

Answer: C

Explanation:

Arithmetic Mean = $\frac{\sum (\text{distinct values} \times \text{frequency})}{\sum (\text{frequency})}$

$= \frac{6 \times 2 + 5 \times 5 + 4 \times 3 + 3 \times 4}{2+5+3+4}$

$= \frac{61}{14}$ **Answer**

200+ Banking Previous Papers (Download PDF)

Communication Ability

Instructions [146 - 151]

Choose the correct meaning of the word given :

46. **Genesis**

A relevant

B beginning

C humorous

D movement

Answer: A

47. **Frivolous**

- A** morose
- B** unduly meticulous
- C** cheerful
- D** easygoing

Answer: B

48. **Relish**

- A** savour
- B** vindicate
- C** avail
- D** desire

Answer: D

49. **Rescind**

- A** retreat
- B** banish
- C** repeal
- D** give up

Answer: A

50. **Blatant**

- A** foolish
- B** loud-mouthed
- C** boastful
- D** bloody

Answer: C

SSC CHSL Free Mock Test

51. **Malcontent**

- A** the dissatisfied one
- B** the hostile one
- C** the inappropriate one
- D** the obsessive one

Answer: B

Instructions [152 - 155]

Fill in the blank Choosing the correct word:

52. **The writer is admired for his style of writing.**

- A** redundant
- B** concise
- C** repugnant
- D** cumbersome

Answer: A

SSC CGL Free Mock Test

53. **A sneering person who always finds fault is a/an**

- A** optimist
- B** cynic
- C** kleptomaniac
- D** fanatic

Answer: B

54. **A person who knows a variety of subjects is a**

- A** polymer
- B** polymath
- C** polygon
- D** polyp

Answer: B

55. **Waiter, please me tea.**

- A** pour
- B** arrange
- C** serve
- D** spill

Answer: B

SSC CGL Free Online Coaching

Instructions [156 - 172]

Choose the correct answer:

56. **The system for manufacturing products in large quantities through effective combinations of employees with specialized skills, mechanization and standardization is often referred to as**

- A** Quality Control
- B** Niche Market
- C** Mass Production
- D** Factory

Answer: B

57. **MBO stands for**

- A** Management by Objections
- B** Management by Organisations
- C** Management by Objectives
- D** Managementby Oral instructions

Answer: B

58. **The process of selecting the right mode of transport, optimizing the cost, taking into account the speed of delivery required is the subject of**

- A** Inventory Management
- B** Logistics
- C** Infrastructure Management
- D** Cost Accounting

Answer: C

SSC CGL PREVIOUS PAPERS (download pdf)

59. The individual dots that make up the actual picture on the monitor screen is

- A** pixels
- B** print
- C** points
- D** laser rays

Answer: C

60. Which circuit is used as a Memory Device in Computers ?

- A** Rectifier
- B** Flip-Flop
- C** Comparator
- D** Attenuator

Answer: B

61. Interconnection of computer devices, peripherals, network nodes in series, one after the other, is

- A** Darknet
- B** Dark data center
- C** Damn small Linux
- D** Daisy chain

Answer: A

SBI PO Solved Previous Papers (Download PDF)

62. A peripheral device used to connect a computer to another over a phone-line is

- A** Disk Drive
- B** Monitor
- C** Modem
- D** Memory

Answer: B

63. A step-by-step procedure used to solve a problem is called

- A** Application program
- B** System program
- C** Algorithm
- D** Operating system

Answer: D

64. The total amount of money received from customers for their purchase of products or services during the specified time period is referred to as

- A** net profits
- B** gross sales
- C** product returns
- D** consumer investment

Answer: C

SBI Clerk Free Mock Test (Latest Pattern)

65. EXIM policy of the country is formulated through the

- A** Ministry of Finance
- B** Ministry of Commerce
- C** Ministry of External Affairs
- D** Ministry of Transport

Answer: C

66. **A: Are you coming for coffee ?**

B: Can I take a rain check ? I must get this work finished this evening.
'B' is

- A** refusing the offer.
- B** hesitating to accept the offer

C saying he might accept the offer later.

D willing to accept the offer.

Answer: B

67. **A: I'll do my best. And I'll make sure all the presentation slides are ready on the computer.**

B: Good. And don't forget to give me the rundown on the rehearsal.

B expects A to

A make all the arrangements for the rehearsal.

B go down to his office which is a floor below the venue of the rehearsal.

C reduce the expenditure involved.

D give a detailed report on the rehearsal.

Answer: C

SBI Clerk Previous Papers (Download PDF)

68. **A: What sort of person is Bharat ?**

B: He would give the shirt off his back.

Bharat is

A an irrational fellow.

B an emotional individual.

C a very generous person

D a miserly fellow.

Answer: D

69. **These figures do not support his argument. Moreover I noticed that the whole situation does not add up.**

The underlined portion implies

A there is a simple arithmetic error.

B the figures do not match the numbers.

C there is an exaggeration.

D there is no reasonable explanation for it.

Answer: C

70. **A:** You look quite cheerful.

B: That's because I passed my road test with flying colours.

The underlined idiom means

- A** after several trials
- B** with distinction
- C** comfortably
- D** with support from others

Answer: D

Free Banking Study Material (15000 Solved Questions)

71. **Anita:** Rama, will you join us for going out?

Rama: I need to take permission of my mother.

What do you understand by the above conversation ?

- A** Rama is really tied to her mother's apron strings.
- B** Rama wouldn't like to be in Anita's shoes.
- C** Rama takes worm's eyes view of society.
- D** Rama appreciates advice on a delicate matter.

Answer: B

72. The passive form of the sentence,

"Jaya is reading a comic book right now" is

- A** Right now a comic book is being read.
- B** A comic book is being read by Jaya right now.
- C** Jaya was reading a comic book just then.
- D** Right now a comic book is reading Jaya.

Answer: A

Instructions [173 - 180]

Fill in the blanks with the appropriate phrase/verb/preposition :

73. I remembered him because only recently I ran him.

- A** to

- B** into
- C** out
- D** by

Answer: D

Daily Free Banking Online Test

74. He has copied word word from his textbook.

- A** after
- B** into
- C** for
- D** over

Answer: B

75. the whole, the students seem to like their teacher.

- A** On
- B** In
- C** At
- D** Why

Answer: C

76. If it rains, I to your house this evening.

- A** shall come
- B** will not come
- C** would not come
- D** should come

Answer: A

200+ Free GK Tests for Banking exams

77. She completed the task before I asked for an explanation.

- A** had

- B** has
- C** was
- D** is

Answer: B

78. **By next month, we in Vijayawada for twelve years.**

- A** will have
- B** will be living
- C** lived
- D** will have lived

Answer: A

79. **After a long delay the plane finally**

- A** took off
- B** took of
- C** took out
- D** took up

Answer: D

Latest Job Updates on Telegram - Join here

80. **The driver to a flying start.**

- A** went off
- B** went up
- C** got up
- D** got off

Answer: A

Instructions [181 - 185]

Read the following passage and answer questions:

The greatest enemy of mankind, as people have discovered, is not science, but war. Science merely reflects the prevailing social forces. It is found that, when there is peace, science is constructive; when there is war, science is perverted to destructive ends.

The weapons which science gives us do not necessarily cause war, they make war increasingly terrible. Till now, it has brought us to the doorstep of doom. Our main problem, therefore, is not to curb science, but to stop war — to substitute law for force, and international government for anarchy in the relations of one nation with another. That is a job in which everybody must participate, including the scientists.

But the bombing of Hiroshima suddenly woke us up to the fact that we have very little time. The hour is late and our work has scarcely begun. Now we are face-to-face with an urgent question - "Can education and tolerance, understanding and creative intelligence run fast enough to keep us abreast with our Own mounting capacity to destroy"? That is the question which we shall have to answer one way or the other in this generation. Science must help us in arriving at the answer, but the main decision lies within ourselves.

81. **According to the writer, the main problem we are faced with is to**

- A** stop science from reflecting social forces.
- B** stop scientific activities everywhere.
- C** abolish war.
- D** prevent scientists from participating in destructive activities.

Answer: D

82. **The expression 'bring to the doorstep of doom' means**

- A** carry close to death and destruction.
- B** head towards the threshold of a new destiny.
- C** indulge in a ruinous activity.
- D** be introduced to an unpredictable destiny.

Answer: C

Whatsapp "JOB" to 7661025557 for Updates

83. **Which of the following is opposite in meaning to the word 'anarchy' in the middle of the passage ?**

- A** Law and order
- B** Political dominance
- C** Economic prosperity
- D** Communal harmony

Answer: A

84. **The antidote to the destructive impulse is**

- A** curbing the inventive power of science.
- B** analyzing the after-effects of the bombing of Hiroshima.
- C** educating the present generation on the uses of science.
- D** promoting tolerance and understanding through education.

Answer: A

85. **According to the writer, the real enemy of mankind is not science but war because**

- A** science merely invents the weapons with which war is fought.
- B** science during wars becomes destructive.
- C** the weapons that science invents necessarily lead to war
- D** the weapons invented by science do not cause war, but they make the war more destructive.

Answer: D

AP SI Free Solved Previous Papers PDF

Instructions [186 - 190]

Read the passage below and choose the Correct answer:

He came out of a stormy February night. Two large eyes glared at me through the darkness of my rain-drenched cabin Window and in the gleam of lighting, I saw a large brown body and huge jaws. I feared it was a lion. I had gone to British Columbia, on the Pacific Coast of Canada, to write a novel. For seven months I had lived all alone in my wooden cabin. Scared, I slowly backed into the kitchen for my torch and an axe. I shone the torch through the window to find myself facing a large black and brown dog, his tail wagging wildly. I opened the door slightly and he rushed into the room, bringing pools of water, 'oing half-mad with delight. In spite of his big head he was very thin. The bones showed through his coat. But the look in his eyes said more clearly than any words that he was hungry. I gave him all the meat I could find in the kitchen. Then he spent the next two hours finding different ways to thank me; whining, burying his wet head in my lap, pawing at my legs, reacting to my every look or movement. Everytime I looked up from my work, his deep brown eyes were on me, and his tail thumped the floor. So that night in 1967, Booto, the wild dog from forests, came into my lonely life.

86. **Why did the author go to Canada ?**

- A** To hunt for animals
- B** To live in a forest alone
- C** To do creative writing

D To protect stray animals

Answer: D

87. **Why did the author fetch an axe from the kitchen ?**

A To protect himself

B To kill a lion

C To attack a robber

D To hack the dog

Answer: C

88. **The dog beat its tail on the floor to show its**

A gratitude

B anger

C hunger

D impatience

Answer: A

200+ Banking Previous Papers (Download PDF)

89. **From that stormy night in 1967, Booto became the author's**

A ward

B son

C companion

D adversary

Answer: A

90. **Who came to the authors's house in storm ?**

A A lion

B A feiend

C A stranger

D A wild dog

Answer: C

Instructions [191 - 195]

Read the following passage and answer questions:

During Mao Zedong's rule in the 1960s the Chinese fought a fierce but futile battle against the 'Sihan' – the four parts of rats, bed bugs, flies and mosquitoes which have plagued the country for centuries. Now Beijing has declared a nation wide war against the 'Liuhai', the six evils of prostitution, pornography, abduction and trading of women and children, drug trafficking, gambling, and profiteering from superstition. Public Security Minister, Wang Fang, explained that those social ills "have seriously polluted society, disturbed public order and undermined the physical and mental health of a vast number of people, especially the youth".

China's guardians of public order have not exactly been lax. Supreme, Court Vice President, Lin Zhum, revealed last month that from 1983 to 1988 Chinese courts punished 89,500 criminals for committing one of the six evils. Of these, 3,142 were given sentences of death or life imprisonment. An additional 11,000 were arrested in the first nine months of this year. But of course, the evil persists. In fact, officials in the freewheeling province of Guangdong, last week discovered a seventh evil secret – criminal gangs. Said a Chinese social scientist "The more prosperous and free we become the more evils we face".

91. What does 'freewheeling' in the passage mean ?

- A City of bicycles
- B Movement of people without constraints
- C Aimless loitering of jobless people
- D Free public transport services

Answer: D

SSC CHSL Previous Question papers (download pdf)

92. What made a Chinese comment "The more prosperous and free we become, the more evils we face" ?

- A Increasing 'Sihan'
- B Success against 'Liuhai'
- C The discovery of criminal gangs
- D Failing moral standards

Answer: B

93. Prosperity and evil are

- A directly proportional
- B inversely proportional

C indirectly proportional

D occasionally related

Answer: C

94. **Who was instrumental in the war against 'Sihan' ?**

A Mao Zedong

B Wang Fang

C Lin Zhum

D An eminent Chinese social scientist

Answer: A

SSC CHSL Free Mock Test

95. **What was the average number of Chinese punished for 'Liu hai' from 1982 to 1989 ?**

A 17,900

B 15,000

C 89,500

D Cannot be found

Answer: A

SSC CGL Free Mock Test