



All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in any retrieval system of any nature without the permission of cracku.in, application for which shall be made to support@cracku.in

Analytical Ability

Instructions [1 - 20]

In questions numbered 1 to 20, a question is followed by data in the form of two statements labelled as I and II. You must decide whether the data given in the statements are sufficient to answer the questions. Using the data make an appropriate choice from (a) to (d) as per the following guidelines:

1. If p and q are integers is $p > q$?

I. $\frac{p}{6} = \frac{q}{3}$

II. p is a multiple of q .

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

Free Banking Study Material (15000 Solved Questions)

2. What is the value of p ?

I. p is a prime number

II. p is an even natural number


- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

3. What is the perimeter of the triangle ABC?

I. $x = 45^\circ$

II. The area of the triangle is 18 sq.cm



- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

4. Is the natural number m even?

I. m is a multiple of an odd natural number

II. m is the LCM of two odd natural numbers

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

Daily Free Banking Online Test

5. Is the positive integer n a prime?

I. The number of positive divisors of n^2 is 3.

II. n is a divisor of 1155.

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.

- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

6. If a and b are real numbers, is their product ab negative?

I. $5|a| + 3|b| = 0$

II. $5|a| = 3|b|$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

7. What is the value of $119x + 247y$?

I. $119x + 246y = 482$

II. x is greater than y by 2.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

200+ Free GK Tests for Banking exams

8. Does the point $P(a, b)$ lie in the first quadrant?

I. $a + b \geq 2$

II. $ab < -2$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.

- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

9. **What is the cost price of the pen?**

I. If it is sold for Rs. $x + 2$. the profit will be 5%.

II. It is sold for Rs. x at a loss of 5%.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

10. **Is $(x^3 + y^3)^{\frac{1}{3}}$ an integer**

I. $x^3 + y^3$ is a multiple of 125

II. $x^3 + y^3$ is equal to the volume of the cuboid whose dimensions are 16 cm, 125 cm and 27 cm

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

Latest Job Updates on Telegram - Join here

11. **If a is the average of the numbers 1, 2, 3 and x . then what is the value of a ?**

I. $x = \frac{1}{2}(6a - x)$

II. x is an integer.

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.

- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

12. Is the product of the integers a , b and c equals to 1?

I. $a > 0, b > 0, c > 0$

II. $a + b + c = 3$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

13. What is the value of $\frac{a^2}{b^2} + \frac{b^2}{c^2}$?

I. $a = 2c$

II. $\frac{a}{b} + \frac{b}{c} = 8$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

Whatsapp "JOB" to 7661025557 for Updates

14. How many cylinders each with a radius 2" and height 6" can fit into the rectangular box?

I. The volume of the box is 230 cubic inches.

II. The length of the box is 3".

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.


- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

15. In the diagram given, $\angle ABC = 90^\circ$. Then what is the value of z ?

I. The value of y is three times the value of z .

II. The value of x is half that of z .



- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

16. A, B and C are digits between 0 and 9 inclusive. Then what is the value of B?

I.
$$\begin{array}{r} AB \\ + BA \\ \hline AAC \end{array}$$

II. $A = 1$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

AP SI Free Solved Previous Papers PDF

17. If a, b, c and d are integers. is the sum $ab + cd$ an odd integer?

I. a and c are both even integers.

II. b is an even integer and d is an odd integer.

- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

18. If a, b, m and n are distinct positive integers such that $a^m = b^n$, then what is the value of $a + b + m + n$

I. Each of a, b, m and n is less than 10.

II. $b^n = 81$.


- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

19. With reference to the given figure, what is the value of $c + d$?

I. $b + f = 80$

II. $a + b = 110$



- A if the statement I alone is sufficient to answer the question.
- B if the statement II alone is sufficient to answer the question.
- C if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.

- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

200+ Banking Previous Papers (Download PDF)

20. If x and y are both integers and their product $xy < 0$. what is the difference between x and y ?

I. $x + y = 2$

II. $-3 < x < y$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is not sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

Instructions [21 - 30]

In each of the questions 21 to 30 an analogy with two strings of numbers or letters or both are given following a definite pattern on the left. Identifying this pattern, you have to fill the blank space on the other side analogously from among the four options given.

21. $4:80::5: \dots$

- A** 220
- B** 150
- C** 135
- D** 120

Answer: B

22. DIME: EHOC:: RING:

- A** SGPE
- B** SHPE
- C** SHPF
- D** THPE

Answer: B

SSC CHSL Previous Question papers (download pdf)

23. AXE: EYI:: GEL:

- A LFM
- B LFN
- C HIM
- D HER

Answer: C

24. KUWR: OYAV:: HJPQ

- A DFLM
- B DELN
- C DELM
- D DFKM

Answer: A

25. 5 : 100 :: 10 :

- A 900
- B 800
- C 700
- D 600

Answer: A

SSC CHSL Free Mock Test

26. 64:100::72:

- A 144
- B 121
- C 112
- D 81

Answer: D

27. 2:0.25::5:

- A** 0.05
- B** 0.025
- C** 0.125
- D** 0.04

Answer: D

28. **BRF: AOK :: TSM:**

- A** SQJ
- B** SPR
- C** STO
- D** SQH

Answer: B

SSC CGL Free Mock Test

29. **AJE:EKI::ISO**

- A** LTV
- B** LRU
- C** OTU
- D** OTS

Answer: C

30. **AUNTY : CSPRA :: UNCLE:**

- A** XLEJG
- B** WLEJH
- C** WPEJG
- D** WLEJG

Answer: D

Instructions [31 - 35]

In the following questions Pick the odd thing out

31.

A NP

B PR

C US

D EG

Answer: C

SSC CGL Free Online Coaching

A Lawyer

B Counsel

C Advocate

D Judge

Answer: D

32.

A SCANT

B FLUSH

C RIVER

D CROWD

Answer: C

33.

A CRY

B JOY

C FRY

D TRY

Answer: B

SSC CGL PREVIOUS PAPERS (download pdf)

34.

- A** Teach
- B** Explain
- C** Instruct
- D** Educate

Answer: C

Instructions [35 - 44]

In each of the questions a sequence of numbers or letters or words or strings of letters that follow a definite pattern is given. Each question has a blank space. This has to be filled by the correct answer from the four given options to complete the sequence without breaking the pattern.

35. 6, 11, 27, 51,

- A** 66
- B** 83
- C** 102
- D** 123

Answer: D

36. 7, 26, 124, 342,

- A** 524
- B** 850
- C** 1330
- D** 1331

Answer: C

SBI PO Solved Previous Papers (Download PDF)

37. 2, 3, 4, 6, 6, 9, 8, 12, 10,

- A** 12
- B** 14
- C** 15
- D** 16

Answer: C

38. $\begin{matrix} 2 & 3 & 5 & 7 \\ 3, & 4, & 6, & 8, & \dots \end{matrix}$

A $\begin{matrix} 9 \\ 10 \end{matrix}$

B $\begin{matrix} 10 \\ 11 \end{matrix}$

C $\begin{matrix} 11 \\ 12 \end{matrix}$

D $\begin{matrix} 13 \\ 14 \end{matrix}$

Answer: C

39. 0, 5, 8, 17, 24,

A 35

B 36

C 37

D 38

Answer: C

SBI Clerk Free Mock Test (Latest Pattern)

40. 24, 60, 120, 210,

A 316

B 336

C 396

D 420

Answer: B

41. 1, 8, 22, 50, 106,

A 148

B 172

C 196

D 218

Answer: D

42. 2, 3, 6, 11, 18,

- A** 24
B 26
C 27
D 28

Answer: C

SBI Clerk Previous Papers (Download PDF)

43. 10, 30, 130, 350,

- A** 750
B 1080
C 1342
D 1568

Answer: C

44. 7, 8, 6, 9, 5, 10, 4,

- A** 13
B 8
C 12
D 11

Answer: D

Instructions [45 - 47]

In the following table, the distribution of marks obtained by 100 students in two papers in mathematics is given. Study this table and answer the questions

Marks out of 50 → Paper ↓	40 and above	30 and above	20 and above	10 and above	0 and above
I	5	22	67	82	100
II	8	31	79	91	100
Aggregate	6	27	71	88	100

45. How many students scored less than 40% marks in aggregate?

- A** 14
B 18

C 29

D 30

Answer: C

Free Banking Study Material (15000 Solved Questions)

46. The approximate percentage of students that obtained 60% and above in paper II. over the number of students that obtained 40% and above in aggregate in that paper is

A 40

B 42

C 44

D 48

Answer: C

47. How many students will pass, if there is a compulsory passing minimum of 40% marks in paper I only?

A 14

B 18


C 31

D 67

Answer: D

Instructions [48 - 52]

In the following pie chart, people in the various age groups of a town are given. The total population of the town is 3,00,000. Study this pie chart and answer the questions.



48. People of 40-60 years age group are less than those in 25-40 years age group by

- A** 8000
- B** 9,600
- C** 10,000
- D** 12,000

Answer: C

Daily Free Banking Online Test

49. What percentage of the total population in the number of people in the age group of less than 10 years

- A** 10
- B** 15
- C** 24
- D** 36

Answer: A

50. The difference between the number of people of the minimum age group and maximum age group of that town is

- A** 20,000
- B** 25,000
- C** 30,000
- D** 40,000

Answer: C

51. The ratio of the people in the age group of 40-60 years to that of those less than 10 years is

- A** 4:2
- B** 5:3
- C** 8:3
- D** 9:4

Answer: C

52. The people in the age group of 10-25 years and those in 40-60 years together constitute a total population of

- A 90,000
- B 1,00,000
- C 1,10,000
- D 1,20,000

Answer: D

Instructions [53 - 54]

The number of students who play some or all the three games: Tennis, Basket ball and Hockey of a class is shown in the following table. Based on this information answer the questions.

Game	Tennis	Basket ball	Hockey	Basket ball & Hockey	Basket ball & Tennis	Hockey & Tennis	All the three
No of students	35	30	30	10	10	8	3

53. The number of students who play only tennis, is

- A 24
- B 22
- C 20
- D 19

Answer: C

54. The number of students who play only Basket ball and only Hockey, is

- A 25
- B 28
- C 30
- D 32

Answer: B

Latest Job Updates on Telegram - Join here

Instructions [55 - 59]

In a certain code, every n^{th} letter in the English alphabet is coded as r^{th} letter where r is the remainder when $5n + 7$ is divided by 26 and $1 \leq r \leq 26$. For example, the 10^{th} letter J is coded as 5^{th} letter E, since $(5 \times 10) + 7 = 57 = (2 \times 26) + 5$. For decoding the reverse process is followed. Based on this answer the questions.

55. The code for 'MONKEY' is

- A YDTEKW
- B TIDOAG
- C TDYJFB
- D YITOKG

Answer: C

56. In the given code, the number of letters which are coded as themselves is

- A 1
- B 2
- C 3
- D 0

Answer: D

57. In the given code, the number of letters which are coded as immediate next letter in the alphabet is

- A 1
- B 2
- C 3
- D 0

Answer: B

Whatsapp "JOB" to 7661025557 for Updates

58. Which word is coded as "VDTZYP"?

- A COMENT
- B CEMENT
- C CAMLIN
- D COMING

Answer: D

59. 'MISERY' is coded as

- A** TEXASC
- B** TZYERB
- C** TZXFSB
- D** TEYDRC

Answer: C

60. In a code language, if 'tee see pee' means 'drink fruit juice', 'see kee lee' means 'juice is sweet' and 'lee ree mee' means 'he is intelligent'. Which word in that language means 'sweet'?

- A** see
- B** lee
- C** kee
- D** tee

Answer: C

AP SI Free Solved Previous Papers PDF

61. In a certain code language "pit nae tom" means 'apple is green'. 'nae ho tap' means 'green and white' and 'ho tom ka' means 'shirt is white'. Then which one of the following represents 'apple' in that language?

- A** nae
- B** tom
- C** ka
- D** pit

Answer: D

62. If 'nitco sco tingo' stands for 'softer than flower', 'tingo sho mst' stands for 'sweet flower fragrance' and 'mst sco tmp' stands for 'sweet than smile', then what would 'fragrance' stand for?

- A** rho
- B** mst
- C** tmp
- D** sco

Answer: A

63. In a certain code language. "when did you come" is written as 'ti na ki ja' 'will you come again' is written as 'na pa sa ja' and 'she will go' is written as 'pa da ra'. Then how will 'again' be written in that code language?

A na

B sa

C ja

D do

Answer: B

200+ Banking Previous Papers (Download PDF)

64. In a certain code language 'singing is appreciable' is written as 'cod tip mot'. 'dancing is good' is written as 'mot nik min' and 'singing and dancing' is written as 'tip mop nik'. How is 'good' written in that code language

A mot

B nik

C min

D tip

Answer: C

65. If 20th March 1995 was Monday, what was the day on 15th August 1994?

A Monday

B Tuesday

C Sunday

D Saturday

Answer: A

66. The time when the hours hand and minutes hand in a clock coincide between 3 PM and 4 PM is

A 3 hrs 17 $\frac{2}{11}$ min

B 3 hrs 16 $\frac{4}{11}$ min

C 3 hrs 18 $\frac{3}{11}$ min

D 3 hrs 19⁵₁₁ min

Answer: B

SSC CHSL Previous Question papers (download pdf)

67. A clock is set right at 5:00 AM. This clock loses 16 minutes in 24 hours. If the clock shows 10:00 PM on the 4th day. the true time then was

A 10:00 PM

B 10:30 PM

C 11:00 PM

D 11:30 PM

Answer: C

68. If $A \times B$ means B is the father of A,
 $A + B$ means A is the wife of B,
 $A \div B$ means A is the brother of B,
then the relation of J with $J + M \div R \times L$ is

A Sister in law

B Daughter in law

C Daughter

D Sister

Answer: B

69. In covering a certain distance. the speeds of A and B are in the ratio 3:4. If A arrives at the destination 20 minutes later than B. the time (in hours) taken by A to arrive at the destination is

A $2\frac{1}{3}$

B $2\frac{1}{2}$

C $1\frac{1}{3}$

D $1\frac{1}{4}$

Answer: C

SSC CHSL Free Mock Test

70. A man walks at the rate of 5 kmph and arrives at the station 7 minutes after the departure of the train. If he walks at the rate of 6 kmph. he arrives at the station in 5 minute before the departure of the train. The distance (in km) he covered to reach the station is

- A 7
- B 6
- C 5
- D 4

Answer: B

71. Five persons A, B, C, D, E are sitting in a circle facing the centre. C is sitting second to the left of A. D is sitting to the immediate left of B. E is immediate neighbour of neither D nor B. Who is sitting to the immediate left of D?

- A B
- B A
- C E
- D C

Answer: B

72. For non zero real numbers a and b, define $a \times b = \frac{1}{a} + \frac{1}{b}$. Then $\sum_{k=1}^{10} \left(1 \times \frac{1}{k}\right) =$

- A 55
- B 65
- C 101
- D 110

Answer: B

SSC CGL Free Mock Test

73. If $a \triangle b = a^2 + b^2 - 3ab$ for any real numbers a and b, then $\{1 \triangle (-1)\} \triangle \{\sqrt{2} \triangle \sqrt{2}\} =$

- A -53
- B 35
- C -59
- D 59

Answer: D

74. $E \downarrow F = (E + F) + (E - F)^2; E \uparrow F = (E + F)^2 - (E - F)^2 \Rightarrow (1 \downarrow 2) \downarrow (2 \uparrow 3) =$

A 546

B 616

C 876

D 428

Answer: D

SSC CGL Free Online Coaching

Mathematical Ability

75. $X = \frac{a-b}{a+b}, Y = \frac{b-c}{b+c}, Z = \frac{c-a}{c+a} \Rightarrow \frac{1+x}{1-x} \cdot \frac{1+y}{1-y} \cdot \frac{1+z}{1-z} =$

A 0

B $a + b + c$

C $ab + bc + ca$

D 1

Answer: D

SSC CGL PREVIOUS PAPERS (download pdf)

76. $x^x \sqrt[n]{x} = (x \sqrt[n]{x})^x \Rightarrow x =$

A $(1 - \frac{1}{n})$

B $(1 - n)^n$

C $(1 + \frac{1}{n})$

D $(1 + n)^n$

Answer: C

77. If $a^3 + b^3 + c^3 = 8072, a : b = b : c = 3 : 2$ then the value of a is

A 36

B 27

C 24

D 18

Answer: D

Explanation:

Let $b=6m$ Then $a=9m$ and $c=4m$

$$a^3 + b^3 + c^3 = 8072$$

$$(9m)^3 + (6m)^3 + (4m)^3 = 8072$$

$$729m^3 + 216m^3 + 64m^3 = 8072$$

$$1009m^3 = 8072 \text{ or } m^3 = 8 \text{ or } m = 2$$

Now $a=9m$ or $a=18$

78. The cube root of a is inversely proportional to the square of b . if $a = 8$ when $b = 3$ then the value of a when $b = \frac{3}{2}$ is

A 16

B 32

C 64

D 512

Answer: D

SBI PO Solved Previous Papers (Download PDF)

79. Taking $\sqrt{5} = 2.2360$ the value of $\frac{\sqrt{3-\sqrt{5}}}{\sqrt{2}+\sqrt{7-3\sqrt{5}}} =$

A 0.4247

B 0.4472

C 0.4274

D 0.4742

Answer: B

80. For $a \geq 4$, $\sqrt{3(a-1) + 2\sqrt{2a^2 - 7a - 4}} =$

A $\sqrt{a+1} + \sqrt{a-4}$

B $\sqrt{2a-1} + \sqrt{a+4}$

C $\sqrt{2a+1} + \sqrt{a-4}$

D $\sqrt{2a+1} - \sqrt{a-4}$

Answer: C

81. The greater power of 2 dividing 2400 is

A 2

B 3

C 4

D 5

Answer: D

Explanation:

$$2400 = 2^5 \times 3 \times 5^2$$

∴ The greatest power of 2 that can divide 2400 is 5.

Hence, the correct answer is Option D

SBI Clerk Free Mock Test (Latest Pattern)

82. If $100 \leq n \leq 999$ and n leaves remainders 1 and 3 respectively when divided by 3 and 8 then the maximum value of n is

A 993

B 955

C 979

D 931

Answer: C

83. To run around a track A, B and C respectively take 27, 36 and 45 seconds. All of them start simultaneously at a point P on the track. The number of rounds made by C when all of them meet next at P is

A 12

B 15

C 20

D 24

Answer: A

Explanation:

LCM of 27,36 and 45 seconds is 540 seconds.

All of them will meet at P for every 540 seconds.

∴ The number of rounds made by C when all of them meet next at P = $\frac{540}{45} = 12$

84. The greatest common divisor and the least common multiple of two numbers are 21 and 4641. If one of the numbers lies between 250 and 300 then the other number is

A 357

B 375

C 735

D 573

Answer: A

SBI Clerk Previous Papers (Download PDF)

85. $\left(1 - \frac{1}{5}\right) \left(1 - \frac{1}{6}\right) \left(1 - \frac{1}{7}\right) \dots \dots \left(1 - \frac{1}{200}\right) =$

A 0.04

B 0.01

C 0.20

D 0.02

Answer: D

86. The rational number given by 0.136 is

A $\frac{2}{11}$

B $\frac{3}{22}$

C $\frac{4}{23}$

D $\frac{5}{44}$

Answer: B

Explanation:

$$y = 0.1363636 \dots$$

$$10y = 1.363636 \dots$$

$$1000y = 136.3636 \dots$$

Subtracting both of them we get

$990y=135$ or $y=135/990$ or $y=3/22$ (dividing the numerator and denominator by 45)

87. If a_1, a_2, a_3 , and a_4 is the decreasing order of the elements in $\left\{\frac{2}{7}, \frac{7}{15}, \frac{5}{8}, \frac{9}{23}\right\}$ then $a_1 - a_4 =$

- A $\frac{5}{8}$
- B $\frac{17}{56}$
- C $\frac{19}{56}$
- D $\frac{2}{7}$

Answer: C

Free Banking Study Material (15000 Solved Questions)

88. If the numbers 169, 248, 416, 479, 175, 621 and 532 are arranged in descending order based on the sum of the digits in each one of them, the middle number is

- A 416
- B 169
- C 175
- D 248

Answer: C

89. If the income tax is reduced from 15% to 12.5% then the tax benefit (in rupees) for a person whose taxable income is Rs. 98,000/- is

- A 3800
- B 3000
- C 2600
- D 2450

Answer: D

Explanation:

Tax benefit% = $15 - 12.5 = 2.5\%$

Taxable income = Rs. 98,000

Tax benefit = 2.5% of 98000 = $\frac{2.5}{100} \times 98000 = \text{Rs. } 2450$

Hence his tax benefit will be 2450 rupees

90. In a direct contest one of the candidates has polled 35% of the total votes polled but loses by 540 votes. then the total no. of votes polled is

- A 2400
- B 2100
- C 1800
- D 1860

Answer: C

Explanation:

Let the total number of votes polled be "x". So the candidate got 0.35 x votes. His opponent got 0.65x votes

The difference in votes is $0.3x = 540$ or $x = 1800$

Hence total votes polled is 1800

Daily Free Banking Online Test

91. If the cost price of 10 articles is equal to the selling price of 9 articles then the profit percentage is

- A $12\frac{1}{9}$
- B $11\frac{1}{9}$
- C 12
- D 9

Answer: B

Explanation:

CP of 10 articles = SP of 9 articles

CP of 1 article = SP of $\frac{9}{10}$ article

Let the SP of 1 article be "m". Hence the CP of 1 article is $\frac{9m}{10}$

$$\text{Profit percentage} = \frac{\frac{9m}{10} - \frac{9m}{10}}{\frac{9m}{10}} \times 100 = \frac{\frac{m}{10}}{\frac{9m}{10}} \times 100 = \frac{100}{9} \%$$

92. The cost price of the article which fetched a profit of 12.5% by selling it for Rs. 990/- is

- A 910
- B 900
- C 880
- D 800

Answer: C

Explanation:

Let the cost price of the article be "m"

Profit percentage is 12.5% and selling price is 990

Hence $m(1.125)=990$ or $m=990/1.125=880$

Hence CP=880

93. A and B started a business investing Rs. 3.5 lakhs and Rs. 6.5 lakhs respectively. After 6 months A left the business while C joined B with an investment of Rs. 7.5 lakhs in the year end profit of Rs. 2.4 lakhs. the share of C (in lakhs of Rs) is

- A 0.35
- B 0.45
- C 0.55
- D 0.75

Answer: D

200+ Free GK Tests for Banking exams

94. A, B and C start a business with capitals in the ratio 6 : 4 : 3. After four months A withdraws half of his capital. If the year end profit is Rs. 13,200/- then the share of A (in Rupees) in the profit is

- A 4800
- B 5400
- C 3600
- D 4200

Answer: A

95. Two taps can fill a water tank individually in 10 min and 12 min. Due to a leakage 5 lit of water is drained every minute. If both the taps are opened the empty tank can be filled in 7.5 min, then the capacity of the tank (in liters)

- A 120
- B 100
- C 200
- D 150

Answer: B

96. Two taps A and B can fill a tank in 6 hours and 8 hours respectively. If they are opened alternatively every hour one after the other. starting with tap B then the time (in hours) needed to fill the tank is

- A $6\frac{1}{2}$

B $6\frac{3}{4}$

C 7

D $7\frac{1}{4}$

Answer: C

Latest Job Updates on Telegram - Join here

97. A passenger train moving at 36 m/sec crosses a person walking in the opposite direction with a speed of 4 m/sec in 10 seconds. The length (in meters) of the train is

A 360

B 400

C 420

D 440

Answer: B

Explanation:

Relative speed of the person with respect to train = $36 + 4 = 40$ m/sec

Time = 10 sec

$\therefore$ Length of the train = Distance covered = Speed $\times$ Time = $40 \times 10 = 400$ m

98. A person is running at a speed of 10 kmph and after a run of every one kilometer he takes rest for 5 minutes. The time (in minutes) taken by the person to cover a distance of 5 kms is

A 35

B 40

C 45

D 50

Answer: D

99. If $\frac{4}{7}$ th of a work is completed in $\frac{7}{4}$ days the number of days to complete the rest of the work is

A $\frac{21}{16}$

B $\frac{23}{16}$

C $\frac{49}{16}$

D 18

Answer: A

Whatsapp "JOB" to 7661025557 for Updates

00. A piece of work can be completed by A, B and C independently in 15 hours, 12 hours, and 10 hours respectively. A and B started the work, and after 4 hours C joined them and completed the work. The time (in minutes) C worked is

A 60

B 75

C 80

D 96

Answer: D

01. The radius (in feet) of the circle that circumscribes a rectangle whose length is 12 feet and has an area of 60 square feet, is

A 13

B 12

C 6.5

D 6

Answer: C

02. A wire in the form of a circle with a diameter 42 cms is bent to form a rectangle whose sides are in the ratio 6 : 5. The area (in sq.cms) of the rectangle whose sides are the length, the breadth and the diagonal of the rectangle, is

A 4320

B 2160

C 6480

D 1080

Answer: B

AP SI Free Solved Previous Papers PDF

03. The radius (in units) of the sphere whose surface area and volume are numerically equal is

- A** 2
- B** 3
- C** 3.5
- D** 2.5

Answer: B

Explanation:

Surface area of the sphere = $4\pi r^2$

Volume of the sphere = $\frac{4}{3}\pi r^3$

Hence $\frac{4}{3}\pi r^3 = 4\pi r^2$ or $r = 3$

04. A solid copper sphere of radius 3 cms is melted to make a wire of diameter 0.2 cms. The length of wire is

- A** 24
- B** 28
- C** 34
- D** 36

Answer: D

05. A door is in the shape of a rectangle of dimensions 10' X 7', with a semicircle on its smaller side the circumference (in feet) of the door is (Take $\pi = \frac{22}{7}$)

- A** 40
- B** 49
- C** 42
- D** 38

Answer: D

200+ Banking Previous Papers (Download PDF)

06. The perimeter (in cms) of a rhombus whose diagonals are 40 cms and 30 cms is

- A** 140
- B** 120

C 100

D 70

Answer: C

Explanation:

Applying Apollonius theorem on the rhombus, let each side of the rhombus be "a".

$$a^2 + a^2 = 2(20^2 + 15^2)$$

$$2a^2 = 2(625) \text{ or } a^2 = 625 \text{ or } a = 25$$

The length of a side is 25cm. Hence perimeter of the rhombus is 100cm.

07. If two cubes of sides 15 cms each are joined together to form a cuboid then the surface area (in sq. cms) of the cuboid is

A 2700

B 2475

C 2250

D 2025

Answer: C

08. The number 466 in the decimal system is written in septal system as

A 1233

B 1334

C 1243

D 1234

Answer: D

SSC CHSL Previous Question papers (download pdf)

09. The largest integer $k < 1110$ that leaves the remainder 10 when divided by 11 is

A 1091

B 1095

C 1097

D 1099

Answer: D

10. If p, q are statements then $\sim(p \leftrightarrow q)$ is equivalent to

- A $(p \rightarrow q) \vee (q \rightarrow p)$
- B $(\sim p \wedge q) \vee (\sim q \wedge p)$
- C $(\sim p \wedge \sim q) \vee (p \wedge q)$
- D $(\sim p \vee q) \wedge (\sim q \vee p)$

Answer: B

11. If p and q are two statements then the statement $(p \wedge (\sim q)) \wedge ((\sim p) \wedge q)$ is a/an

- A Tautology
- B Inverse
- C Contradiction
- D Converse

Answer: C

SSC CHSL Free Mock Test

12. On the set $A = \{a, b, c\}$ the relation $R = \{(a, b), (b, a), (a, a)\}$ is

- A reflexive and symmetric
- B symmetric only
- C symmetric and transitive
- D transitive

Answer: B

13. If A and B are two sets with 5 and 4 elements respectively, then the number of injective mappings from A to B is

- A 1032
- B 625
- C 120
- D 0

Answer: D

14. If $E \subseteq R$ is the maximum possible set on which $f(x) = \sqrt{x+2} + \log_{10}(1-x)$ is defined for $x \in E$, then $E =$

A $(-2, 0) \cup (0, 1)$

B $[-2, 1]$

C $[-2, 0) \cup (0, 1)$

D $[-2, 0) \cup (0, 1]$

Answer: C

SSC CGL Free Mock Test

15. If the intercept between the axes of a line has mid-point at $(1, 2)$ then the equation of the line is

A $x - y + 1 = 0$

B $x + y - 3 = 0$

C $x + 2y - 5 = 0$

D $2x + y - 4 = 0$

Answer: D

16. The equation of the line through the point of intersection of the lines $2x + 5y = 9$ and $x - 3y = 1$ and whose distance from the origin is $\sqrt{5}$ units is

A $2x + y = 5$

B $2x - y = 4$

C $x - 2y = 5$

D $x + 3y = 7$

Answer: A

17. $\sin 210^\circ + \tan 855^\circ + \tan 45^\circ =$

A 0

B $-\frac{1}{2}$

C $\frac{1}{\sqrt{2}}$

D $\frac{\sqrt{3}}{2}$

Answer: B

SSC CGL Free Online Coaching

18. If $\tan 30^\circ$ and $\tan 15^\circ$ are the roots of the equation $x^2 + px + q = 0$ then $2 + q - p =$

- A** 0
- B** 1
- C** 2
- D** 3

Answer: D

19. $u = \frac{1+\sin \theta}{\cos \theta} \Rightarrow u + \frac{1}{u} =$

- A** $2 \cos \theta$
- B** $2 \tan \theta$
- C** $2 \sec \theta$
- D** $2 \cot \theta$

Answer: C

20. A kite is flying with a string inclined at 30° to the horizontal. The height of the kite (in meters) when the string is 15 m long is

- A** 7.5
- B** $\frac{15}{\sqrt{2}}$
- C** $15 \sqrt{\frac{3}{2}}$
- D** $\frac{15}{\sqrt{3}}$

Answer: A

SSC CGL PREVIOUS PAPERS (download pdf)

21. $x + \frac{1}{x} = 5 \Rightarrow x^4 + \frac{1}{x^4} =$

- A** 5
- B** 27

C 527

D 529

Answer: C

22. The remainder when $3x^4 + 16x^3 + 4x^2 + 2x + 5$ is divided by $2x - 1$ is

A $\frac{123}{16}$

B $\frac{135}{16}$

C $\frac{141}{16}$

D $\frac{147}{16}$

Answer: D

23. If a polynomial leaves remainder -7 and 5 respectively when it is divided by $x - 5$ and $x + 3$ then the remainder when the same polynomial is divided by $x^2 - 2x + 15$ is

A $\frac{1}{2}(1 - 3x)$

B $\frac{1}{2}(3 - x)$

C $\frac{1}{2}(3x - 2)$

D $\frac{1}{2}(2 - 3x)$

Answer: A

SBI PO Solved Previous Papers (Download PDF)

24. If $x^2 + x - 2$ is a factor of the polynomial $x^4 + 3x^3 + ax^2 + bx + 16$ then the ordered pair (a, b) =

A (8, 12)

B (8, -12)

C (-8, 12)

D (-8, -12)

Answer: D

25. $\frac{6}{a} + \frac{15}{b} = 8, \frac{10}{a} - \frac{9}{b} = 2 \Rightarrow a^2 + b^2 =$

A 13

- B** 12
- C** 25
- D** 20

Answer: A

26. The number of solutions of the system $3x - 4y = 3$ and $9x - 12y = 9$ is

- A** 0
- B** 1
- C** 2
- D** infinite many

Answer: D

SBI Clerk Free Mock Test (Latest Pattern)

27. If the sum to $2n$ terms of the arithmetic progression 2, 5, 8, is equal to the sum to n terms of the arithmetic progression is 57, 59, 61,, then $n =$

- A** 10
- B** 11
- C** 12
- D** 13

Answer: B

28. If the common ratio of a geometric progression is $\frac{3}{7}$ and its sum to infinite terms is 133 then the first term of the geometric progression is

- A** 19
- B** 38
- C** 57
- D** 76

Answer: D

29. $(1 + x + x^2)^n = \sum_{k=0}^{2n} a_k x^k \Rightarrow \sum_{k=1}^n a_{2k-1} =$

- A** $\frac{1}{2}(3^{2n} + 1)$

B $\frac{1}{2}(3^n + 1)$

C $\frac{1}{2}(3^n - 1)$

D $\frac{1}{2}(3^{2n} - 1)$

Answer: C

SBI Clerk Previous Papers (Download PDF)

30. If the coefficients of x^7 and x^8 are equal in the binomial expansion of $(3 + \frac{x}{2})^n$ then $n =$

A 42

B 44

C 48

D 55

Answer: D

31. If α is an integer, $A = \begin{bmatrix} \alpha^2 & 5 \\ 5 & -\alpha \end{bmatrix}$ and $|A|^{10} = 1024$ then $\alpha =$

A -2

B 2

C -3

D 3

Answer: C

32. $A_x = \begin{bmatrix} \sin x & -\cos x \\ \cos x & \sin x \end{bmatrix} \Rightarrow \sin x \cdot A_x + \cos x \cdot A_{(\frac{\pi}{2}+x)} =$

A $\begin{pmatrix} 1 & -1 \\ -1 & 0 \end{pmatrix}$

B $\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$

C $\begin{pmatrix} 1 & 1 \\ 1 & 1 \end{pmatrix}$

D $\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$

Answer: D

Free Banking Study Material (15000 Solved Questions)

33. $\lim_{x \rightarrow a} \frac{(\sqrt{3x-a} - \sqrt{(x+a)})}{(x-a)} =$

A $\frac{1}{a}$

B $\frac{1}{\sqrt{a}}$

C $\frac{1}{2a}$

D $\frac{1}{\sqrt{2a}}$

Answer: D

34. $y = \cot^{-1} \left(\frac{1-3x^2}{3x-x^3} \right) \Rightarrow \frac{dy}{dx} =$

A $-\frac{3}{1+x^2}$

B $\frac{3}{1+x^2}$

C $\frac{3}{1-x^2}$

D $-\frac{3}{1-x^2}$

Answer: A

35. The hypotenuse (in cms) of a right angle triangle whose sides are in the ratio 3:4 and having area 24 sq.cms is

A 5

B 12

C 10

D 15

Answer: C

Explanation:

Let the two sides be 3x and 4x. By Pythagoras' theorem, we get hypotenuse as 5x.

Now, Area of triangle = $0.5 \times 3x \times 4x = 6x \times x = 24 \text{ sq cm}$

Hence, $x = 2$ and thus, hypotenuse = 10 cm

Daily Free Banking Online Test

36. If the two diagonals of a parallelogram are equal and perpendicular bisectors of each other then it is a

A Rectangle

B Rhombus

C Square

D Trapezium

Answer: C

Explanation:

The diagonals of a parallelogram can be equal only if it is a square or rectangle.

The diagonals of a parallelogram can be perpendicular bisectors of each other only if it is a square or a rhombus.

The only common feature in both the conditions is a square.

Hence, the answer.

37. If O is the center of a circle on which A, B and C are three points; and if $\angle BOC = 100^\circ$ then $\angle ABC + \angle ACB =$

A 80°

B 50°

C 130°

D 90°

Answer: C

Explanation:

For ease of determination, make A and B ends of a diameter of a circle. This makes triangle ACB a right angled triangle and hence angle ACB becomes = 90 degrees.

Now, in isosceles triangle BOC, OB = OC (radii of same circle) and angle BOC = 100 degrees.

Hence, angles OBC and OCB = 40 degrees each. Hence, this also makes angle ABC = 40 degrees.

Hence, sum of the two required angles = $90 + 40 = 130$ degrees.

38. The triangle with vertices at (0, 0), (2, 2) and (0, 4) is

A Equilateral

B Isosceles

C right-angled but not isosceles

D right-angled isosceles

Answer: D

Explanation:

If you plot the points roughly on a graph and drop a perpendicular from (2,2) on the side joining (0,0) and (0,4), it can be seen that the point (2,2) lies equidistant from the other two vertices.

Also, Pythagoras' theorem gets satisfied for the given triangles.

Hence, the triangle is an isosceles right angled triangle.

200+ Free GK Tests for Banking exams

39. If (α, β) and (γ, δ) are respectively the points which divide the line joining (7, -5) and (-2, 6) in the ratios 1 : 2 and 2 : 1 then $\alpha + \gamma - \beta - \delta =$

A 2

B 3

C 4

D 5

Answer: C

40. The arithmetic mean of 100 observations is 10. Of these the arithmetic mean of the first 25 observations is 12 while that of the last 65 is 9. The arithmetic mean of the remaining 10 observations is

A 10

B 11

C 11.5

D 12.5

Answer: C

Explanation:

Sum of all the 100 observations = 1000

Sum of the first 25 observations = $25 \times 12 = 300$

Sum of the last 65 observations = $65 \times 9 = 585$

Hence, the sum of the 10 observations between these 2 groups = $1000 - 300 - 585 = 115$

Hence, the mean of these 10 observations = $115/10 = 11.5$

41. The mean deviation about the median of the observations 3, 5, 6, 5, 8, 5, 4, 8, 7 and 9 is

- A** 1.5
- B** 1.6
- C** 1.7
- D** 1.8

Answer: B

Explanation:

Arrange the data in ascending order:

3,4,5,5,5,6,7,8,8,9

The median for this data = $(5+6)/2 = 5.5$

Now, mean deviation of data from median is given by: $\sum \frac{|X-M|}{N}$
 where, X = Observation, M = Median, N = Number of observations

Summing up the deviations, we get: Numerator = $2.5+1.5+0.5+0.5+0.5+0.5+1.5+2.5+2.5+3.5 = 16$
 Number of observations = N = 10, hence, answer is 1.6

Latest Job Updates on Telegram - Join here

42. If 17 and 20 are respectively the median and the mean of a distribution then its mode is

- A** 18
- B** 16
- C** 14
- D** 11

Answer: D

Explanation:

Given, Median = 17 and Mean = 20

This can be found out by Pearson's formula which says Mode = $3\text{Median} - 2\text{Mean}$

$$\Rightarrow \text{Mode} = 3(17) - 2(20)$$

$$\Rightarrow \text{Mode} = 51 - 40$$

$$\Rightarrow \text{Mode} = 11$$

43. The variance of the distribution given below is

<i>x</i>	1	2	3		10
<i>f</i>	1	2	3		10

- A** 7

B 6

C 5

D 3

Answer: B

44. The quartile deviation of 15, 60, 40, 72, 50, 28 and 30 is

A 18

B 16

C 22

D 20

Answer: B

Explanation:

First of all, arrange the data in ascending order.

15, 28, 30, 40, 50, 60, 72

Quartile Deviation is given by $(Q_3 - Q_1)/2$, where

$Q_1 = (n+1)/4 = 2^{\text{nd}} \text{ term i.e. } 28$

$Q_3 = 3*(n+1)/4 = 6^{\text{th}} \text{ term i.e. } 60$

Put the values and answer obtained is 16

Whatsapp "JOB" to 7661025557 for Updates

45. If the sum of the squares of the deviations in 9 observations is 5 then the coefficient of rank correlation of them is

A $\frac{7}{24}$

B $\frac{12}{24}$

C $\frac{23}{24}$

D $\frac{41}{48}$

Answer: C

46. If A and B are independent events such that $P(A) = 0.9$ and $P(B) = 0.8$ then $p(A \cap B) + P(A \cap B) =$

A 0.26

B 0.36

C 0.16

D 0.18

Answer: A

Explanation:

$p(A) = 0.9$ hence, $p(\bar{A}) = 0.1$

$p(B) = 0.8$ hence, $p(\bar{B}) = 0.2$

Now, $p(A \text{ intersection } B) = p(A) \cdot p(B) = 0.18$

Alos, $p(\bar{A} \text{ intersection } \bar{B}) = p(\bar{A}) \cdot p(\bar{B}) = 0.08$

Hence, the sum of the two terms = 0.26

47. The probability of getting the sum 7 when two dice are thrown simultaneously is

A $\frac{7}{36}$

B $\frac{5}{36}$

C $\frac{1}{6}$

D $\frac{5}{18}$

Answer: C

Explanation:

Total cases when 2 dice are thrown together = 36

Cases when sum is 7: (1,6), (2,5), (3,4), (4,3), (5,2), (6,1) i.e. 6

Hence, probability = $\frac{6}{36} = \frac{1}{6}$

AP SI Free Solved Previous Papers PDF

48. A natural number is chosen at random from the first hundred numbers. The probability that the number is divisible by 3 or 5 is

A $\frac{39}{100}$

B $\frac{43}{100}$

C $\frac{47}{100}$

D $\frac{51}{100}$

Answer: C

Explanation:

Total multiples of 3 in the first 100 natural numbers: 33..... (A)

Total multiples of 5 in the first 100 natural numbers: 20..... (B)

The total numbers upto 100 which are divisible by either 3 or 5 = A + B - Common numbers in set A and B
The common numbers will be 15, 30, 45, 60, 75, 90 i.e. total of 6 such numbers.

Hence, the desired answer = $53 - 6 = 47$

Hence, the probability of selecting a number from 1 to 100 which is divisible by either 3 or 5 = $47/100$

49. **Three balls are drawn at random from a box containing 9 red and 6 white balls. The probability that one ball drawn is red and the others are white is**

A $\frac{27}{91}$

B $\frac{1}{18}$

C $\frac{1}{17}$

D $\frac{28}{143}$

Answer: A

Explanation:

The ways in which this can happen when we pick a ball at a time from the sack is:
RWW, WRW, WWR

The probability of the first case = $(9/15) \times (6/14) \times (5/13) = 9/91$

Similarly, the probability of the second and third cases will also be equal to $9/91$

Hence, the final probability for the desired result = $3 \times (9/91) = 27/91$

200+ Banking Previous Papers (Download PDF)

Communication Ability

Instructions [150 - 155]

Choose the correct meaning of the word given:

50. **addendum**

A compliment

B supplement

C complement

D addiction

Answer: B

SSC CHSL Previous Question papers (download pdf)

51. **effigy**

- A** elegy
- B** image
- C** prodigy
- D** eulogy

Answer: B

52. **immaculate**

- A** simple
- B** gorgeous
- C** spotless
- D** coloured

Answer: C

53. **pandemonium**

- A** laughter
- B** crowd
- C** disintegration
- D** disorder

Answer: D

SSC CHSL Free Mock Test

54. **embezzlement**

- A** fraudulent diversion of funds
- B** expressiveness
- C** forgery
- D** experises

Answer: A

55. **hierarchy**

- A** system of ranking
- B** disorder
- C** a row of high arches
- D** 3 form of anarchy

Answer: A

Instructions [156 - 159]

Fill the Blank choosing the correct word

56. **One who is well versed in many languages is a**

- A** polymath
- B** polygon
- C** polyglot
- D** polymer

Answer: C

SSC CGL Free Mock Test

57. **The arguments in the essay could not be followed as the essay lacked**

- A** competence
- B** accuracy
- C** insight
- D** coherence

Answer: D

58. **The government has a new programme to promote tourism in the state.**

- A** innovated
- B** launched
- C** invented
- D** advented

Answer: B

59. It is that he could walk 10 kms in thirty minutes.

- A** immaculate
- B** untrustworthy
- C** incredible
- D** increditable

Answer: C

SSC CGL Free Online Coaching

Instructions [160 - 184]

Choose the correct answer

60. **Algorithm and flowchart help us to**

- A** know the memory capacity
- B** identify the base of a numbersystem
- C** direct the output of a printer
- D** specify a problem completely and clearly

Answer: D

61. **A system by which someone pays for a thing in regular instalments while having the use of it is called**

- A** hire purchase
- B** hire out
- C** hire ling
- D** hire

Answer: A

62. **DOS stands for**

- A** Drive Operating System
- B** Data Operating System
- C** Buy Operating System
- D** Disk Operating System

Answer: D

SSC CGL PREVIOUS PAPERS (download pdf)

63. A scalar chain means a chain of superior from

- A bottom to top
- B top to bottom
- C left to right
- D right to left

Answer: B

64. FORTRAN stands for

- A Formula transcription
- B Formula transmission
- C Formula transcreation
- D Formula translation

Answer: D

65. Saving backups of software programmes and data for future reference or use is called

- A cache memory storage
- B compiling
- C cascading
- D archiving

Answer: D

SBI PO Solved Previous Papers (Download PDF)

66. The major advantage of using optical fibres for transmitting signals is that

- A they provide huge bandwidth
- B they are not susceptible to hacking
- C they use natural light
- D they transmit signal fast

Answer: A

67. **A Hall Test is**

- A** a gathering of people to take part in market research
- B** a small printed advertisement
- C** a personspecialized in a particular job
- D** a hall meantto take tests

Answer: A

68. **The list of items taken up for a discussion in a meeting is**

- A** Minutes
- B** Memo
- C** Circular
- D** Agenda

Answer: D

SBI Clerk Free Mock Test (Latest Pattern)

69. **The Trait Theory believes that the qualities of leadership are**

- A** not inborn
- B** inborn
- C** a result of hard training
- D** institutional

Answer: B

70. **A: [had a brushwiththe principal today**

B: oh! Notagain!

B intends to

- A** mock at A
- B** warm A
- C** makelight of the incident
- D** dismiss the whole episode

Answer: B

71. "They never see eye to eye" means

- A They agree on manythings
- B They do not share similar opinions
- C They rarely disagree
- D They seldomget into arguments

Answer: B

SBI Clerk Previous Papers (Download PDF)

72. I hate sitting him as he always smells of garlic.

- A besides
- B along
- C at
- D beside

Answer: D

73. He was in a hurry and just glanced the letter.

- A over
- B at
- C through
- D on

Answer: B

74. A: Howcould such young boys performsuchprodigious feats?

B: It is a gift conferred on thembynature.

B attributes the children's skill to

- A rigorous training
- B natural instinct
- C lack of training
- D their parentage

Answer: B

Free Banking Study Material (15000 Solved Questions)

75. The book tells us in a nutshell, problems connected with environment. The underlined phrase means

- A briefly
- B elaborately
- C ambiguously
- D clumsily

Answer: A

76. His maiden speech as the CEO impressed everyone. The underlined phrase means his

- A last speech as CEO
- B first speech as CEO
- C second speech as CEO
- D only speech as CEO

Answer: B

77. Our Managing Director has been in town Monday.

- A since
- B for
- C on
- D at

Answer: A

Daily Free Banking Online Test

78. I am going to an application for that job.

- A put out
- B put in
- C put off
- D put on

Answer: B

79. Much water under the Godavari Bridge.

- A flowed
- B flow
- C flew
- D flown

Answer: A

80. the Fruit bowl

- A Pass away
- B pass out
- C pass over
- D pass on

Answer: A

200+ Free GK Tests for Banking exams

81. If it the match will be cancelled.

- A will rain
- B rains
- C would rain
- D is raining

Answer: B

82. They are going to the theatre tomorrow:they it the whole week.

- A had been looking forward to
- B have been looking forward to
- C are looking forward to
- D were being looking forward to

Answer: B

83. They when the fire broke out.

- A** had slept through
- B** have slept by
- C** were sleeping
- D** are sleeping

Answer: C

Latest Job Updates on Telegram - Join here

84. **After a long discussion.I finally agreed him**

- A** to
- B** with
- C** upon
- D** on

Answer: B

Instructions [185 - 189]

Read the following passage and answer question

Reality television is a genre of television programming which, it is claimed,presents unscripted dramatic or humorous situations. documents actual events. and features ordinary people rather than professional actors. It could be described as a form of artificial or 'heightened' documentary. Although the genre has existed in some form or other since the early years of television, the current explosion of popularity dates from around 2000. Critics say that the term 'reality television' is somewhat of a misnomer and that such shows frequently portray a modified and highly influenced form of reality. with participants put in exotic locations or abnormal situations, sometimes coached to act in certain ways by off-screen handlers. and with events on screen manipulated through editing and other post-production techniques. Part of reality television's appeal is due to its ability to place ordinary people in extraordinary situations. Some commentators have said that the name 'reality television' is an inaccurate description for several styles of program included in the genre. In competition-based programs the producers design the format of the show and control the day-to-day activities and the environment. creating a completely fabricated world in which the competition plays out. Producers specifically select the participants. and use carefully designed scenarios, challenges, events, and settings to encourage particular behaviours and conflicts. Mark Burnett. creator of "Survivor and other reality shows. has agreed with this assessment. and avoids the word 'reality to describe his shows:he has said, "I tell good stories. It really is not reality TV. It really is unscripted drama'.

85. **The phrase 'it is claimed' in the opening line indicates that**

- A** the writer agrees with the statement
- B** hardly anyone agrees with the statement

- C** the writer wants to hedge the statement
- D** everyone should agree with the statement

Answer: C

86. "Explosion of popularity" means

- A** suddenrise in popularity
- B** suddendrop in popularity
- C** dismantling of popularity
- D** negative feedback

Answer: A

Whatsapp "JOB" to 7661025557 for Updates

87. Reality television features

- A** ordinary people in their routine lives
- B** professional actors playing the roles of ordinary people
- C** ordinary people in unusualsituations
- D** extraordinary people in usualsituations

Answer: C

88. Which is not a feature of reality television?

- A** It includes several styles.
- B** It is very popular.
- C** It uses fabricated environments.
- D** It includes only competition — based programmes

Answer: D

89. Which word means "inappropriate name"

- A** portray
- B** misnomer
- C** unscripted

D scenario

Answer: B

AP SI Free Solved Previous Papers PDF

Instructions [190 - 194]

Read the following passage and answer question

I passed all the other courses I took at my university, but I could never pass Botany. This was because all Botany students had to spend several hours in a week in a laboratory looking through a microscope at plant cells. and I could never see through a microscope. I never once saw a cell through a microscope. This used to enrage my instructor. He would wander around the laboratory pleased with the progress all the students were making in drawing the involved and so I am told. interesting structure of flower cells, until he came to me. I would just be standing there. "I can't see anything". I would say. He would begin patiently enough. explaining how anybody can see through a microscope. but he could always end up in a fury, claiming that I could too see through a microscope but just pretend that I couldn't. "It takes away from the beauty of flowers anyway. "I used to tell him". We are not concerned with the beauty in this course'. he would say. "We are concerned solely with what I may call the mechanics". "well". I'd say. "I can't see anything'. nothing at all, except now and again a nebulous milky substance —a phenomenon of maladjustment. You were supposed to see a vivid. restless clockwork of sharply defined plant cells. "I see what looks like a lot of milk", I would tell him. This, he claimed. was the result of my not having adjusted the microscope properly. so he would readjust it for me. or rather, for himself. And I would look again and see milk.

90. In using the microscope. the author was

- A** adept
- B** unskilled
- C** a trainer himself
- D** highly enthusiastic

Answer: B

91. The author could see through the microscope only

- A** a waterlike substance
- B** a hard substance
- C** a milky substance
- D** the beauty of the substance

Answer: C

92. The instructor's attempts to teach the author were

- A** successful

- B** insincere
- C** adequate
- D** in vain

Answer: D

200+ Banking Previous Papers (Download PDF)

93. The instructor's concern was with the

- A** beauty of the flower cells
- B** repair of the microscope
- C** arrangement of flowers
- D** mechanics of plant cells

Answer: D

94. Which word is not a synonym of 'anger'?

- A** rage
- B** fury
- C** indignation
- D** vividness

Answer: D

Instructions [195 - 199]

Read the following passage and answer question

What is education if it is not about empowering: empowering in order to gain more control over your life. It requires you to look at fundamental issues. It requires you to look at other people so that you may have an understanding of your own identity. It is a cultural action within which you as participant learn to recognise the structural relation between personal and collective consciousness. The teacher takes you beyond binaries, and shows you the truth that in order to learn you have to define your needs, your goals, and your strategies, and necessarily understand that needs, goals and strategies differ both in nature and priority from person to person, and from group to group. The classroom becomes the site of experience. Identity and authenticity may be fashioned here. The learner takes the first step in how to negotiate knowledge. Every learner and every teacher needs an entry point that will serve both as point of reference in template and security button in familiar environments.

95. We should observe other people to

- A** recognise relationships

- B** learn about our needs and goals
- C** go beyond barriers
- D** understand our own identity

Answer: D

SSC CHSL Previous Question papers (download pdf)

96. is fashioned in the classroom

- A** Beauty
- B** Identity
- C** Experience
- D** Security

Answer: B

97. The true purpose of education is to help you

- A** go beyond the binaries of good and evil
- B** gain more control over your life
- C** negotiate knowledge and business
- D** take your first step in empowering others

Answer: B

98. Which word means "dual"?

- A** collective
- B** template
- C** authentic
- D** binary

Answer: D

SSC CHSL Free Mock Test

99. For teachers and learners, what serves as a security button in unfamiliar environment?

- A** knowledge

- B** an entry point
- C** a template
- D** authenticity

Answer: B

SSC CGL Free Mock Test