



All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in any retrieval system of any nature without the permission of cracku.in, application for which shall be made to support@cracku.in

AP ICET 2nd May 2018 Shift-2

Analytics Ability

Instructions [1 - 20]

In the following questions each question is followed by data in the form of two statements labeled as I and II. You must decide whether the data given in the statements are sufficient to answer the questions. Using the data make an appropriate choice from (a) to (d) as per the following guidelines:

1. Is the positive integer n odd?

I. $2n$ is even.

II. $n(n + 1) = 6$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

Free Banking Study Material (15000 Solved Questions)

2. Is x an integer?

I. $5x$ is a positive integer.

II. $10x = 1$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

3. Is $3^n > 2^k$?

I. $k = n + 1$

II. n is positive integer

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

4. If x is a positive integer, is the HCF of 150 and x a prime number?

I. x is a prime number.

II. $x < 4$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

Daily Free Banking Online Test

5. If n and m are real numbers, is $n < m$?

I. $n^2 < m^2$

II. $|m| < |n|$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

6. Is the integer n divisible by 45?

I. n is a multiple of 36

II. The units digit in n is 0

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

7. Is the integer n a prime?

I. $4 > n$

II. $n > 1$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

200+ Free GK Tests for Banking exams

8. Is the positive integer n even?

I. n^4 is odd

II. $2n^5$ is even

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

9. What is the cost of laying an outside road all around the circular field?

I. The breadth of the road is 5 m.

II. The diameter of the field is 500m and the cost of laying the road is Rs. 40 per sq.m

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

10. $0 \leq \theta \leq 90^\circ \Rightarrow \tan \theta = ?$

I. θ is an angle in a triangle.

II. $\sin \theta = \frac{\sqrt{3}}{2}$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

Latest Job Updates on Telegram - Join here

11. **Is the integer p a prime number?**

I. $2p$ has exactly 3 factors

II. p is an even number

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

12. **Is $|15 - m| + |m - 15| > 15$?**

I. $m > 6$

II. $m < 7$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: B

13. For a positive real number x , is $x^3 = 125$?

- I. $x > 4$
II. $x < 6$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

Whatsapp "JOB" to 7661025557 for Updates

14. What is the area of the rectangle ABCD?

- I. The circumference of the rectangle is 24 cm.
II. The sides of the rectangle are in the ratio 1 : 2

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

15. What is the cost of each table?

- I. 2 tables and 2 chairs cost Rs 10,000/-
II. 3 chairs and 3 tables cost Rs 15,000/-

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

16. What is the two digit number xy ?

I. xy is a multiple of 97

II. $x + y = 6$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: A

AP SI Free Solved Previous Papers PDF

17. TA and TB are tangents to a circle from an external point T. What is the length of the chord AB?

I. Radius of the circle is 6 cm

II. $AT = 8$ cm

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

18. What is the sum of the two integers a and b ?

I. LCM of $\{a, b\} = 576$

II. HCF $\{a, b\} = 4$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.

- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

19. What is the value of θ ?

I. The matrix $\begin{bmatrix} \tan \theta & 1 \\ 1 & 1 \end{bmatrix}$

II. $0 < \theta < \frac{\pi}{2}$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: C

200+ Banking Previous Papers (Download PDF)

20. For three non empty sets A, B and C, what is $n(A \cup B \cup C)$?

I. $n(A \cup B) = 64$

II. $n(B \cup C) = 124$

- A** if the statement I alone is sufficient to answer the question.
- B** if the statement II alone is sufficient to answer the question.
- C** if both the statements I and II are sufficient to answer the question but neither statement alone is sufficient.
- D** if both the statements I and II together are not sufficient to answer the question and additional data is required.

Answer: D

Instructions [21 - 30]

In each of the Following questions a sequence of numbers or letters that follow a definite pattern is given. Each question has a blank space. This has to be filled by the correct answer from the four given options to complete the sequence without breaking the pattern.

21. $(5, 14) : (25, 196) :: \dots : (81, 49)$

A (3,
7)

B (27,
7)

C (7,
9)

D (9,
7)

Answer: D

22. 625 : :: 1296 : 6

A 8

B 6

C 5

D 4

Answer: C

SSC CHSL Previous Question papers (download pdf)

23. 122 : 290 :: 442 :

A 197

B 730

C 780

D 226

Answer: B

24. 20736 : 144 :: : 288

A 72844

B 82944

C 82844

D 472944

Answer: B

25. $WU : FD :: ZX : \dots\dots\dots$

- A RP
- B RS
- C SR
- D PR

Answer: A

SSC CHSL Free Mock Test

26. $X^2 - 2X + 1 : X^3 - 3X^2 + 3X - 1 :: X^2 - 4X + 4 : \dots\dots\dots$

- A $X^3 - 6X^2 + 12X - 8$
- B $X^3 - 6X^2 - 12X + 8$
- C $X^3 + 6X^2 + 12X + 8$
- D $X^3 + 6X^2 - 12X - 8$

Answer: C

27. $5 + 2\sqrt{6} : \sqrt{3} + \sqrt{2} :: 18 + 2\sqrt{77} : \dots\dots\dots$

- A $\sqrt{17} + \sqrt{7}$
- B $\sqrt{17} - \sqrt{7}$
- C $\sqrt{11} - \sqrt{7}$
- D $\sqrt{11} + \sqrt{7}$

Answer: D

28. $(3^5 \times 7^2 \times 11) : (36) :: (5^3 \times 11^2 \times 13) : \dots\dots\dots$

- A 16
- B 24
- C 28
- D 32

Answer: B

SSC CGL Free Mock Test

29. $\begin{bmatrix} 7 & 2 \\ -3 & 3 \end{bmatrix} : 27 :: \dots : 22$

A $\begin{bmatrix} 5 & 4 \\ 3 & 2 \end{bmatrix}$

B $\begin{bmatrix} -5 & 4 \\ -3 & 2 \end{bmatrix}$

C $\begin{bmatrix} 5 & 4 \\ 3 & -2 \end{bmatrix}$

D $\begin{bmatrix} -7 & 2 \\ 3 & -4 \end{bmatrix}$

Answer: D

30. $(11, 12) : 265 :: \dots : 313$

A $(12, 11)$

B $(13, 11)$

C $(14, 11)$

D $(12, 13)$

Answer: D

Instructions [31 - 35]

In the Following questions pick the odd thing out.

A $2X^3 + 3X^2 - 5X + 6 = 0$

B $3X^3 + 2X^2 + 5X - 6 = 0$

C $2X^3 + 4X^2 - 6X + 8 = 0$

D $5X^3 - 8X^2 + 6X - 7 = 0$

Answer: C

SSC CGL Free Online Coaching

31.

A 119

B 129

C 147

D 157

Answer: D

A $\begin{bmatrix} 1 & 1 \\ 1 & 1 \end{bmatrix}$

B $\begin{bmatrix} -1 & -1 \\ 1 & 1 \end{bmatrix}$

C $\begin{bmatrix} 1 & -1 \\ 1 & 1 \end{bmatrix}$

D $\begin{bmatrix} 1 & -1 \\ -1 & 1 \end{bmatrix}$

Answer: C

32.

A (3, 4,
5)

B (4, 3,
6)

C (5, 6,
7)

D (6, 7,
9)

Answer: A

SSC CGL PREVIOUS PAPERS (download pdf)

33.

A 496

B 28

C 96

D 396

Answer: C

Instructions [34 - 43]

The following questions follow a definite pattern. Observe the same and fill in the blanks with suitable answers.

34. 1297, 626, 257, 17, 2.

A 96

B 82

C 64

D 32

Answer: B

35. 4, 18, 48,, 180, 294.

A 98

B 99

C 100

D 108

Answer: C

SBI PO Solved Previous Papers (Download PDF)

36. ZIA, Y4C, X9E,, V25I

A W9G

B W12G

C W16G

D W24G

Answer: C

37. 10, 12, 15,, 24, 30

A 17

B 19

C 20

D 22

Answer: B

38. 0, 6, 20,, 72, 110

A 42

B 30

C 56

D 50

Answer: A

SBI Clerk Free Mock Test (Latest Pattern)

39. $\frac{1}{2}, \frac{1}{24}, \frac{1}{720}, \dots$

A $\frac{1}{1440}$

B $\frac{1}{3600}$

C $\frac{1}{5040}$

D $\frac{1}{40320}$

Answer: D

40. 3, 10, 29, 66,, 218

A 142

B 127

C 103

D 172

Answer: B

41. $20, 16\frac{2}{3}, 14\frac{2}{3}, 12\frac{1}{2}, \dots, 10$

A $10\frac{1}{7}$

B $11\frac{1}{9}$

C $12\frac{3}{7}$

D $10\frac{2}{5}$

Answer: B

SBI Clerk Previous Papers (Download PDF)

42. 3, 5, 9, 17,, 65,

A 19

B 23

C 29

D 33

Answer: D

43. MNPT, JKMQ, GHJN,, ABDH

A DGKE

B DKGE

C DEKG

D DEGK

Answer: D

Instructions [44 - 46]

The following table shows the production of different types of two wheelers from 1993 to 1998. Study the table carefully and answer the Following questions.

Year → Type ↓	1993	1994	1995	1996	1997	1998
A	36	34	40	35	37.5	40
B	20	22	25	23	19.5	18
C	14	22	16	25	29	35
D	60	62	67.5	75	76	80
E	40	45	48	50	80	105
F	45	52	55	60	57.5	56

44. What is the maximum difference in the production of any two types of two wheelers for the years 1997 and 1998?

A 143,50,000

- B** 147,50,000
- C** 148,75,000
- D** 149,25,000

Answer: B

Free Banking Study Material (15000 Solved Questions)

45. The approximate percentage increase in the total production of all types of two wheelers in 1997 in comparison to 1995 was

- A** $16\frac{2}{3}$
- B** $18\frac{3}{5}$
- C** $19\frac{1}{5}$
- D** $22\frac{2}{5}$

Answer: C

46. How many types of two wheelers have shown a continuous growth in the production for the given period?


- A** 1
- B** 2
- C** 3
- D** 4

Answer: B

Instructions [47 - 51]

The pie diagram given here shows the distributions of students in six schools A, B, C, D, E and F in a town. Answer the following questions based on it.

STUDENTS DISTRIBUTION



47. If the number of students in all the schools of the town is 5400 in a year then the number of the students in school E is

- A 360
- B 420
- C 630
- D 720

Answer: D

Daily Free Banking Online Test

48. In a year the total number of students in schools Cand B together is 1800 then the number of students in the school D that year is

- A 420
- B 480
- C 550
- D 850

Answer: A

49. If the difference in the number of students in B and C in any year is 250, then the total number of students in that year all the schools in the town is

- A 6300
- B 7200
- C 8100
- D 9000

Answer: D

50. If the school A has 350 students in a year then the number of students in the school E (in thousands) in that year is

- A 0.48
- B 0.45
- C 0.36
- D 0.72

Answer: A

200+ Free GK Tests for Banking exams

51. In which schools in an year the number of students in B and C together is double the number of students

A A & B

B A & E

C A & F

D C

Answer: C

Instructions [52 - 53]

A Survey is conducted in 400 persons with regard to the readership of three national dailies E, D and T revealed the following information:

170 read E, 170 read D, 190 read T, 50 read E and D, 70 read D and T, 60 read E and T, 30 Read none and 20 read all the three papers

Draw a Venndiagram for this data and answer the following questions

52. How many read either D only or T only?

A 200

B 170

C 150

D 130

Answer: C

53. How many read only E?

A 60

B 70

C 80

D 90

Answer: C

Latest Job Updates on Telegram - Join here

Instructions [54 - 58]

In a code, vowels of English alphabets are coded to $\alpha, \beta, \gamma, \delta, \eta$ respectively which each of the consonant is coded to the third successive consonant cyclically. following this coding process answer the following questions.

54. Which letter is coded as H ?

- A C
- B X
- C E
- D D

Answer: D

55. The code for the word 'CYCLE' is

- A GCHP β
- B GCGP β
- C GCHQ β
- D GDGP β

Answer: B

56. The code for the word 'DOZEN' is

- A $H\delta J\beta R$
- B $H\delta H\gamma R$
- C $H\delta D\beta R$
- D $H\delta K\beta R$

Answer: C

Whatsapp "JOB" to 7661025557 for Updates

57. Which word is coded as $F\delta\delta O$?

- A BOOK
- B BOOM
- C BOON
- D BOOT

Answer: A

58. Which word is coded as $P\gamma\delta R$?

- A** LIER
- B** LOIN
- C** LIES
- D** LION

Answer: D

59. In a code 'SROLFH' is coded for 'POLICE', then the code for 'STATION'

- A** VWDWLRQ
- B** VXDQLQR
- C** VYDYLRA
- D** UWDWLRQ

Answer: A

AP SI Free Solved Previous Papers PDF

60. In a code 'BUS' is coded as 'YFH'. The code for 'CAR' in their code is

- A** ZIX
- B** XZI
- C** XIZ
- D** IZX

Answer: B

61. If CRICKET is coded as BOQHBJDS then the word that is coded as GNBJDY is

- A** BOWLER
- B** UMPIRE
- C** HOCKEY
- D** SOCCER

Answer: C

62. If AMKNSRCP is the code for COMPUTER then the word coded as KMSQC is

- A EMAIL
- B PASTE
- C ENTER
- D MOUSE

Answer: D

200+ Banking Previous Papers (Download PDF)

63. If FDSLWDO is the code word for CAPITAL then the code for HOTEL is

- A KRWOH
- B KRWHO
- C KROWH
- D KRHOW

Answer: B

64. It was Thursday on Feb 15th 2018. What day of the week will be December 15th 2018?

- A Monday
- B Thursday
- C Friday
- D Saturday

Answer: D

65. A clock strikes once at 1'o clock. twice at 2'o clock and so on. A person started counted from 5'o clock in the morning and heard 69 strikes, the time when he heard the last strike is

- A 11 a.m
- B 1 p.m
- C 3 p.m
- D 4 p.m

Answer: B

SSC CHSL Previous Question papers (download pdf)

66. The acute angle between the two hands of a clock when the time is fifteen minutes past five is

- A $72\frac{1}{2}^\circ$
- B $67\frac{1}{2}^\circ$
- C 64°
- D $58\frac{1}{2}^\circ$

Answer: B

67. A is father of B and C; E is the mother of B while D is wife of F. If F is the father of E then what is the relation between D and E

- A Sister
- B Sister-in-Law
- C Mother-in-Law
- D Grand Mother

Answer: B

68. Three trains A, B and C start at a station in different routes to reach their destination 90kms, 70kms and 85kms away respectively. If they start at 10 a.m and move at respective speeds 45kms, 40kms and 35kms per hour. then the order in which they reach their respective destinations is

- A A, B, C
- B B, C, A
- C C, A, B
- D B, A, C

Answer: D

SSC CHSL Free Mock Test

69. Anita left home for the bus stop 20 minutes late than usual. It takes 15 minutes to reach the bus stop. If she reached the bus stop at 8.30 am. at what time does she usually leave home for the busstop.

- A 7.52 a.m

- B** 7.50 a.m
C 7.55 a.m
D 7.58 a.m

Answer: C

70. Five persons A, B, C, D and E sit around a table such that A is diagonally opposite to E; C and D are one neither side of A. If there is only one person D to the right A, the anti clockwise order in which they sits is

- A** ACEBD
B ADEBC
C ABEDC
D AEDBC

Answer: B

71. If $x \triangle y = (x - 2y) + 2xy$, then a zero value of x such that $x \triangle x = 0$ is

- A** $-\frac{1}{4}$
B $-\frac{1}{2}$
C $\frac{1}{2}$
D $\frac{1}{4}$

Answer: C

SSC CGL Free Mock Test

72. Consider the string of letters given below:

BCDEOEONQRSOVVOOBKBOBOO

How many letters are immediately preceded by two O's and immediately followed by no O's

- A** 1
B 2
C 3
D 4

Answer: B

73. If α means ()

β means $\div$

γ means $+$

δ means $-$

$\wedge$ means $\times$

then find the value of $2 \wedge 3 \gamma 4 \delta 8 \beta 2 \gamma 4 \wedge 3$

A 42

B 30

C 18

D 24

Answer: C

SSC CGL Free Online Coaching

Mathematical Ability

74. $a^{x-y} + a^{x-z} + 1 + a^{y-z} + a^{y-x} + 1 + a^{z-x} + a^{z-y} + 1 =$

A 0

B 1

C -1

D 4

Answer: B

SSC CGL PREVIOUS PAPERS (download pdf)

75. For $a \neq 0$, $\left(1 + a^2 + a^{-2} + 1 + a^{-2} + a^{-4}\right)^{-1} - 1 =$

A $\frac{1}{a^2+1}$

B $\frac{1}{a^4+1}$

C $\frac{1}{(a^2+1)(a^4+1)}$

D $\frac{1}{a^2(a^2+1)}$

Answer: D

76. $a : b :: 2 : 3; b : c :: 4 : 5 \Rightarrow a + b : b + c =$

- A** $\frac{6}{8}$
- B** $\frac{30}{37}$
- C** $\frac{20}{21}$
- D** $\frac{20}{27}$

Answer: D

Explanation:

Given, $a:b = 2:3$ and $b:c = 4:5$

$$\Rightarrow a:b = 8:12 \text{ and } b:c = 12:15$$

$$\Rightarrow a:b:c = 8:12:15$$

Let $a = 8k$, $b = 12k$ and $c = 15k$

$$\therefore a+b : b+c = 8k + 12k : 12k + 15k$$

$$= 20k : 27k$$

$$= 20 : 27$$

Hence, the correct answer is Option D

77. In an alloy of 35 kgs the ratio of two metals A and B is 4 : 1. If 1 kg of metal B is added then the ratio of A and B in the new alloy is

- A** 2 : 1
- B** 7 : 2
- C** 6 : 5
- D** 5 : 4

Answer: B

SBI PO Solved Previous Papers (Download PDF)

78. $\sqrt[4]{17 + 12\sqrt{2}} =$

- A** $1 + \sqrt{3}$
- B** $1 + \sqrt{2}$
- C** $2 + \sqrt{3}$
- D** $1 - \sqrt{2}$

Answer: B

Explanation:

$$\begin{aligned}\sqrt[4]{17 + 12\sqrt{2}} &= \sqrt[4]{9 + 8 + 12\sqrt{2}} \\&= \sqrt[4]{3^2 + (2\sqrt{2})^2 + 2(3)(2\sqrt{2})} \\&= \sqrt[4]{(3 + 2\sqrt{2})^2} \\&= \sqrt{3 + 2\sqrt{2}} \\&= \sqrt{1 + 2 + 2\sqrt{2}} \\&= \sqrt{1^2 + (\sqrt{2})^2 + 2(1)(\sqrt{2})} \\&= \sqrt{(1 + \sqrt{2})^2} \\&= 1 + \sqrt{2}\end{aligned}$$

Hence, the correct answer is Option B

79. If $x = 2 + \sqrt{3}$, $xy = 1$, then $\sqrt[2+x]{x} + \sqrt[2-y]{y} =$

- A $\sqrt{2}$
- B $\sqrt{3}$
- C 1
- D $\frac{1}{\sqrt{2}}$

Answer: A

80. The number of integers between 100 and 1000 which are divisible by each of 4, 5 and 6 is

- A 15
- B 16
- C 17
- D 18

Answer: A

Explanation:

Numbers divisible by each of 4, 5 and 6 = Numbers divisible by LCM of (4, 5, 6) = 60

Number of numbers between 100 and 1000 divisible by 60 = 15

81. The number of natural numbers k such that $\frac{3k^2+4k+12}{k}$ is a prime is

- A 0
- B 2
- C 3
- D 4

Answer: D

Explanation:

For the result to be prime, the expression must firstly yield a whole number.

The expression can be broken up as $= 3k + 4 + (12/k)$

Hence, k has to be a whole number factor of 12.

Probable values of $k = 1, 2, 3, 4, 6, 12$

Of these, the values of $k = 1, 3, 4, 12$ yield prime numbers for the expression.

82. All the numbers 411, 752 and 1031 leave same remainder 8 when divided by n . The value of n is

- A 32
- B 31
- C 33
- D 34

Answer: B

Explanation:

The given information means that all the following numbers must be divisible by n

$$411 - 8 = 403$$

$$752 - 8 = 744$$

$$1031 - 8 = 1023$$

$$403 = 13 \times 31$$

$$744 = 24 \times 31$$

$$1023 = 33 \times 31$$

From this, we can say that the only common factor of all three is 31 and hence, $n = 31$

83. The sum of the greatest common divisor (GCD) and the least common multiple (LCM) is 403 and their LCM is 12 times their GCD. If one of those numbers is 124, then the other number is

- A 93
- B 108
- C 124

D 132

Answer: A

Explanation:

We are given that $\text{LCM} = 12 \times \text{GCD}$ and also $\text{LCM} + \text{GCD} = 403$

Combining the two, we get $\text{GCD} = 31$ and hence, $\text{LCM} = 12 \times 31$

Now, we know that $12 \times \text{Other number} = 31 \times (12 \times 31)$

Hence, the other number = 93

SBI Clerk Previous Papers (Download PDF)

84. $5 + 6 + \frac{1\frac{1}{8} + \frac{1}{10}}{1} =$

A $\frac{2751}{496}$

B $\frac{2761}{486}$

C $\frac{2461}{496}$

D $\frac{2561}{496}$

Answer: D

Explanation:

$$5 + 6 + \frac{1\frac{1}{8} + \frac{1}{10}}{1} = 5 + 6 + \frac{1\frac{1}{81}}{10}$$

$$= 5 + 6 + \frac{1\frac{10}{81}}{10}$$

$$= 5 + \frac{1\frac{496}{81}}{10}$$

$$= 5 + \frac{81}{496}$$

$$= \frac{2561}{496}$$

Hence, the correct answer is Option D

85. $0.6666 \dots + 0.7777 \dots + 0.8888 \dots =$

A $1\frac{1}{3}$

B $1\frac{7}{8}$

C $2\frac{3}{7}$

D $2\frac{1}{3}$

Answer: D

Explanation:

Recurring decimals can be expressed as fractions having 9 or multiples of 9 in some form.

0.6666.... can be expressed as $\frac{6}{9}$

0.77777... can be expressed as $\frac{7}{9}$

0.8888..... can be expressed as $\frac{8}{9}$

Hence, $0.6666... + 0.77777... + 0.8888... = (\frac{6}{9}) + (\frac{7}{9}) + (\frac{8}{9}) = \frac{21}{9} = \frac{7}{3}$

86. If a_1, a_2, a_3 and a_4 is the decreasing order of the elements in $\{\frac{2}{7}, \frac{7}{15}, \frac{5}{8}, \frac{9}{23}\}$ then $a_1 - a_4 =$

A $\frac{2}{7}$

B $\frac{5}{8}$

C $\frac{17}{56}$

D $\frac{19}{56}$

Answer: D

Explanation:

$$\frac{2}{7} = 0.285$$

$$\frac{7}{15} = 0.47$$

$$\frac{5}{8} = 0.625$$

$$\frac{9}{23} = 0.391$$

Decreasing order of the fractions is $\frac{5}{8}, \frac{7}{15}, \frac{9}{23}, \frac{2}{7}$

$$\Rightarrow a_1 = \frac{5}{8} \text{ and } a_4 = \frac{2}{7}$$

$$\therefore a_1 - a_4 = \frac{5}{8} - \frac{2}{7} = \frac{35-16}{56} = \frac{19}{56}$$

Hence, the correct answer is Option D

Free Banking Study Material (15000 Solved Questions)

87. The largest integer in the set $\{x \in \mathbb{R} : |x - 2| < 5\}$ is

A 6

B 7

C 5

D 8

Answer: A

Explanation:

Given, $|x - 2| < 5$

$$\Rightarrow -5 < x - 2 < 5$$

$$\Rightarrow -3 < x < 7$$

The values of x would range from -2 to +6 to satisfy the given condition.

$\therefore$ The largest integer of the set = 6

Hence, the correct answer is Option A

88. If 16% of a property is worth Rs 3.52 lakhs then 25% of the property is worth (in lakhs of rupees)

A 11

B 9

C 8

D 5.5

Answer: D

Explanation:

This is a simple case of direct variation and we can say :

$$\frac{?}{3.52} = \frac{25}{16}$$

This brings us the ? value to be = 5.5 lakhs

89. If 25% of a number m is added to another number n then n increases by 10% then $m : n =$

A 2:5

B 5:2

C 2:1

D 1:2

Answer: A

Explanation:

According to the problem,

$$\frac{25}{100}m + n = \frac{110}{100}n$$

$$\Rightarrow \frac{25}{100}m = \frac{110}{100}n - n$$

$$\Rightarrow \frac{25}{100}m = \frac{10}{100}n$$

$$\Rightarrow m : n = 2 : 5$$

Hence, the correct answer is Option A

Daily Free Banking Online Test

90. By selling a mobile for Rs. 5700, a trader would lose 5%. The price at which he sell it to gain 5% is

- A Rs. 6400
- B Rs. 6000
- C Rs. 6200
- D Rs. 6300

Answer: D

Explanation:

By selling at Rs. 5700, if the loss is 5%, it means that $5700 = 0.95 \times \text{CP}$

Hence, $\text{CP} = 5700 / 0.95$

Now, to make a gain of 5%, the new SP = $1.05 \times \text{CP} = 1.05 \times (5700 / 0.95) = \text{Rs. } 6300$

91. The cost price of an article is Rs 800/-. Its marked price is Rs 1000/-. The shopkeeper has announced a discount because of which he incurs a loss of 10%. The discount percentage is

- A 16
- B 20
- C 24
- D 28

Answer: D

Explanation:

After the discount, the loss incurred is = 10% i.e. 10% of 800 = 80 rupees

Hence, the product is sold for $800 - 80 = 720$ rupees

The marked price of article was Rs. 1000 on which the discount D% was given

The actual selling price Rs. 720 is = $(720 / 1000) = 72\%$ of the marked price

This means, the discount percentage $D = 100 - 72 = 28\%$

92. P, Q, R are partners in a business. P invested half as much as Q and Q invested twice as much as R. If R's investment is Rs. 5630, then the investment (in Rupees) of P and Q together is

- A 16,980
- B 16,860
- C 16,890
- D 18,690

Answer: C

Explanation:

Given, R's investment is Rs. 5630

Q invested twice as much as R

$$\Rightarrow \text{Q's investment} = 2 \times 5630 = 11260$$

P invested half as much as Q

$$\Rightarrow \text{P's investment} = \frac{11260}{2} = 5630$$

$$\therefore \text{Investment of P and Q together} = 5630 + 11260 = 16890$$

200+ Free GK Tests for Banking exams

93. In a property A, B and C have shares in the ratio 5:6:11. If C gets Rs 3 lakhs more than A then 50% of the share of B (in lakhs of rupees) is

A 1.25

B 1.5

C 1.75

D 2.00

Answer: B

Explanation:

Let the actual shares of A,B,C be 5x, 6x, 11x respectively

We are given that $11x - 5x = 3$ lakhs $\Rightarrow x = 0.5$ lakhs

Hence, share of B = 3 lakhs and 50% of his share = 1.5 lakhs

94. Two pipes P and Q can separately fill a cistern in 20 and 30 minutes respectively. There is another exhaust pipe R at the bottom of the cistern. If all the three pipes are opened at the same time, the cistern will be full in 24 minutes. The time (in minutes) for the pipe R to empty the full cistern is

A 32

B 28

C 22

D 24

Answer: D

Explanation:

Let the capacity of the cistern be 600 liters

Hence, capacity of pipe P = 30 liters/min and capacity of Q = 20 liters/min

Let the draining capacity of R be -r liters per minute.

Now, when all three are opened together, the cistern gets filled in 24 minutes.

Effective capacity of all three together = $600/24 = 25$ liters/min

Hence, $30+20-r = 25 \implies r = 25$ liters/min

Hence, time required by R to empty complete cistern = $600/25 = 24$ minutes

95. Two taps A and B can fill a tank independently in 10 and 15 minutes respectively while C empties the full tank in 20 minutes. If all the three are opened for 1 minute and C is closed then extra time (in minutes) to get the tank filled is

A $8\frac{3}{10}$

B $7\frac{3}{10}$

C $6\frac{3}{10}$

D $5\frac{3}{10}$

Answer: D

Explanation:

Let capacity of the tank = 60 liters.

Hence, capacities of the taps respectively are:

A = 6 liters/min

B = 4 liters/min

C = -3 liters/min (minus because it drains the tank)

When all three are opened for a minute, tank filled = $6+4-3 = 7$ liters

Tank remaining to be filled = 53 liters

Time needed now to fill the tank = $53/10 = 5.3$ minutes

Latest Job Updates on Telegram - Join here

96. The speed (in kmph) of a person who crosses a 1200 meter long bridge in 12 minutes is

A 5

B 4

C 6

D 7

Answer: C

Explanation:

$$\text{Speed of the person} = \frac{1200}{12} = 100 \frac{\text{meters}}{\text{min}}$$

Multiplying both numerator and denominator by 60 (because we want speed in kmph),

We get Speed = $6000 \frac{\text{meters}}{\text{hour}} = 6 \text{ kmph}$

97. A person travels from P to Q at a speed of 60 kmph and returns at a speed of 45 kmph. If total time taken is $3\frac{1}{2}$ hours then the distance (in kms) between P and Q is

- A 60
- B 70
- C 80
- D 90

Answer: D

Explanation:

Let the distance between P and Q be D km.

Total time = $3\frac{1}{2}$ hours = 3.5 hours

According to the problem, $\frac{D}{60} + \frac{D}{45} = 3.5$

$$\Rightarrow \frac{1}{15} \left(\frac{D}{4} + \frac{D}{3} \right) = 3.5$$

$$\Rightarrow \frac{1}{15} \left(\frac{7D}{12} \right) = 3.5$$

$$\Rightarrow D = 90 \text{ km}$$

$\therefore$ Distance between P and Q = 90 km

98. P and Q can do a work individually in 50 and 40 days respectively. They together agreed to complete that work for Rs. 900. Then the share of P (in rupees) in this amount is

- A 350
- B 500
- C 450
- D 400

Answer: D

Explanation:

It is known that the share of any single worker in the complete pay of the workers is inversely proportional to the number of days each worker takes to complete the task alone.

Here, P and Q take 50 and 40 days respectively. Hence, the pay off for P and Q will be in the ratio of 40:50 i.e. 4:5 respectively

Hence, for a total pay of Rs. 900, P's share will be = $(4/9) \times 900 = 400$ rupees.

Whatsapp "JOB" to 7661025557 for Updates

99. A and B can do a piece of work in 20 days. The same work can be done by B and C in 30 days; C and A in 40 days. If A works alone the number of days required to complete the work is

- A 80
- B 72
- C 60
- D 48

Answer: D

Explanation:

Let the work capacity of A, B, C be a, b, c units/day respectively.

Let the amount of work be 120 units

Hence, we can frame the following equations:

$$a + b = 6$$

$$b + c = 4$$

$$a + c = 3$$

Adding up all these 3, we get: $a + b + c = 6.5$

From this, we can say that $a = 2.5$

Hence, the time required by A alone to get work done = $120 / 2.5 = 48$ days

00. The perimeter of a semicircle is 144 cm. Then its area (in sq.cms) is (Here take $\pi = \frac{22}{7}$)

- A 1226
- B 1416
- C 1172
- D 1232

Answer: D

Explanation:

The perimeter of this semicircle is given by

$$2r + \pi r = 144$$

Solving this equation, we get: $r = 28$ cm

Hence, area of the semicircle is = $\pi \frac{r^2}{2} = 1232$ sq cm

01. The area of the pentagon ABCDE, given that $AB = BC = CD = AE = 2$, $DE = 2\sqrt{2}$ and $\angle BAE = \angle BCD = 90^\circ$ is

- A $3 + 3\sqrt{2}$

- B** $4 + 2\sqrt{3}$
- C** $2 + 6\sqrt{2}$
- D** $6\sqrt{3}$

Answer: B

Explanation:

Draw a rough figure, write length of sides alongside and draw diagonals BE and BD.

You can notice that BE is hypotenuse of triangle BAE and hence, $BE = 2\sqrt{2}$

Similarly, BD is also the hypotenuse of BCD and $BD = 2\sqrt{2}$

Next, we can see that BDE becomes an equilateral triangle of side $2\sqrt{2}$

Area of the entire pentagon = Area of the 2 right angled triangles BAE and BCD + Area of equilateral triangle BED

= $4 + 2\sqrt{3}$ sq units

AP SI Free Solved Previous Papers PDF

02. A hollow iron pipe of 63 cms length having outer circumference of 440 cms of thickness 4 cms. The volume(in cubic cms) of the iron used is (Here take $\pi = \frac{22}{7}$)

- A** 97712
- B** 107712
- C** 107714
- D** 108144

Answer: B

Explanation:

Let the outer radius of pipe be R and inner radius be r.

Also, we are given that $2\pi R = 440$ cm $\implies R = 70$ cm

Now, Volume of iron used in making the pipe = $\pi(70^2 - 66^2) \times 63$ (as thickness is given as 4 cm)

Hence, Volume = 1,07,712 cubic cm

03. The surface area of a hemisphere is 16632 sq.cm. Then its volume (in cubic centimeters) is (Here take $\pi = \frac{22}{7}$)

- A** $176 \times (42)^3$
- B** $88 \times (42)^2$
- C** $176 \times (21)^3$

D $156 \times (42)^2$

Answer: B

Explanation:

Area of a closed hemisphere = $3\pi r^2$

$$3\pi r^2 = 16632$$

$$r = 42 \text{ cm}$$

Now, Volume of the hemisphere = $\frac{2}{3}\pi r^3$

$$\text{Volume} = \frac{2}{3} \cdot \frac{22}{7} \cdot 42^3 = \frac{2}{3} \cdot \frac{22}{7} \cdot 42^3 = 88 \cdot 42^2$$

04. **A rectangle of length l meters and breadth 50 meters has an area which is equal to the area of a square with 90 meters diagonal. Then l =**

A 39

B 40

C 140

D 81

Answer: D

Explanation:

Given, diagonal length of the square = 90 m

$$\text{Side of the square} = \frac{90}{\sqrt{2}} \text{ m}$$

$$\text{Area of the square} = \left(\frac{90}{\sqrt{2}}\right)^2 = 90 \times 45 \text{ m}^2$$

Area of rectangle = Area of square

$$\Rightarrow l \times 50 = 90 \times 45$$

$$\Rightarrow l = 81 \text{ m}$$

Hence, the correct answer is Option D

200+ Banking Previous Papers (Download PDF)

05. **In 10 minutes a person can walk around a rectangular field of 300 m X 200 m. The speed (in kmph) of the person is**

A 5

B 6

C 8

D 4

Answer: B

Explanation:

Perimeter of the rectangular = $2(300+200) = 2 \times 500 = 1000$ m

Distance walked in 10 mins = 1000 m

Hence, Distance walked in 60 mins = $1000 \times 6 = 6000$ m = 6km

$\therefore$ Speed of the person = 6kmph

06. If the radius of a circular wheel is 14 cm. then the number of revolutions necessary to cover a distance of 105.6 meters is (Here take $\pi = \frac{22}{7}$)

A 120

B 150

C 140

D 90

Answer: A

Explanation:

Radius of the circular wheel = 14 cm

Circumference of the circular wheel = $2 \times \pi \times 14 = 2 \times \frac{22}{7} \times 14 = 88$ cm

$\therefore$ The number of revolutions required to cover a distance of 105.6 m = $\frac{\text{Distance}}{\text{Circumference of the wheel}}$

$$= \frac{105.6 \times 100}{88}$$

$$= 120$$

Hence, the correct answer is Option A

07. The largest 3-digit number x satisfying the congruence $3x + 2 \equiv 4 \pmod{13}$ is

A 987

B 989

C 997

D 992

Answer: D

Explanation:

We need a three digit number which is of the form $3x + 2$ and when this number is divided by 13, the remainder must be 4.

The largest 3 digit number of this form can be when $x = 332$ and the number comes out to be 998. When divided by 13, the remainder is not 4.

The next can be when $x = 331$ which makes the number as 995. When divided by 13, remainder is not 4.

The next can be $x = 330$ which makes the number as 992. When divided by 13, remainder is 4.

Hence, answer is 992.

Another approach can be directly taking options from largest to smallest and actually dividing by 13 to arrive at the answer.

SSC CHSL Previous Question papers (download pdf)

08. For real numbers a and b write $a * b = a^2 + ab - b^2$. If $4 * x = 6$ then $(x - 2)^2 =$

A 10

B 12

C 14

D 16

Answer: C

Explanation:

Given, $a * b = a^2 + ab - b^2$

$$4 * x = 6$$

$$\Rightarrow 4^2 + 4x - x^2 = 6$$

$$\Rightarrow 16 + 4x - x^2 = 6$$

$$\Rightarrow x^2 - 4x - 10 = 0$$

$$\Rightarrow x^2 - 4x + 4 - 14 = 0$$

$$\Rightarrow (x - 2)^2 - 14 = 0$$

$$\Rightarrow (x - 2)^2 = 14$$

Hence, the correct answer is Option C

09. The inverse of $(p \wedge \sim q) \rightarrow r$ is

A $r \rightarrow (p \wedge \sim q)$

B $\sim r \rightarrow (p \wedge \sim q)$

C $(\sim p \vee q) \rightarrow \sim r$

D $(p \wedge q) \rightarrow r$

Answer: C

Explanation:

Introduce negation to both sides of relation.

p gets changed to "not p "

"And" function gets changed to "Or"

"Not q " gets changed to " q "

" r " gets changed to "not r "

Hence, option C is the answer.

10. Consider the statement S: "If $10 < 8$ then $2 + 4 = 8$ ". Then S is

- A True
- B False
- C Either true or false
- D Not a Statement

Answer: A

Explanation:

$S: p \rightarrow q$

where, p: $10 < 8$ is a mathematically incorrect/false statement
and q: $2 + 4 = 8$ is also a mathematically false statement.

False implying another false statement. This makes S as a true statement.
S would have been false, if either of p or q had been true and the other one false.

SSC CHSL Free Mock Test

11. For any set S let $n(S)$ denote the number of elements in S. If A, B and C are sets such that $n(A \cup B \cup C) = 31, n(A) = 20, n(b) = 16, n(C) = 8, n(A \cap B \cap C') = 3, n(A' \cap B \cap C) = 2$ and $n(A \cap B' \cap C) = 4$ then $n(A \cap B \cap C) =$

- A 4
- B 3
- C 2
- D 1

Answer: C

12. If $P(A)$ is the power set of the non-empty set A, define a relation R by XRY if and only if $X \subseteq Y$ for $X, Y \in P(A)$, the relation R is not

- A Anti-symmetric
- B Transitive
- C Symmetric
- D Reflective

Answer: C

13. The number of injective functions from a 5-element set into a 8-element is

- A 672
- B 7620
- C 6720
- D 762

Answer: C

Explanation:

This can be determined by doing some mapping:

The first member of the 5-member set can take 8 values

The second member of the 5-member set can take 7 values

The third member of the 5-member set can take 6 values

The fourth member of the 5-member set can take 5 values

The fifth member of the 5-member set can take 4 values

hence, the total number of injective functions possible = $8 \times 7 \times 6 \times 5 \times 4 = 6720$

SSC CGL Free Mock Test

14. The intercept made on the X-axis by the line passing through (3, -5) and (-2, 7) is

- A $\frac{5}{11}$
- B $-\frac{5}{11}$
- C $\frac{11}{12}$
- D $-\frac{11}{12}$

Answer: C

Explanation:

Slope of the line = $-\frac{12}{5}$

Equation of the line:

$$y - 7 = (-12/5) * (x + 2)$$

X-intercept is obtained by putting $y = 0$ in above equation

$$\text{Hence, } 35/12 = x + 2 \Rightarrow x = 11/12$$

15. The equation of the perpendicular bisector of the line segment joining the points (-2, 3) and (1, -2) is

- A $5x + 3y + 4 = 0$
- B $3x - 5y + 4 = 0$

C $x - y + 7 = 0$

D $x + y - 7 = 0$

Answer: B

Explanation:

Points to remember: The perpendicular bisector will pass through the mid-point of the segment obtained by joining the given points.

The product of slope of the bisector and the slope of the segment = -1

Firstly, mid-point of the segment = $[(-2+1)/2, (3-2)/2] = (-1/2, 1/2)$

hence, perpendicular bisector passes through this point.

Slope of the segment = $(-2-3)/(1+2) = -5/3$

Hence, slope of perpendicular bisector = $3/5$

Now, equation of perpendicular bisector:

$$(y - 1/2) = (3/5) * (x + 1/2)$$

Solving the equation gives us option B

16. $\sin^2 60^\circ + \cos^2 225^\circ + \tan^2 210^\circ + \cot^2 240^\circ =$

A $\frac{13}{12}$

B $\frac{23}{12}$

C $\frac{12}{13}$

D $\frac{5}{4}$

Answer: B

Explanation:

$$\sin 60 = (\text{root } 3)/2$$

$$\cos 225 = \cos (180 + 45) = -\cos 45 = -1/(\text{root } 2)$$

$$\tan 210 = \tan (180 + 30) = \tan 30 = 1/(\text{root } 3)$$

$$\cot 240 = \cot (180 + 60) = \cot 60 = 1/(\text{root } 3)$$

Squaring up all terms and adding, we get answer as 23/12

SSC CGL Free Online Coaching

17. For α and β with $0 \leq \alpha, \beta < \frac{\pi}{2}$ if $\cos \alpha = \sin \beta = \frac{1}{2}$ then $\alpha + 2\beta =$

A $\frac{\pi}{4}$

B $\frac{\pi}{6}$

C $\frac{\pi}{3}$

D $\frac{2\pi}{3}$

Answer: D

Explanation:

From the given relations, it becomes clear that $\alpha = \frac{\pi}{3}, \beta = \frac{\pi}{6}$

Hence, the given relation results in option D

18. $\tan \theta = \frac{3}{4} \Rightarrow \tan 2\theta + \sec 2\theta =$

A $\frac{7}{2}$

B $\frac{9}{4}$

C 6

D 7

Answer: D

Explanation:

$$\begin{aligned} \tan 2\theta + \sec 2\theta &= \frac{1 + \sin 2\theta}{\cos 2\theta} \\ &= \frac{1 + 2 \sin \theta \cos \theta}{\cos^2 \theta - \sin^2 \theta} \end{aligned}$$

Dividing both numerator and denominator by $\cos^2 \theta$, we get

$$\frac{1 + 2 \tan \theta}{1 - \tan^2 \theta} = \frac{1 + \tan^2 \theta + 2 \tan \theta}{1 - \tan^2 \theta}$$

Substitute the value of $\tan$ from the given data, we get option D as answer.

19. From the top of a building of height 60 feet which is on the bank of a river, the angle of depression of a house on the other side of the river is observed to be 60° . The width of the river (in feet) is

A 30

B $20\sqrt{3}$


C 20

D $60\sqrt{3}$

Answer: B

Explanation:

The diagram can be constructed like this:



As we can see, triangle HBB' is a 30-60-90 triangle with one of the sides known.

HB is the width of the river.

$$HB = BB' / (\sqrt{3}) = 20\sqrt{3}$$

SSC CGL PREVIOUS PAPERS (download pdf)

20. If $x - \alpha$, $x - \beta$ and $x - \gamma$ are factors of the polynomial $3x^3 + 4x^2 + 2x + 5$ then the polynomial having factors $x - \frac{1}{\alpha}$, $x - \frac{1}{\beta}$ and $x - \frac{1}{\gamma}$ is

A $\frac{1}{3}x^3 + \frac{1}{4}x^2 + \frac{1}{2}x + \frac{1}{5}$

B $5x^3 + 4x^2 + 2x + 3$

C $5x^3 + 3x^2 + 4x + 2$

D $5x^3 + 2x^2 + 4x + 3$

Answer: D

Explanation:

As $(x - \alpha)$ is a factor of $3x^3 + 4x^2 + 2x + 5$,

$$3x^3 + 4x^2 + 2x + 5 = 0 \text{ at } x = \alpha$$

$$\text{i.e. } 3\alpha^3 + 4\alpha^2 + 2\alpha + 5 = 0$$

Dividing both sides of equation by α^3 , we get

$$\frac{5}{\alpha^3} + \frac{2}{\alpha^2} + \frac{4}{\alpha} + 3 = 0$$

This result is equivalent to saying that if $x = \frac{1}{\alpha}$, then

$$5x^3 + 2x^2 + 4x + 3 = 0$$

21. If $x^2 - 4$ divides $x^4 + ax^3 + bx^2 - 5x + 4$ then $a - b =$

A $\frac{25}{4}$

B $-\frac{15}{4}$

C $\frac{12}{5}$

D $-\frac{25}{4}$

Answer: A

Explanation:

It means that both $(x-2)$ and $(x+2)$ are factors of $x^4 + ax^3 + bx^2 - 5x + 4$

This implies that $x^4 + ax^3 + bx^2 - 5x + 4$ at $x = 2$ is 0

i.e. $4a + 2b = -5$

Also, it implies that $x^4 + ax^3 + bx^2 - 5x + 4$ at $x = -2$ is 0

i.e. $4a - 2b = 15$

Adding up the two equations and solving them gives us

$a = 5/4$, and $b = -5$

Hence, $a - b = 25/4$

22. A factor of $2x^4 - 3x^2 + 2x - 1$, among the following is

A $x + 1$

B $x + 2$

C $x - 1$

D $x - 2$

Answer: C

Explanation:

Applying remainder theorem or performing actual division/factorization is the theoretical approach in such questions.

However, one can perform a quick addition of the coefficients and see that their sum = 0

This is one of the most basic tests and it means that $(x-1)$ is a factor of the given polynomial.

SBI PO Solved Previous Papers (Download PDF)

23. If $(x - 2)$ is a factor of $p(x^2 + 4)$. where $p(x)$ is a polynomial. then a factor of $p(x)$ is

A $(x - 6)$

B $(x - 7)$

C $(x - 8)$

D $(x - 10)$

Answer: C

Explanation:

If $(x-2)$ is a factor of $p(x^2 + 4)$, it means that at $x = 2$, $p(x^2 + 4) = 0$

That is, $p(2^2 + 4) = 0$ i.e. $p(8) = 0$

This is equivalent to saying that whatever polynomial function $p(x)$ is, $(x-8)$ is a factor of $p(x)$ as we can see that $p(8) = 0$

24. Two numbers are in the ratio 5:6 and when 3 is added to each of them, their ratio becomes 7:8. Then the sum of those two numbers is

A $\frac{23}{2}$

B $\frac{35}{2}$

C $\frac{33}{2}$

D $\frac{27}{2}$

Answer: C

Explanation:

Let the two numbers be $5x$ and $6x$. When 3 is added to both, ratio becomes 7:8

$$\frac{5x+3}{6x+3} = \frac{7}{8}$$

Cross multiplying, we get: $x = \frac{3}{2}$

Hence, sum of the two numbers $= 11x = \frac{33}{2}$

25. If $\begin{bmatrix} 3 & -2 \\ -1 & 2 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} 11 \\ -5 \end{bmatrix}$ then $3x + 7y =$

A 1

B 2

C 3

D 4

Answer: B

Explanation:

Multiplying the matrices on the LHS and equating with the one on RHS, we get:

$$3x - 2y = 11$$

$$-x + 2y = -5$$

Adding the 2 equations, we get $x = 3, y = -1$

Hence, $3x - 7y = 9 - 7 = 2$

SBI Clerk Free Mock Test (Latest Pattern)

26. If S_1, S_2 and S_3 denote the sums of the first $n, 2n$ and $3n$ terms respectively of an arithmetic progression then $\frac{S_3}{S_2 - S_1} =$

A 4

B 3

C 2

D 1

Answer: B

Explanation:

$$S_1 = \frac{n}{2} [2a + (n - 1)d]$$

$$S_2 = n [2a + (2n - 1)d]$$

$$S_3 = \frac{3n}{2} [2a + (3n - 1)d]$$

The desired operation results in:

$$\begin{aligned} & \frac{3[2a + (3n - 1)d]}{2[2a + (2n - 1)d] - 2a - (n - 1)d} \\ &= \frac{[6a + 9nd - 3d]}{2a + 3nd - d} = 3 \end{aligned}$$

27. If S is the sum of five consecutive even integers then the least among them is

A $\frac{s-20}{5}$

B $\frac{s-16}{5}$

C $\frac{s-10}{5}$

D $\frac{s-5}{5}$

Answer: A

Explanation:

Let the five consecutive even integers in ascending order be $x, x+2, x+4, x+6, x+8$

$$\Rightarrow x + x + 2 + x + 4 + x + 6 + x + 8 = S$$

$$\Rightarrow 5x + 20 = S$$

$$\Rightarrow x = \frac{S-20}{5}$$

$$\therefore \text{Least number among them} = x = \frac{S-20}{5}$$

28. The coefficient of x^{n-1} in $(x-1)(x-2)(x-3)\dots\dots\dots(x-n)$ is

A $\frac{n(n+1)}{2}$

B $-\frac{n(n+1)}{2}$

C $\frac{n(n-1)}{2}$

D $-\frac{n(n-1)}{2}$

Answer: B

Explanation:

Consider the most basic case of $(x-1)(x-2)$

The co-efficient of $x^{2-1} = x$ is -3

We can reject option A and C outright. Option D gives value -1, hence, incorrect. Only option B gives correct answer.

SBI Clerk Previous Papers (Download PDF)

29. The term independent of x in the binomial expansion of $\left(\frac{3x^2}{2} - \frac{1}{3x}\right)^9$ is

A $\frac{1}{27}$

B $\frac{7}{18}$

C $\frac{7}{12}$

D $-\frac{7}{18}$

Answer: B

Explanation:

The power of x in the first term of expansion would be 18

The power of x in the second term would be 16 (of the first term in original bracket) - 1 (of the second term)

in original bracket) = 15

The power of x in the third term would be $14 - 2 = 12$

The power of x in the fourth term would be $12 - 3 = 9$

The power of x in the fifth term would be $10 - 4 = 6$

The power of x in the sixth term would be $8 - 5 = 3$

The power of x in the seventh term would be $6 - 6 = 0$

The seventh term would be independent of x

The value of seventh term would be $(9C6) \cdot \left(\frac{3}{2}\right)^3 \cdot \left(\frac{1}{3}\right)^6 = 7/18$

30. $A = \begin{bmatrix} 2 & 3 \\ 4 & 5 \end{bmatrix} \Rightarrow |A^5| =$

A -64

B 64

C 32

D -32

Answer: D

Explanation:

Upon successive multiplication, obtain the matrix A^5

Its terms are:

$$A_{11} = 6140, A_{12} = 8097, A_{21} = 10796, A_{22} = 14237$$

Cross multiplication and subtraction of terms results in determinant = -32

31. If $i^2 = -1$ and $A = \begin{bmatrix} i & 0 \\ 0 & -i \end{bmatrix}$ then $A^{-1} =$

A A

B A^2

C A^3

D A^4

Answer: C

Explanation:

As can be seen from the options, A^{-1} is going to be a power of A itself.

We can continue multiplying A successively to its own powers till we arrive at an identity matrix.

If the identity matrix is arrived at A^n , then we can say that $A^{n-1} = A^{-1}$

Starting with the multiplication, we can see that a 2x2 identity matrix is arrived at at A^4
Hence, A^3 is the inverse of matrix A.

Free Banking Study Material (15000 Solved Questions)

32. $\lim_{x \rightarrow 0} \frac{\sqrt{1+x} - \sqrt{1-x}}{x}$

A -1

B 0

C 1

D 2

Answer: C

Explanation:

Multiplying numerator and denominator by $\sqrt{1+x} + \sqrt{1-x}$, we get:

$$\begin{aligned} \lim_{x \rightarrow 0} \frac{(1+x) - (1-x)}{x(\sqrt{1+x} + \sqrt{1-x})} \\ = \frac{2}{(\sqrt{1+x} + \sqrt{1-x})} \end{aligned}$$

Putting $x = 0$ now, we get

Result = $2/2 = 1$

33. $y = x \sin x \Rightarrow \frac{dy}{dx} =$

A $x \cos x + \sin x$

B $x \cos x - \sin x$

C $\cos x + x \sin x$

D $x \sin x - \cos x$

Answer: A

Explanation:

Given, $y = x \sin x$

$$\Rightarrow \frac{dy}{dx} = x \cdot \left(\frac{d}{dx} \sin x \right) + \sin x \cdot \left(\frac{d}{dx} x \right) = x \cdot \cos x + \sin x$$

34. If the hypotenuse of a right angled isosceles triangle is 8 cm. then its area, in square centimeters, is

A 12


B 16

C 24

D 32

Answer: B

Explanation:



Let the length of equal sides of right angled isosceles triangle = a

In the triangle,

$$a^2 + a^2 = 8^2$$

$$\Rightarrow 2a^2 = 64$$

$$\Rightarrow a^2 = 32$$

$$\Rightarrow a = 4\sqrt{2} \text{ cm}$$

$$\therefore \text{Area of the right angled isosceles triangle} = \frac{1}{2} \times a \times a$$

$$= \frac{1}{2} \times 4\sqrt{2} \times 4\sqrt{2}$$

$$= 16 \text{ cm}^2$$

Daily Free Banking Online Test

35. In the quadrilateral ABCD, it is given that $AB = 40$, $BC = 250$, $CD = 50$, $2\angle BAD = \angle ABC = 90^\circ$ and AD is parallel to BC. The perimeter of the quadrilateral ABCD is

A 590

B 600


C 620

D 640

Answer: C

Explanation:

We can draw the figure as:



We can conclude that AD will be 280 units in length and hence, perimeter = 620

36. A, B and C are three points on the circle with centre O. In $\triangle ABC$ if $\angle B = 60^\circ$, $\angle C = 70^\circ$ then $\angle BOC =$

A 130°


B 100°

C 35°

D 30°

Answer: B

Explanation:



In $\triangle ABC$,

$$\angle A + \angle B + \angle C = 180^\circ$$

$$\angle A + 60^\circ + 70^\circ = 180^\circ$$

$$\angle A = 50^\circ$$

Angle subtended by the arc at the centre is twice the angle subtended by the arc at any point circle.

$\Rightarrow$ Angle subtended by the arc BC at centre O is twice the angle subtended by arc BC at point A.

$$\Rightarrow \angle BOC = 2\angle A$$

$$\Rightarrow \angle BOC = 100^\circ$$

37. The length of the median through A of $\triangle ABC$ where A(4, 2), B(6, 5) and C(1, 4) is

A $2\sqrt{2}$

B $\frac{\sqrt{26}}{2}$

C $\sqrt{13}$

D $\frac{\sqrt{13}}{2}$

Answer: B

Explanation:

The midpoint of BC to which the median will connect from A : (3.5, 4.5)

Length of median = Distance between A(4,2) and (3.5, 4.5) = $\sqrt{(3.5 - 4)^2 + (4.5 - 2)^2} = \sqrt{6.5} = \frac{\sqrt{26}}{2}$

200+ Free GK Tests for Banking exams

38. If A(4, 1), B(7, 4), C(13, 2), D(x, y) are the vertices of a rectangle ABCD then(x, y) =

A (10, 5)

B (10, -5)

C (-10, 5)

D (-10, -5)

Answer: B

39. The mean deviation of the scores 3, 5, 7, 9, 11 and 13 from their arithmetic mean is

A 0

B 2

C 3

D 5

Answer: C

Explanation:

The mean of the given numbers = 8

The absolute deviations are : 5,3,1,1,3,5

Sum of absolute deviations = 18

Mean deviation = $18/6 = 3$

40. In 12 consecutive odd numbers the arithmetic mean of the first five numbers is 85. The difference of the medians of the first five numbers and the last five numbers is

A 12

B 13

C 14

D 15

Answer: C

Explanation:

Let the first odd number be $2n+1$.

Hence, the first five odd numbers would be: $2n+1, 2n+3, 2n+5, 2n+7, 2n+9$

Median of these: $2n+5$

The last 5 odd numbers would be: $2n+15, 2n+17, 2n+19, 2n+21, 2n+23$

The median of these numbers: $2n+19$

Hence, the difference between the medians = $2n+19 - 2n - 5 = 14$

Latest Job Updates on Telegram - Join here

41. The mode of the following observations is:

14, 21, 64, 78, 42, 21, 39, 42, 21, 18, 17, 21, 10, 21

A 14

B 21

C 39

D 42

Answer: B

Explanation:

Mode is simply that entity which occurs with the highest frequency in the set of observations

Here, 21 occurs the most: 5 times out of 14 total observations.

Hence, it is the mode here.

42. If σ is the standard deviation of $x_1, x_2, \dots, x_n$ then the standard deviation of $9 + 3x_1, 9 + 3x_2, \dots, 9 + 3x_n$ is

A 3σ

B $3\sigma + 9$

C $3\sigma - 3$

D $\sqrt{9\sigma^2 + 3}$

Answer: A

Explanation:

Let the mean of the first series be M

$$\text{Hence, } M = \frac{x_1 + x_2 + \dots + x_n}{n}$$

Now, for the second series, let its mean be M'

$$\text{Hence, } M' = \frac{3 \cdot (3n + x_1 + x_2 + \dots + x_n)}{n} = 9 + 3M$$

Now, respective deviation of the individual terms from the mean M' are:

$$3M - 3x_1 = 3(M - x_1)$$

$$3M - 3x_2 = 3(M - x_2)$$

.

.

.

$$3M - 3x_n = 3(M - x_n)$$

$$\text{Variation} = \frac{[9 \cdot (M - x_1)(M - x_1) + 9 \cdot (M - x_2)(M - x_2) + \dots + 9 \cdot (M - x_n)(M - x_n)]}{n}$$

$$\text{Standard deviation} = \text{Square root of this Variance} = 3\sigma$$

43. The variance of the first five odd natural numbers is

A 2

B $2\sqrt{2}$

C 4

D 8

Answer: D

Explanation:

The first 5 odd natural numbers are: 1 3 5 7 9

Average of these = 5

Respective deviation from mean: -4 -2 0 2 4

$$\text{Variance} = \frac{(\text{Sum of squares of individual deviation})}{\text{Number of terms}} = (16 + 4 + 0 + 4 + 16) / 5 = 8$$

Whatsapp "JOB" to 7661025557 for Updates

44. The rank correlation coefficient r of a distribution lies in the interval

A $(-1, 0)$

B $(-\infty, 0)$

C $(-1, 1)$

D $(1, \infty)$

Answer: C

45. A box contains nine tickets numbered 1 to 9. If 3 tickets are drawn from the box one at a time, the probability that they are alternatively either odd. even. odd or even. odd, even is

- A $\frac{5}{42}$
- B $\frac{10}{63}$
- C $\frac{5}{18}$
- D $\frac{7}{18}$

Answer: C

Explanation:

Consider the first case of Odd-Even-Odd:

$$\frac{5}{9} \cdot \frac{4}{8} \cdot \frac{4}{7} = \frac{20}{126}$$

Consider the second case of Even-Odd-Even:

$$\frac{4}{9} \cdot \frac{5}{8} \cdot \frac{3}{7} = \frac{15}{126}$$

$$\text{Hence, The net probability} = \frac{20}{126} + \frac{15}{126} = \frac{35}{126} = \frac{5}{18}$$

46. A number is chosen at random from the first 100 natural numbers. The probability that the chosen number is divisible by 7 is

- A $\frac{7}{100}$
- B $\frac{9}{100}$
- C $\frac{7}{50}$
- D $\frac{9}{50}$

Answer: C

Explanation:

There are a total of 14 numbers from 1 to 100 which are multiples of 7.

$$\therefore \text{The probability that the chosen number is divisible by 7} = \frac{14}{100} = \frac{7}{50}$$

Hence, the correct answer is Option C

AP SI Free Solved Previous Papers PDF

47. If A and B are independent events such that $P(A \cap B) = \frac{3}{25}$, $P(B) = \frac{11}{25}$ then $P(A) =$

- A $\frac{3}{11}$
- B $\frac{8}{11}$

C $\frac{10}{11}$

D $\frac{9}{11}$

Answer: B

48. If three unbiased coins are tossed then the probability that at least two coins give heads is

A $\frac{1}{2}$

B $\frac{1}{8}$

C $\frac{1}{4}$

D $\frac{3}{8}$

Answer: A

Explanation:

The order of the appearance of heads and tails does not matter here.

So we can have only 4 distinct possible combinations: HHH, HTH, HTT, TTT

From this, our desired situations are HHH and HTH.

Hence, the probability = $\frac{2}{4} = \frac{1}{2}$

200+ Banking Previous Papers (Download PDF)

Communication Ability

Instructions [149 - 154]

Choose the correct meaning of the word given:

49. **importunate**

A persistent

B negligible

C Poor

D definitive

Answer: A

SSC CHSL Previous Question papers (download pdf)

50. **decorum**

A decoration

- B** behavior
- C** propriety
- D** justice

Answer: C

51. **connoisseur**

- A** officer
- B** commander in chief
- C** lieutenant
- D** enthusiast

Answer: D

52. **subsist**

- A** hide
- B** keep alive
- C** hold
- D** give in

Answer: B

SSC CHSL Free Mock Test

53. **enfeeble**

- A** encourage
- B** animate
- C** debilitate
- D** enable

Answer: C

54. **myriad**

- A** measurable
- B** limited

C countless

D morbid

Answer: C

Instructions [155 - 158]

Fill in the blank choosing the correct word:

55. **He took a of beer.**

A drafting

B draught

C drought

D graft

Answer: B

SSC CGL Free Mock Test

56. **This region is known for its vegetation.**

A luxurious

B luxuriant

C rampant

D heavy

Answer: B

57. **We must from smoking.**

A abstain

B forbear

C quit

D give up

Answer: A

58. **It is difficult to these old documents.**

A aggravate

B authenticate

- C** anoint
- D** ambush

Answer: B

SSC CGL Free Online Coaching

Instructions [159 - 175]

Choose the correct answer:

59. In IP address, IP stands for

- A** Information Protocol
- B** Internet Programme
- C** Internet Protocol
- D** Informed programmer

Answer: C

60. is a mobile operating system developed by Google

- A** IOS
- B** Android
- C** Windows
- D** MS-DOS

Answer: B

61. The smallest unit of a digital image that can be displayed on a digital display device is

- A** digit
- B** pitch
- C** pixel
- D** point

Answer: C

SSC CGL PREVIOUS PAPERS (download pdf)

62. MMS stands for

- A** Multimedia Message System
- B** Multimedia Messaging System
- C** Multiple Message Sender
- D** Multimedia Messaging Service

Answer: D

63. **Compressing one or more items into a smaller archive is called**

- A** merging
- B** zipping
- C** zapping
- D** clubbing

Answer: B

64. **Comparing one's products /services to those of competitors in order to improve quality and performance is called**

- A** benchmarking
- B** standardization
- C** gauging
- D** scaling

Answer: A

SBI PO Solved Previous Papers (Download PDF)

65. **The monetary authority of our country is the**

- A** Central Bank of India
- B** Reserve Bank of India
- C** SEBI
- D** Finance Ministry

Answer: B

66. **In the sale or supply of goods or services, something that is ready for immediate use is called**

- A** automation
- B** turnkey
- C** customisation
- D** ready solutions

Answer: B

67. The written record of what is said at a meeting is called

- A** speeches
- B** agenda
- C** proceedings
- D** minutes

Answer: D

SBI Clerk Free Mock Test (Latest Pattern)

68. A person who buys shares in companies hoping the price will rise, so that they can be sold later at a profit is

- A** a bull
- B** a bear
- C** a stage
- D** a vendor

Answer: A

69. "Had he not been a dreamer, he would not have gone this far". The statement implies that

- A** he dreamt too much
- B** he always dreamt that he ran very fast
- C** he wasted his time in daydreaming
- D** his ideas have helped him get ahead

Answer: D

70. I am afraid you will have to put up this inconvenience.

- A on
- B about
- C at
- D with

Answer: D

SBI Clerk Previous Papers (Download PDF)

71. Let us do it ourselves expecting the government to do it for us.

- A for the sake of
- B instead of
- C on behalf of
- D in spite of

Answer: B

72. We thought Sindhu would lose the match but she scraped through in the final set. The underlined phrase means that she

- A succeed easily
- B lost the match
- C lost interest in the final round
- D succeeded with great difficulty

Answer: D

73. He asked me, "Have you seen that film?" The sentence may be rewritten in indirect speech as: He asked me

- A if he had seen that film
- B if he saw that film
- C if I had seen that film
- D if I have seen that film

Answer: C

Free Banking Study Material (15000 Solved Questions)

74. To look after the transport, special officer has been appointed.

- A the
- B an
- C a
- D no article

Answer: C

75. I Ravi since 1993.

- A know
- B knew
- C have known
- D was known

Answer: C

Instructions [176 - 183]

Fill in the blanks with the appropriate phrase/verb/preposition:

76. He felt that he by his own people.

- A cheated
- B is cheated
- C had been cheated
- D was cheaten

Answer: C

Daily Free Banking Online Test

77. I am thinking a novel.

- A to write
- B of write
- C writing
- D of writing

Answer: D

78. If you games regularly. you would become strong and healthy.

- A played
- B play
- C had played
- D would play

Answer: A

79. Many accidents rash driving.

- A cause
- B are caused
- C are caused by
- D caused by

Answer: C

200+ Free GK Tests for Banking exams

80. The child was short to reach the top shelf.

- A so
- B very
- C so very
- D too

Answer: D

81. We went to the park

- A by walk
- B on foot
- C by foot
- D on walk

Answer: B

82. Can you tell me

- A** Where can I find him
- B** Where can he be found
- C** Where I can find him
- D** Where him can I find

Answer: C

Latest Job Updates on Telegram - Join here

83. His apology took the edge off her anger. The underlined phrase means that his apology

- A** made her more angry
- B** did not have any effect on her anger
- C** made her wildly angry
- D** lessened her anger

Answer: D

Instructions [184 - 188]

Read the passage below and answer the following questions.

Moscow is the world's most expensive city for expatriates followed by Tokyo which also is Asia's most expensive city.

The cost of Living Survey 2008 has shown Mumbai and New Delhi taking the bottom two spots of Asia's ten most expensive cities. Mumbai is on 48th spot in the world wide list and New Delhi is on 55th spot. New Delhi incidentally shares its 55th spot on the list with Los Angeles.

The survey covers 143 cities across six continents and measures the comparative cost of over 200 items in each location including housing, transport, food, clothing, household goods and entertainment.

It is the world's most comprehensive cost of living survey and is used to help multinational companies and governments determine compensation allowances for their expatriate employees.

84. Which word means "persons living outside one's own country"?

- A** multinationals
- B** world-wide list
- C** expatriates
- D** across continents

Answer: C

85. Among the following, which city is the most expensive in the world?

- A** New Delhi
- B** Los Angeles
- C** Mumbai
- D** Tokyo

Answer: D

Whatsapp "JOB" to 7661025557 for Updates

86. What is Mumbai's rank in Asia's ten most expensive cities?

- A** ninth
- B** tenth
- C** second
- D** first

Answer: A

87. Which item is not mentioned in the passage for measuring the comparative cost of different items?

- A** transport
- B** education
- C** entertainment
- D** household goods

Answer: B

88. Whom does the survey help the most?

- A** people living in 143 cities of the world
- B** multinational companies and governments
- C** tourists travelling to difficult cities in the world
- D** expatriate employees living in Asia

Answer: B

AP SI Free Solved Previous Papers PDF

Instructions [189 - 193]

Read the passage below and answer the following questions

Stories have survived for centuries in the form of folklore because man never tired of hearing them repeated. Children still delight in stories told to them by their elders, and it may well be that a primary motive for learning to read is the insatiable desire of a child for more stories than his parents or grandparents can supply. Narration, as a mode of discourse, arises from the universal desire of human beings to hear a story, whether it is new or old. The media of mass communication – television, radio, moving pictures – have vastly multiplied the means of satisfying this desire, but have added little to the art of narration itself.

Good narration depends upon sequence, unity and point. The imagined sequence must be chronological, for narrative must present actions in time. The written sequence, however, does not have to be in the same order as the imagined sequence – often, in fact, a story may start in the middle, “flash back” to earlier related events, and then conclude with later events that give a sense of resolution. There is a sense of past, present and future to keep the action going, to give the reader that feeling of pace which is so vital in keeping his interest alive.

89. What is the main reason for a child to learn reading?

- A elder's insistence
- B the child's desire to follow the media
- C the child's great desire for more stories
- D the child's desire to do well at school

Answer: C

90. Which word means “too great to be satisfied”?

- A imagined
- B universal
- C multiplied
- D insatiable

Answer: D

91. Which statement is true according to the author?

- A People want to hear only old stories
- B People want to hear stories either old or new alike
- C People like stories with a flash back
- D People do not like folk tales

Answer: B

92. The media of mass communication has the art of narration.

- A improved
- B adversely changed
- C lowered the quality of
- D not contributed much of

Answer: D

93. Which is not stated as essential for good narration?

- A flash back
- B point
- C unity
- D sequence

Answer: A

Instructions [194 - 198]

Read the passage below and answer the following questions.

Man is the Reasoning Animal. Such is the claim. I think it is open to dispute. Indeed, my experiments have proven to me that he is the Unreasoning Animal. In truth, man is incurably foolish. Simple things which other animals easily learn, he is incapable of learning. Among my experiments was this. In an hour I thought them to be friends with a rabbit. In the course of two days I was able to add a fox, a goose, a squirrel and some doves and finally a monkey. They lived together in peace, even affectionately.

Next, in another cage I confined an Irish Catholic from Tipperary, and as soon as he seemed tame I added a Scotch Presbyterian from Aberdeen. Next a Turk from the wilds of Arkansas: a Buddhist from China: a Brahman from Benares. Finally, a Salvation Army Colonel from Wapping. Then I stayed away for two days. When I came back to note results, the cage of Higher Animals was all right, but in the other there was but a chaos of

gory odds and ends of turbans and plaids and bones and flesh-not a specimen left alive. These Reasoning Animals had disagreed on a theological detail and carried the matter to a Higher court.

94. The writer the view that man is a reasoning animal

- A believes in
- B puts to test
- C endorses
- D proves

Answer: B

SSC CHSL Previous Question papers (download pdf)

95. Which description of man is Not true according to the author?

- A He is wise.
- B He is foolish.
- C He is unreasoning.
- D He is incapable of learning.

Answer: A

96. The higher animals referred to in the passage are

- A monkeys
- B human beings
- C animals
- D rabbits

Answer: C

97. What did the writer find when he went for noting the results?

- A All animals dead
- B Both humans and animals dead.
- C Some lower animals and humans dead.
- D All humans dead.

Answer: D

SSC CHSL Free Mock Test

98. The "Higher Court" refers to

- A the Supreme court
- B the High court
- C the trial court one goes to after death
- D The jungle court

Answer: C



SSC CGL Free Mock Test