

Section : **General Aptitude****Q.1 Which of the following Ruler was responsible for erecting the iron pillar of Delhi?**

- Ans ☒ 1. Samudragupta
☒ 2. Sri Gupta
☒ 3. Chandragupta II
☒ 4. Kumara Gupta

Your text here 1

Question ID : **630680515487**Option 1 ID : **6306802014354**Option 2 ID : **6306802014355**Option 3 ID : **6306802014353**Option 4 ID : **6306802014356**Status : **Not Answered**

Chosen Option : --

Q.2 Which river is known as the "Dakshina Ganga" in India?

- Ans ☒ 1. Yamuna
☒ 2. Brahmaputra
☒ 3. Krishna
☒ 4. Godavari

Question ID : **630680515490**Option 1 ID : **6306802014365**Option 2 ID : **6306802014367**Option 3 ID : **6306802014368**Option 4 ID : **6306802014366**Status : **Not Answered**

Chosen Option : --

Q.3 Which of the following is a key component of India's infrastructure development?

- Ans ☒ 1. Space exploration
☒ 2. Mountaineering facilities
☒ 3. Deep-sea fishing
☒ 4. High-speed railways

Question ID : **630680515491**

Option 1 ID : **6306802014369**

Option 2 ID : **6306802014372**

Option 3 ID : **6306802014371**

Option 4 ID : **6306802014370**

Status : **Not Answered**

Chosen Option : --

Q.4 Which of the following is a Constitutional Body in India?

- Ans ☒ 1. National Investigation Agency (NIA)
☒ 2. Reserve Bank of India (RBI)
☒ 3. Election Commission of India (ECI)
☒ 4. Planning Commission

Question ID : **630680515493**

Option 1 ID : **6306802014380**

Option 2 ID : **6306802014377**

Option 3 ID : **6306802014378**

Option 4 ID : **6306802014379**

Status : **Answered**

Chosen Option : 3

Q.5 Which sports award is considered the highest sporting honour in India?

- Ans ☒ 1. Dronacharya Award
☒ 2. Padma Bhushan
☒ 3. Arjuna Award
☒ 4. Major Dhyan Chand Khel Ratna

Question ID : **630680515489**

Option 1 ID : **6306802014362**

Option 2 ID : **6306802014364**

Option 3 ID : **6306802014361**

Option 4 ID : **6306802014363**

Status : **Answered**

Chosen Option : 4

Q.6 Which article of the Indian Constitution deals with Fundamental Duties?

- Ans ☒ 1. Article 48A
☒ 2. Article 39C
☒ 3. Article 51A
☒ 4. Article 31B

Question ID : 630680515492

Option 1 ID : 6306802014376

Option 2 ID : 6306802014375

Option 3 ID : 6306802014374

Option 4 ID : 6306802014373

Status : Not Answered

Chosen Option : --

Q.7 What is the primary function of the Reserve Bank of India (RBI)?

- Ans ☒ 1. Implementing fiscal policy
☒ 2. Managing foreign relations
☒ 3. Conducting monetary policy
☒ 4. Regulating stock markets

Question ID : 630680515484

Option 1 ID : 6306802014344

Option 2 ID : 6306802014343

Option 3 ID : 6306802014341

Option 4 ID : 6306802014342

Status : Not Answered

Chosen Option : --

Q.8 Which of the following is a characteristic feature of the Animal Kingdom?

- Ans ☒ 1. Heterotrophic mode of nutrition
☒ 2. Autotrophic nutrition
☒ 3. Presence of chloroplasts
☒ 4. Cell walls made of cellulose

Question ID : 630680515494

Option 1 ID : 6306802014384

Option 2 ID : 6306802014382

Option 3 ID : 6306802014383

Option 4 ID : 6306802014381

Status : Answered

Chosen Option : 4

Q.9 What is the primary goal of sustainable development?

- Ans** ☒ 1. Exploitation of natural resources to meet current needs
- ☒ 2. Preservation of natural resources for future generations
- ☒ 3. Rapid economic growth at any cost
- ☒ 4. Immediate improvement of living standards without considering environmental impact

Question ID : **630680515485**

Option 1 ID : **6306802014348**

Option 2 ID : **6306802014346**

Option 3 ID : **6306802014345**

Option 4 ID : **6306802014347**

Status : **Answered**

Chosen Option : **2**

Q.10 What is the purpose of pasteurization in food processing?

- Ans** ☒ 1. To add flavour to the food.
- ☒ 2. To destroy pathogenic microorganisms present in the food
- ☒ 3. To increase the nutritional content of food.
- ☒ 4. To enhance the colour of the food.

Question ID : **630680515495**

Option 1 ID : **6306802014385**

Option 2 ID : **6306802014386**

Option 3 ID : **6306802014387**

Option 4 ID : **6306802014388**

Status : **Answered**

Chosen Option : **2**

Q.11 Which language is recognized as a Classical Language by the Government of India?

- Ans** ☒ 1. English
- ☒ 2. Hindi
- ☒ 3. Sanskrit
- ☒ 4. Bengali

Question ID : **630680515488**

Option 1 ID : **6306802014358**

Option 2 ID : **6306802014357**

Option 3 ID : **6306802014359**

Option 4 ID : **6306802014360**

Status : **Not Answered**

Chosen Option : **--**

Q.12 Which socio-religious reform movement in modern history aimed at eradicating social evils such as untouchability, caste discrimination, and promoting education and women's rights?

- Ans**
- ☒ 1. The Arya Samaj
 - ☒ 2. The Deoband Movement
 - ☒ 3. The Brahmo Samaj
 - ☒ 4. The Aligarh Movement

Question ID : **630680515486**

Option 1 ID : **6306802014351**

Option 2 ID : **6306802014350**

Option 3 ID : **6306802014349**

Option 4 ID : **6306802014352**

Status : **Not Answered**

Chosen Option : --

Section : **Reasoning**

**Q.1 Which of the following numbers will replace the question mark (?) in the given series?
14, 13, 15, 12, 16, 11, ?**

- Ans**
- ☒ 1. 16
 - ☒ 2. 17
 - ☒ 3. 15
 - ☒ 4. 18

Question ID : **630680515505**

Option 1 ID : **6306802014426**

Option 2 ID : **6306802014425**

Option 3 ID : **6306802014427**

Option 4 ID : **6306802014428**

Status : **Answered**

Chosen Option : 2

Q.2 Three Statements are given followed by two conclusions numbered I and II. Assuming the statements to be true, even if they seem to be at variance with commonly known facts, decide which of the conclusions logically follow(s) from the statements.

Statement I: All fruits are vegetables.
Statement II: Some vegetables are green.
Statement III: Some green things are ugly.

Conclusion I: Some vegetables are fruits.
Conclusion II: Some green things are not ugly.

- Ans**
- ☒ 1. Both conclusions I and II follow
 - ☒ 2. Only conclusion II follows
 - ☒ 3. Neither conclusion I nor II follows
 - ☒ 4. Only conclusion I follows

Question ID : **630680515498**

Option 1 ID : **6306802014399**

Option 2 ID : **6306802014398**

Option 3 ID : **6306802014400**

Option 4 ID : **6306802014397**

Status : **Answered**

Chosen Option : 1

Q.3 Which of the following numbers will replace the question mark (?) in the given series?
1076, ?, 688, 494, 300, 106

- Ans
- ☒ 1. 872
 - ☒ 2. 831
 - ☒ 3. 858
 - ☒ 4. 882

Question ID : 630680515504

Option 1 ID : 6306802014424

Option 2 ID : 6306802014421

Option 3 ID : 6306802014422

Option 4 ID : 6306802014423

Status : Answered

Chosen Option : 4

Q.4 In a certain code language, if RESCUE is coded as 'EUCRES' and HANDLE is coded as 'ELDHAN', then what will DANGER be coded as?

- Ans
- ☒ 1. REGDND
 - ☒ 2. REGDAN
 - ☒ 3. REGADN
 - ☒ 4. RGEDAN

Question ID : 630680515500

Option 1 ID : 6306802014406

Option 2 ID : 6306802014408

Option 3 ID : 6306802014405

Option 4 ID : 6306802014407

Status : Answered

Chosen Option : 2

Q.5 Rohan says, "Ajay's wife is the sister of my father's only son." How is Ajay related to Rohan?

- Ans
- ☒ 1. Sister's husband
 - ☒ 2. Husband
 - ☒ 3. Brother
 - ☒ 4. Mother's father

Question ID : 630680515501

Option 1 ID : 6306802014410

Option 2 ID : 6306802014412

Option 3 ID : 6306802014409

Option 4 ID : 6306802014411

Status : Answered

Chosen Option : 1

Q.6 Seven friends Alice, Bob, Carol, David, Eve, Frank, and Grace are sitting around a circular table facing the centre. Alice is sitting to the immediate right of Bob. Bob and Carol are neighbours. Frank is sitting exactly between David and Eve. Grace is not sitting next to Carol or Eve. Who is sitting between Alice and David?

- Ans ☒ 1. Grace
☒ 2. Bob
☒ 3. Frank
☒ 4. Eve

Question ID : 630680515496

Option 1 ID : 6306802014389

Option 2 ID : 6306802014390

Option 3 ID : 6306802014391

Option 4 ID : 6306802014392

Status : Answered

Chosen Option : 1

Q.7 Select the option that is related to the third number in the same way as the second number is related to the first number.
57 : 228 :: 79 : ?

- Ans ☒ 1. 329
☒ 2. 341
☒ 3. 316
☒ 4. 333

Question ID : 630680515508

Option 1 ID : 6306802014439

Option 2 ID : 6306802014440

Option 3 ID : 6306802014437

Option 4 ID : 6306802014438

Status : Answered

Chosen Option : 3

Q.8 Select the option that is related to the fifth word in the same way as the fourth word is related to the third word, and the second word is related to the first word.
KANGAROO : JOEY :: BEAR : ?

- Ans ☒ 1. Cub
☒ 2. Puppy
☒ 3. Calf
☒ 4. Chick

Question ID : 630680515502

Option 1 ID : 6306802014414

Option 2 ID : 6306802014416

Option 3 ID : 6306802014413

Option 4 ID : 6306802014415

Status : Not Answered

Chosen Option : --

Q.9 Four letter-clusters have been given, out of which three are alike in some manner and one is different. Select the odd letter-cluster.

- Ans ☒ 1. FGI
☒ 2. VWX
☒ 3. RSU
☒ 4. JKM

Question ID : 630680515503

Option 1 ID : 6306802014420

Option 2 ID : 6306802014419

Option 3 ID : 6306802014417

Option 4 ID : 6306802014418

Status : Answered

Chosen Option : 2

Q.10 Which two signs should be interchanged to make the given equation correct?
 $16 = 4 \times 5 \div 2 - 8 + 18$

- Ans ☒ 1. = and +
☒ 2. + and $\times$
☒ 3. + and -
☒ 4. - and =

Question ID : 630680515507

Option 1 ID : 6306802014436

Option 2 ID : 6306802014433

Option 3 ID : 6306802014434

Option 4 ID : 6306802014435

Status : Answered

Chosen Option : 1

Q.11 There are 133 boxes kept one above the other. What will be the position of the box from the bottom whose position from the top is 27th?

- Ans ☒ 1. 142
☒ 2. 123
☒ 3. 139
☒ 4. 107

Question ID : 630680515497

Option 1 ID : 6306802014395

Option 2 ID : 6306802014396

Option 3 ID : 6306802014393

Option 4 ID : 6306802014394

Status : Answered

Chosen Option : 4

Q.12 Which of the following letter will replace the question mark (?) in the given series?

R, U, X, A, D, ?

Ans  1. G

 2. I

 3. H

 4. F

Question ID : 630680515499

Option 1 ID : 6306802014401

Option 2 ID : 6306802014404

Option 3 ID : 6306802014403

Option 4 ID : 6306802014402

Status : Answered

Chosen Option : 1

Q.13 If, B denotes 'addition', C denotes 'division', and D denotes 'subtraction', then what will be the value of the following equation?

12 D 4 C 2 B 3 = ?

Ans  1. 12

 2. 13

 3. 15

 4. 14

Question ID : 630680515506

Option 1 ID : 6306802014432

Option 2 ID : 6306802014430

Option 3 ID : 6306802014429


Option 4 ID : 6306802014431

Status : Answered

Chosen Option : 2

Section : Question based on Computer Science Engineering

Q.1 The given finite automata is equivalent to which of the following regular expression?



Ans ☒ 1. $ab + (aa + bb)(a + b)^*b$

☒ 2. $(a + b)^*(aa + bb)(a + b)^*$

☒ 3. $ab(aa + b)(a + b)^*a$

☒ 4. $ab(aa + bb)(a + b)^*b$

Question ID : 630680515545

Option 1 ID : 6306802014587

Option 2 ID : 6306802014585

Option 3 ID : 6306802014588

Option 4 ID : 6306802014586

Status : Answered

Chosen Option : 1

Q.2 Which of the following statement is CORRECT with reference to syntax-directed Translation Schemes?

I. Synthesized translation defines the value of the translation of the nonterminal on the left side of the production as a function of the translations of the nonterminal on the right side.

II. Translation of a non-terminal on the right side of the production is defined in terms of a translation of the non-terminal on left. Such translation is called inherited translation.

Ans ☒ 1. Neither I nor II

☒ 2. Both I and II

☒ 3. Only I

☒ 4. Only II

Question ID : 630680515556

Option 1 ID : 6306802014632

Option 2 ID : 6306802014631

Option 3 ID : 6306802014629

Option 4 ID : 6306802014630

Status : Answered

Chosen Option : 2

Q.3 Given an array X = (22, 33, 55, 88, 96) and key = 88

How many iterations are required to find the key using binary search?

- Ans ☒ 1. 1
☒ 2. 2
☒ 3. 4
☒ 4. 3

Question ID : 630680515535

Option 1 ID : 6306802014545

Option 2 ID : 6306802014546

Option 3 ID : 6306802014548

Option 4 ID : 6306802014547

Status : Answered

Chosen Option : 2

Q.4 Which of the following change brought about by the iterative waterfall model to the classical waterfall model?

- Ans ☒ 1. Easy to accommodate change request
☒ 2. Efficient error correction
☒ 3. Overlapping of phases
☒ 4. Addition of feedback paths

Question ID : 630680515585

Option 1 ID : 6306802014746

Option 2 ID : 6306802014747

Option 3 ID : 6306802014748

Option 4 ID : 6306802014745

Status : Not Answered

Chosen Option : --

Q.5 Which of the following statement is CORRECT?

I. An input device is an electromechanical device that accepts data from the outside world and translates it into a form a computer can interpret.

II. An output device is an electromechanical device that accepts data from a computer and translates them into a form suitable for use by outside world.

- Ans ☒ 1. Both I and II
☒ 2. Only I
☒ 3. Only II
☒ 4. Neither I nor II

Question ID : 630680515520

Option 1 ID : 6306802014487

Option 2 ID : 6306802014485


Option 3 ID : 6306802014486

Option 4 ID : 6306802014488

Status : Answered

Chosen Option : 2

Q.6 What is the minimum cost of the spanning tree of the given graph?



Ans ✓ 1. 14

✗ 2. 13

✗ 3. 11

✗ 4. 12

Question ID : 630680515531

Option 1 ID : 6306802014532

Option 2 ID : 6306802014531

Option 3 ID : 6306802014529

Option 4 ID : 6306802014530

Status : Answered

Chosen Option : 1

Q.7 Identify the category of the multithreading which allow a program to continue running even if part of it is blocked or is performing a lengthy operation.

Ans ✓ 1. Responsiveness

✗ 2. Scalability

✗ 3. Resource sharing

✗ 4. Economy

Question ID : 630680515561

Option 1 ID : 6306802014650

Option 2 ID : 6306802014652

Option 3 ID : 6306802014649

Option 4 ID : 6306802014651

Status : Answered

Chosen Option : 1

Q.8 Mixture of milk and water in three bottles of equal capacity is in the ratio 3 : 4, 1 : 2 and 9 : 5 respectively. These three bottles are emptied into a large bottle. What will be the ratio of milk and water respectively in the large bottle?

- Ans
- ☒ 1. 59 : 57
 - ☒ 2. 69 : 57
 - ☒ 3. 49 : 37
 - ☒ 4. 59 : 67

Question ID : 630680515604

Option 1 ID : 6306802014824

Option 2 ID : 6306802014823

Option 3 ID : 6306802014822

Option 4 ID : 6306802014821

Status : Answered

Chosen Option : 4

Q.9 Which of the following statement is CORRECT regarding FLIP-FLOPS?

- I. A FLIP-FLOP circuit can maintain a binary state indefinitely (as long as power is applied) until directed by an input signal to switch states.
II. The major differences among various types of FLIP-FLOPS are in the number of inputs they possess and in the manner in which the inputs affect the binary state.

- Ans
- ☒ 1. Only I
 - ☒ 2. Both I and II
 - ☒ 3. Neither I nor II
 - ☒ 4. Only II

Question ID : 630680515517

Option 1 ID : 6306802014473

Option 2 ID : 6306802014475

Option 3 ID : 6306802014476

Option 4 ID : 6306802014474

Status : Answered

Chosen Option : 2

Q.10 Context free grammar is _____ grammar according to the Chomsky hierarchy.

- Ans
- ☒ 1. Type 3
 - ☒ 2. Type 1
 - ☒ 3. Type 0
 - ☒ 4. Type 2

Question ID : 630680515546

Option 1 ID : 6306802014589

Option 2 ID : 6306802014591

Option 3 ID : 6306802014592

Option 4 ID : 6306802014590

Status : Answered

Chosen Option : 4

Q.11 Which of the following is NOT the necessary condition for the deadlock?

- Ans ☒ 1. Hold and wait
☒ 2. Mutual exclusion
☒ 3. Preemption
☒ 4. Circular wait

Question ID : 630680515565

Option 1 ID : 6306802014666

Option 2 ID : 6306802014665

Option 3 ID : 6306802014667

Option 4 ID : 6306802014668

Status : Answered

Chosen Option : 3

Q.12 In First-Come-First-Served CPU scheduling algorithm when all the other processes wait for one big process to get off the CPU is known as _____.

- Ans ☒ 1. Aging
☒ 2. Belady's Anomaly
☒ 3. Convoy effect
☒ 4. Starvation

Question ID : 630680515563

Option 1 ID : 6306802014659

Option 2 ID : 6306802014660

Option 3 ID : 6306802014657

Option 4 ID : 6306802014658

Status : Answered

Chosen Option : 3

Q.13 Which of the following statement is CORRECT about software testing?

- I. White box testing is performed early in the testing phase.
II. Black box testing tends to be applied during later stages of testing.

- Ans ☒ 1. Only II
☒ 2. Only I
☒ 3. Both I and II
☒ 4. Neither I nor II

Question ID : 630680515592

Option 1 ID : 6306802014774

Option 2 ID : 6306802014773

Option 3 ID : 6306802014775

Option 4 ID : 6306802014776

Status : Not Answered

Chosen Option : --

Q.14 Match the phases of compiler with its function.

	Phases		Function
I	Intermediate code generator	1	Keeps track of the names used by the program
II	Code generation	2	Create a stream of simple instructions
III	Table management	3	Produces the object code

Ans ✓ 1. I – 2; II – 3; III – 1

✗ 2. I – 1; II – 3; III – 2

✗ 3. I – 1; II – 2; III – 3

✗ 4. I – 2; II – 1; III – 3

Question ID : **630680515552**

Option 1 ID : **6306802014613**

Option 2 ID : **6306802014616**

Option 3 ID : **6306802014614**

Option 4 ID : **6306802014615**

Status : **Answered**

Chosen Option : 1

Q.15 Convert $(1111)_2$ into decimal equivalents.

Ans ✗ 1. 11

✗ 2. 20

✓ 3. 15

✗ 4. 16

Question ID : **630680515525**

Option 1 ID : **6306802014505**

Option 2 ID : **6306802014508**

Option 3 ID : **6306802014506**

Option 4 ID : **6306802014507**

Status : **Answered**

Chosen Option : 3

Q.16 A _____ defines an action the database should take when same database-related event occurs that causes a change in the content of a table in a database.

Ans ✗ 1. Field

✗ 2. Relation

✓ 3. Trigger

✗ 4. Hit

Question ID : **630680515574**

Option 1 ID : **6306802014703**

Option 2 ID : **6306802014702**

Option 3 ID : **6306802014701**

Option 4 ID : **6306802014704**

Status : **Answered**

Chosen Option : 3

Q.17 Which of the following statement is correct regarding complements?

- I. Complements are used in digital computers for simplifying the subtraction operation and for logical manipulations.
II. There are two types of complements for each base-r system: the r's complement and (r-1)'s complement.

Ans ☒ 1. Only I
☒ 2. Only II
☒ 3. Both I and II
☒ 4. Neither I nor II

Question ID : **630680515511**
Option 1 ID : **6306802014449**
Option 2 ID : **6306802014450**
Option 3 ID : **6306802014451**
Option 4 ID : **6306802014452**
Status : **Answered**
Chosen Option : **3**

Q.18 In context of computer Database, _____ language includes command to enable users to enter and manipulate data in a database.

Ans ☒ 1. Data Integrity
☒ 2. Data Security
☒ 3. Data Manipulation
☒ 4. Data Definition

Question ID : **630680515569**
Option 1 ID : **6306802014684**
Option 2 ID : **6306802014683**
Option 3 ID : **6306802014682**
Option 4 ID : **6306802014681**
Status : **Answered**
Chosen Option : **3**

Q.19 In any computer network, a communication protocol normally perform, which of the following functions for efficient and error free transmission of data?

- I. Data Routing
II. Procedure and order of Transmission
III. Data security
IV. Data formatting

Ans ☒ 1. Only I, III, IV
☒ 2. I, II, III and IV
☒ 3. Only I, II and III
☒ 4. Only II, III and IV

Question ID : **630680515581**
Option 1 ID : **6306802014731**
Option 2 ID : **6306802014732**
Option 3 ID : **6306802014729**
Option 4 ID : **6306802014730**
Status : **Not Answered**
Chosen Option : **--**

Q.20 Which of the following is the CORRECT for O- notation?

Ans ☒ 1.

$O(g(n)) = \{f(n): \text{there exist positive constant } C \text{ and } n_0 \text{ such that } O \leq f(n) \leq cg(n) \text{ for all } n \geq n_0\}$

☒ 2.

$O(g(n)) = \{f(n): \text{there exist positive constant } C_1, C_2 \text{ and } n_0 \text{ such that } O \leq C_1 g(n) \leq f(n) \leq C_2 g(n) \text{ for all } n \geq n_0\}$

☒ 3.

$O(g(n)) = \{f(n): \text{there exist positive constant } C \text{ and } n_0 \text{ such that } O \leq C g(n) \leq f(n) \text{ for all } n \geq n_0\}$

☒ 4.

$O(g(n)) = \{f(n): \text{there exist positive constant } C \text{ and } n_0 \text{ such that } O \geq f(n) \geq cg(n) \text{ for all } n \geq n_0\}$

Question ID : **630680515540**

Option 1 ID : **6306802014565**

Option 2 ID : **6306802014568**

Option 3 ID : **6306802014567**

Option 4 ID : **6306802014566**

Status : **Answered**

Chosen Option : 1

Q.21 What is the total number of swaps performed to sort the following list of elements 18, 32, 17, 19, 41, 15, 23 in an ascending order, using bubble sort?

Ans ☒ 1. 13

☒ 2. 12

☒ 3. 10

☒ 4. 11

Question ID : **630680515536**

Option 1 ID : **6306802014549**

Option 2 ID : **6306802014550**

Option 3 ID : **6306802014552**

Option 4 ID : **6306802014551**

Status : **Answered**

Chosen Option : 3

Q.22 Match the component of software architecture with its roles.

	Component		Role
I	Control component	1	That implements a complete or partial function i.e. required by the customer
II	Problem domain component	2	Responsible for function that support the processing required in the problem domain
III	Infrastructure component	3	Co-ordinate the invocation of all other problem domain components

Ans ☒ 1. I - 1; II - 2; III - 3

☒ 2. I - 3; II - 1; III - 2

☒ 3. I - 1; II - 3; III - 2

☒ 4. I - 3; II - 2; III - 1

Question ID : **630680515587**

Option 1 ID : **6306802014754**

Option 2 ID : **6306802014755**

Option 3 ID : **6306802014756**

Option 4 ID : **6306802014753**

Status : **Not Answered**

Chosen Option : --

Q.23 In context to Database management system which of the following is **CORRECT** regarding query by example?

I. A Query by example form collects all information from a user for composing query language statements for search criterion.

II. Query by example relieves users from remembering query language keywords and using them with correct syntax to form quires.

- Ans** ☒ 1. Both I and II
☐ 2. Only II
☐ 3. Only I
☐ 4. Neither I nor II

Question ID : **630680515571**

Option 1 ID : **6306802014691**

Option 2 ID : **6306802014690**

Option 3 ID : **6306802014689**

Option 4 ID : **6306802014692**

Status : **Not Answered**

Chosen Option : --

Q.24 In context of OSI model of computer networks _____ layer provides services that directly support end users of networks and is a collection of miscellaneous protocols for various commonly used applications such as electronic mail, file transfer etc.

- Ans** ☐ 1. Presentation
☐ 2. Session
☐ 3. Transport
☒ 4. Application

Question ID : **630680515580**

Option 1 ID : **6306802014725**

Option 2 ID : **6306802014727**




Option 3 ID : **6306802014728**

Option 4 ID : **6306802014726**

Status : **Answered**

Chosen Option : 4

Q.25 Match the following network diagram with the correct topology.

	Network diagram		Topology
I		1	Ring network
II		2	Bus network
III		3	Star network

Ans ☒ 1. I - 1; II - 3; III - 2

☒ 2. I - 3; II - 2; III - 1

☒ 3. I - 1; II - 2; III - 3

☒ 4. I - 3; II - 1; III - 2

Question ID : **630680515578**

Option 1 ID : **6306802014719**

Option 2 ID : **6306802014720**

Option 3 ID : **6306802014717**

Option 4 ID : **6306802014718**

Status : **Answered**

Chosen Option : **4**

Q.26 Which of the following statement is **CORRECT** regarding Referential Integrity Constants in Relational Database Management System?

I. Referential Integrity Constants is a rule that maintains consistency among the rows of two tables (relations).

II. Referential Integrity rule States that of there is a foreign key in one relation, either each foreign key value must match a primary key value in the other table or else the foreign key value must be null.

- Ans ☒ 1. Only II
☒ 2. Both I and II
☒ 3. Only I
☒ 4. Neither I nor II

Question ID : **630680515573**

Option 1 ID : **6306802014698**

Option 2 ID : **6306802014699**

Option 3 ID : **6306802014697**

Option 4 ID : **6306802014700**

Status : **Answered**

Chosen Option : **2**

Q.27 Match the following algorithms with the data structure it uses.

	Algorithm		Data structure
I	Breadth first search	1	Stacks
II	Heap sort	2	Queue
III	Depth first search	3	Arrays

- Ans ☒ 1. I – 2; II – 3; III – 1
☒ 2. I – 3; II – 2, III – 1
☒ 3. I – 1; II – 2; III – 3
☒ 4. I – 3; II – 1; III – 2

Question ID : **630680515530**

Option 1 ID : **6306802014525**

Option 2 ID : **6306802014528**

Option 3 ID : **6306802014527**

Option 4 ID : **6306802014526**

Status : **Answered**

Chosen Option : **1**

Q.28 Database designers use _____ to define the structure of a database (database scheme) which typically includes definition of all data elements of the database and organization of data elements into records, tables etc.

- Ans** ☒ 1. Data Manipulation Language
☒ 2. Data Definition Language
☒ 3. Query by example
☒ 4. Find Command Language

Question ID : 630680515568

Option 1 ID : 6306802014677

Option 2 ID : 6306802014679

Option 3 ID : 6306802014678

Option 4 ID : 6306802014680

Status : Answered

Chosen Option : 2

Q.29 Which of the following algorithms is an example of the divide and conquer approach?

- Ans** ☒ 1. Longest common subsequence
☒ 2. Quick sort
☒ 3. Prim's algorithm
☒ 4. Matrix-chain multiplication

Question ID : 630680515534

Option 1 ID : 6306802014544

Option 2 ID : 6306802014541

Option 3 ID : 6306802014542

Option 4 ID : 6306802014543

Status : Answered

Chosen Option : 2

Q.30 Match the machine learning technique with its way of working.

	Machine learning type		Methods
I	Supervised learning	1	Utilizes data that is not labelled and attempts to find patterns by clustering similar objects together
II	Unsupervised learning	2	Work on the principle of reward and punishment
III	Reinforcement	3	Utilizes a labelled dataset

- Ans** ☒ 1. I – 1; II – 3; III – 2
☒ 2. I – 3; II – 2; III – 1
☒ 3. I – 1; II – 2; III – 3
☒ 4. I – 3; II – 1; III – 2

Question ID : 630680515593

Option 1 ID : 6306802014779

Option 2 ID : 6306802014777

Option 3 ID : 6306802014778

Option 4 ID : 6306802014780

Status : Answered

Chosen Option : 4

Q.31 Which of the following pair is CORRECT?

- I. Half adder - A combinational circuit that performs the addition of two bits
 II. Full adder - A combinational circuit that performs the addition of three bits

- Ans ☒ 1. Only I
☒ 2. Neither I nor II
☒ 3. Both I and II
☒ 4. Only II

Question ID : **630680515514**

Option 1 ID : **6306802014461**

Option 2 ID : **6306802014464**

Option 3 ID : **6306802014463**

Option 4 ID : **6306802014462**

Status : **Answered**

Chosen Option : **3**

Q.32 Which of the following formula is used to calculate the sensitivity of a model?

- Ans ☒ 1. $\frac{FP}{TP + FN}$
☒ 2. $\frac{TN}{TP + FN}$
☒ 3. $\frac{TP}{TP + FN}$
☒ 4. $\frac{FN}{TP + FN}$

Question ID : **630680515599**

Option 1 ID : **6306802014804**

Option 2 ID : **6306802014801**

Option 3 ID : **6306802014803**

Option 4 ID : **6306802014802**

Status : **Not Answered**

Chosen Option : **--**

Q.33 Match the following type of software maintenance to the situation where it carried out.

	Maintenance		Situation
I	Corrective	1	Carried out to improve the performance of the system or to enhance the functionalities of the system
II	Perfective	2	Usually required for porting the software to work in new environment
III	Adaptive	3	Carried out to correct errors that were not discovered during the product development phase

Ans ☒ 1. I – 3; II – 1; III – 2

☒ 2. I – 1; II – 3; III – 2

☒ 3. I – 1; II – 2; III – 3

☒ 4. I – 3; II – 2; III – 1

Question ID : **630680515584**

Option 1 ID : **6306802014743**

Option 2 ID : **6306802014744**

Option 3 ID : **6306802014742**

Option 4 ID : **6306802014741**

Status : **Answered**

Chosen Option : 1

Q.34 As per ISO 25010 quality model which of the following is not the characteristics which describe quality in use model?

Ans ☒ 1. Effectiveness

☒ 2. Satisfaction

☒ 3. Compatibility

☒ 4. Efficiency

Question ID : **630680515591**

Option 1 ID : **6306802014769**

Option 2 ID : **6306802014772**

Option 3 ID : **6306802014771**

Option 4 ID : **6306802014770**

Status : **Not Answered**

Chosen Option : --

Q.35 Consider the following queue of character, implemented using array of 7 memory, Front = 3 Rear = 4 Queue: -, -, A, B, __, __, __, where '-', denote empty memory cell. What is the value of front and rear after the following operation?

Enqueue C, D

Dequeue

Enqueue E, F

Dequeue

Ans ☒ 1. Front = 3 Rear = 6

☒ 2. Front = 4 Rear = 7

☒ 3. Front = 5 Rear = 1

☒ 4. Front = 1 Rear = 4

Question ID : **630680515529**

Option 1 ID : **6306802014524**

Option 2 ID : **6306802014523**

Option 3 ID : **6306802014522**

Option 4 ID : **6306802014521**

Status : **Answered**

Chosen Option : 3

Q.36 If $w : x : y = 3 : 5 : 2$ and $y : z = 2 : 5$, then what is the value of $w : x : y : z$?

- Ans ☒ 1. $4 : 5 : 3 : 5$
☒ 2. $3 : 5 : 2 : 5$
☒ 3. $2 : 5 : 2 : 5$
☒ 4. $3 : 5 : 2 : 4$

Question ID : 630680515602
Option 1 ID : 6306802014816
Option 2 ID : 6306802014814
Option 3 ID : 6306802014815
Option 4 ID : 6306802014813
Status : Answered
Chosen Option : 2

Q.37 A _____ is a combinational circuit that selects binary information from one of many input lines and directs it to a single output line.

- Ans ☒ 1. half adder
☒ 2. full adder
☒ 3. digital multiplexer
☒ 4. half subtractor

Question ID : 630680515516
Option 1 ID : 6306802014469
Option 2 ID : 6306802014472
Option 3 ID : 6306802014470
Option 4 ID : 6306802014471
Status : Answered
Chosen Option : 3

Q.38 In context of computer networks which of the following is a data transmission mode?

- I. Simplex
II. Half Simplex
III. Full Duplex

- Ans ☒ 1. Only I and III
☒ 2. Only I and II
☒ 3. I, II and III
☒ 4. Only II and III

Question ID : 630680515576
Option 1 ID : 6306802014711
Option 2 ID : 6306802014709
Option 3 ID : 6306802014712
Option 4 ID : 6306802014710
Status : Answered
Chosen Option : 3

Q.39 Which of the following is NOT the problems of synchronization?

- Ans ☒ 1. The Bounded-Buffer problem
☒ 2. The Readers-Writer problem
☒ 3. The Knapsack problem
☒ 4. The Dining-Philosophers problem

Question ID : 630680515564

Option 1 ID : 6306802014661

Option 2 ID : 6306802014663

Option 3 ID : 6306802014662

Option 4 ID : 6306802014664

Status : Answered

Chosen Option : 3

Q.40 Which of the following is the type of parallel processor system as per Flynn's taxonomy?

- I. Single instruction, single data (SISD) stream
II. Single instruction, multiple data (SIMD) stream

- Ans ☒ 1. Both I and II
☒ 2. Neither I nor II
☒ 3. Only I
☒ 4. Only II

Question ID : 630680515518

Option 1 ID : 6306802014479

Option 2 ID : 6306802014480

Option 3 ID : 6306802014477

Option 4 ID : 6306802014478

Status : Answered

Chosen Option : 1

Q.41 Which of the following is NOT a process state?

- Ans ☒ 1. Running
☒ 2. Ready
☒ 3. Start
☒ 4. New

Question ID : 630680515559

Option 1 ID : 6306802014643

Option 2 ID : 6306802014644

Option 3 ID : 6306802014641

Option 4 ID : 6306802014642

Status : Answered

Chosen Option : 3

Q.42 What is the decimal conversion of $(630.4)_8$?

- Ans ☒ 1. 650
☒ 2. 640.4
☒ 3. 408.5
☒ 4. 670

Question ID : 630680515510
Option 1 ID : 6306802014447
Option 2 ID : 6306802014446
Option 3 ID : 6306802014445
Option 4 ID : 6306802014448
Status : Answered
Chosen Option : 3

Q.43 Which of the following is the external sorting?

- Ans ☒ 1. Selection sort
☒ 2. Merge sort
☒ 3. Insertion sort
☒ 4. Quick sort

Question ID : 630680515539
Option 1 ID : 6306802014563
Option 2 ID : 6306802014564
Option 3 ID : 6306802014561
Option 4 ID : 6306802014562
Status : Not Answered
Chosen Option : --

Q.44 Consider a hash table with 10 slots. What is the sequence of the following elements in a hash table if hash function is $k \text{ mode } 10$ and the collision is resolved using liner probing?

44, 26, 12, 93, 80, 57, 56, 23, 46, 36

- Ans ☒ 1. 80, 46, 12, 93, 44, 23, 26, 57, 56, 36
☒ 2. 80, 36, 12, 93, 44, 23, 26, 57, 56, 46
☒ 3. 12, 23, 26, 36, 44, 46, 56, 57, 80, 93
☒ 4. 80, 36, 12, 93, 44, 23, 26, 56, 46, 57

Question ID : 630680515538
Option 1 ID : 6306802014559
Option 2 ID : 6306802014558
Option 3 ID : 6306802014557
Option 4 ID : 6306802014560
Status : Answered
Chosen Option : 2

Q.45 Which view of the quality argues that quality is something you immediately recognize but cannot explicitly define according to David Galvin of the Harvard Business school?

- Ans**
- ☒ 1. Product view
 - ☒ 2. Transcendental view
 - ☒ 3. Manufacturer's view
 - ☒ 4. User view

Question ID : **630680515590**
Option 1 ID : **6306802014768**
Option 2 ID : **6306802014765**
Option 3 ID : **6306802014767**
Option 4 ID : **6306802014766**
Status : **Not Answered**
Chosen Option : --

Q.46 Which of the following is NOT part of the mechanical diagram of the Turing machine?

- Ans**
- ☒ 1. Input tape
 - ☒ 2. Finite control
 - ☒ 3. Read-write head
 - ☒ 4. Queue

Question ID : **630680515550**
Option 1 ID : **6306802014605**
Option 2 ID : **6306802014607**
Option 3 ID : **6306802014606**
Option 4 ID : **6306802014608**
Status : **Answered**
Chosen Option : 4

Q.47 The time dispatcher takes and for the dispatcher to stop one process and start another running is known as _____.

- Ans**
- ☒ 1. dispatch latency
 - ☒ 2. dispatch response time
 - ☒ 3. dispatch turnaround time
 - ☒ 4. dispatch wasting time

Question ID : **630680515562**
Option 1 ID : **6306802014655**
Option 2 ID : **6306802014654**
Option 3 ID : **6306802014653**
Option 4 ID : **6306802014656**
Status : **Not Answered**
Chosen Option : --

Q.48 In context of Database, which of the following is the CORRECT order for creating a database?

A → Defining its structure (scheme)

B → Entering data into the database

C → Designing forms (custom screens) for displaying and entering data

Ans ☒ 1. C → A → B

☒ 2. A → C → B

☒ 3. A → B → C

☒ 4. B → A → C

Question ID : 630680515567

Option 1 ID : 6306802014676

Option 2 ID : 6306802014675

Option 3 ID : 6306802014673

Option 4 ID : 6306802014674

Status : Answered

Chosen Option : 2

Q.49 A process is _____, if it cannot affect or be affected by the other processes executing in the system.

Ans ☒ 1. independent

☒ 2. self-supporting

☒ 3. dependent

☒ 4. co-operating

Question ID : 630680515560

Option 1 ID : 6306802014647

Option 2 ID : 6306802014648

Option 3 ID : 6306802014646

Option 4 ID : 6306802014645

Status : Answered

Chosen Option : 1

Q.50 Consider 2 dimensional array A[10][15]. Assume that each element takes one memory location and base address of array A is 100. Consider the lower bound of row and column as 0. What is the address of A[i][j] if array A is stored in row major from?

Ans ☒ 1. $10i + j + 100$

☒ 2. $i + 15j + 100$

☒ 3. $i + 10j + 100$

☒ 4. $15i + j + 100$

Question ID : 630680515526

Option 1 ID : 6306802014510

Option 2 ID : 6306802014511

Option 3 ID : 6306802014512

Option 4 ID : 6306802014509

Status : Answered

Chosen Option : 4

Q.51 In context of computer networks, based on data transmission speed which of the following are the bases categories of communication channels (paths)?

- I. Narrow band
- II. Voice band
- III. Broad band

Ans ☒ 1. Only I and II
☒ 2. I, II and III
☒ 3. Only I and III
☒ 4. Only II and III

Question ID : 630680515577
 Option 1 ID : 6306802014713
 Option 2 ID : 6306802014716
 Option 3 ID : 6306802014715
 Option 4 ID : 6306802014714
 Status : Not Answered
 Chosen Option : --

Q.52 _____ acts as a high-speed buffer between CPU and main memory and computer systems use it to store temporarily very active data and instructions during processing.

Ans ☒ 1. EPROM
☒ 2. Flash memory
☒ 3. PROM
☒ 4. Cache memory

Question ID : 630680515519
 Option 1 ID : 6306802014482
 Option 2 ID : 6306802014484
 Option 3 ID : 6306802014483
 Option 4 ID : 6306802014481
 Status : Answered
 Chosen Option : 4

Q.53 Match of the language with its machine format.

	Language		Machine
I	Unrestricted language	1	Finite automata
II	Context sensitive language	2	Push down automata
III	Context free language	3	Linear bounded automata
IV	Regular expression	4	Turing machine

Ans ☒ 1. I – 4; II – 2; III – 1; IV – 3
☒ 2. I – 3; II – 4; III – 1; IV – 2
☒ 3. I – 2; II – 3; III – 4; IV – 1
☒ 4. I – 4; II – 3; III – 2; IV – 1

Question ID : 630680515547
 Option 1 ID : 6306802014595
 Option 2 ID : 6306802014594
 Option 3 ID : 6306802014593
 Option 4 ID : 6306802014596
 Status : Answered
 Chosen Option : 4

Q.54 What is the least number which when divided by 12, 16, 18 and 30 leaves a remainder of 4 in each case but is completely divisible by 7?

- Ans ☒ 1. 2884
☐ 2. 4242
☐ 3. 2324
☐ 4. 4245

Question ID : 630680515606

Option 1 ID : 6306802014831

Option 2 ID : 6306802014829

Option 3 ID : 6306802014832

Option 4 ID : 6306802014830

Status : Answered

Chosen Option : 1

Q.55 Which derivation is also known as canonical derivations?

- Ans ☐ 1. Right most derivations in reverse
☐ 2. Left most derivation
☐ 3. Left most derivation in reverse
☒ 4. Right most derivation

Question ID : 630680515554

Option 1 ID : 6306802014621

Option 2 ID : 6306802014623

Option 3 ID : 6306802014622

Option 4 ID : 6306802014624

Status : Answered

Chosen Option : 1

Q.56 Name the phase of the unified process model where customer communication and planning take place.

- Ans ☐ 1. Transition phase
☐ 2. Construction phase
☐ 3. Elaboration phase
☒ 4. Inception phase

Question ID : 630680515586

Option 1 ID : 6306802014752

Option 2 ID : 6306802014751

Option 3 ID : 6306802014750

Option 4 ID : 6306802014749

Status : Not Answered

Chosen Option : --

Q.57 Which of the following is the mostly used activation function in the area of deep learning?

- Ans ☒ 1. Step function
☒ 2. Sigmoid function
☒ 3. Identity function
☒ 4. Rectified linear unit function

Question ID : 630680515600

Option 1 ID : 6306802014806

Option 2 ID : 6306802014808

Option 3 ID : 6306802014807

Option 4 ID : 6306802014805

Status : Answered

Chosen Option : 2

Q.58 Which of the following pair is CORRECT?

I. Associative law : $(x*y)*z = x*(y*z)$

II. Distributive law : $x*(y+z) = (x*y)+(x*z)$

- Ans ☒ 1. Both I and II
☒ 2. Neither I nor II
☒ 3. Only I
☒ 4. Only II

Question ID : 630680515512

Option 1 ID : 6306802014455

Option 2 ID : 6306802014456

Option 3 ID : 6306802014453

Option 4 ID : 6306802014454

Status : Answered

Chosen Option : 1

Q.59 Which of the following array representation is CORRECT for the max heap of the following data elements?

20, 30, 70, 10, 5, 50, 80

- Ans ☒ 1. 70, 20, 80, 10, 5, 30, 50
☒ 2. 80, 20, 70, 10, 5, 30, 50
☒ 3. 80, 70, 50, 30, 20, 10, 5
☒ 4. 5, 10, 20, 30, 50, 70, 80

Question ID : 630680515533

Option 1 ID : 6306802014539

Option 2 ID : 6306802014540

Option 3 ID : 6306802014538

Option 4 ID : 6306802014537

Status : Answered

Chosen Option : 2

Q.60 Which of the following pair of Application layer protocol of OSI model and its services is CORRECT?

I. X.400 – Directory

II. X.500 – Electronic Mail protocol

Ans ☒ 1. Neither I nor II

☐ 2. Only II

☐ 3. Only I

☐ 4. Both I and II

Question ID : 630680515582

Option 1 ID : 6306802014736

Option 2 ID : 6306802014734

Option 3 ID : 6306802014733

Option 4 ID : 6306802014735

Status : Not Answered

Chosen Option : --

Q.61 Which of the following is NOT the part of the organization of C programming language Activation Record?

Ans ☐ 1. Local data

☐ 2. Return address

☐ 3. Argument count

☒ 4. Formal parameters

Question ID : 630680515557

Option 1 ID : 6306802014634

Option 2 ID : 6306802014636

Option 3 ID : 6306802014635

Option 4 ID : 6306802014633

Status : Answered

Chosen Option : 3

Q.62 What is the output of the following postfix expression?

5, 6, 2, +, *, 8, 4, /, –

Ans ☒ 1. 38

☐ 2. 36

☐ 3. 39

☐ 4. 37

Question ID : 630680515528

Option 1 ID : 6306802014519

Option 2 ID : 6306802014517

Option 3 ID : 6306802014520

Option 4 ID : 6306802014518

Status : Answered

Chosen Option : 1

Q.63

What is the value of $\frac{21}{46} \div \frac{1}{6}$ of $\frac{23}{42} + \frac{96}{576} \times \frac{24}{3} - \left(\frac{88}{56} \times \frac{7}{9} \div \frac{5}{36} \right)$?

Ans

- ☒ 1. $\frac{7}{2}$
- ☒ 2. $\frac{11}{2}$
- ☒ 3. $\frac{9}{2}$
- ☒ 4. $\frac{5}{2}$

Question ID : 630680515605

Option 1 ID : 6306802014827

Option 2 ID : 6306802014825

Option 3 ID : 6306802014826

Option 4 ID : 6306802014828

Status : Not Attempted and Marked For Review

Chosen Option : --

Q.64 Sort the following list using radix sort:

429, 557, 757, 939, 536, 820, 455

What is the output of the algorithm after the first pass?

- Ans ☒ 1. 939, 820, 757, 557, 536, 455, 429
- ☒ 2. 429, 455, 557, 536, 757, 820, 939
- ☒ 3. 820, 455, 536, 557, 757, 429, 939
- ☒ 4. 820, 429, 536, 939, 455, 557, 757

Question ID : 630680515537

Option 1 ID : 6306802014556

Option 2 ID : 6306802014555

Option 3 ID : 6306802014553

Option 4 ID : 6306802014554

Status : Answered

Chosen Option : 3

Q.65 Which of the following is the single path shortest path algorithm?

- Ans ☒ 1. Dijkstra's algorithm
- ☒ 2. Binary search
- ☒ 3. Topological sort
- ☒ 4. Tree search

Question ID : 630680515541

Option 1 ID : 6306802014571

Option 2 ID : 6306802014570

Option 3 ID : 6306802014569

Option 4 ID : 6306802014572

Status : Answered

Chosen Option : 1

Q.66 The following C function is an example of what type of recursion?

```
int f(int n)
{
    if(n==1)
        return 1;
    else if(n==0)
        return 0;
    else
        return(f(n-1)+f(n-2));
}
```

- Ans  1. Linear
 2. Tail
 3. Head
 4. Binary

Question ID : 630680515527

Option 1 ID : 6306802014513

Option 2 ID : 6306802014515

Option 3 ID : 6306802014516

Option 4 ID : 6306802014514

Status : Answered

Chosen Option : 4

Q.67 Which of the following is NOT the action performed by a shift – reduce parser?

- Ans  1. Error
 2. Debase
 3. Accept
 4. Shift

Question ID : 630680515555

Option 1 ID : 6306802014628

Option 2 ID : 6306802014626

Option 3 ID : 6306802014627

Option 4 ID : 6306802014625

Status : Answered

Chosen Option : 2

Q.68 Which of the following statement is CORRECT regarding Entropy of which is a measurement the uncertainty in data?

- I. Low entropy indicates that the data labels are quite uniform.
II. High entropy means the labels are in chaos.

Ans ☒ 1. Both I and II

☐ 2. Only II

☐ 3. Neither I nor II

☐ 4. Only I

Question ID : 630680515597

Option 1 ID : 6306802014795

Option 2 ID : 6306802014794

Option 3 ID : 6306802014796

Option 4 ID : 6306802014793

Status : Answered

Chosen Option : 1

Q.69 In context of OSI model of computer networks, which of the following is a Transport Layer Protocol?

- I. Transport Control Protocol
II. User Datagram Protocol

Ans ☐ 1. Only II

☐ 2. Neither I nor II

☒ 3. Both I and II

☐ 4. Only I

Question ID : 630680515579

Option 1 ID : 6306802014722

Option 2 ID : 6306802014724

Option 3 ID : 6306802014723

Option 4 ID : 6306802014721

Status : Answered

Chosen Option : 3

Q.70 Which of the given option is CORRECT?

Ans ☐ 1. $(16/19) < (3/7) < (40/90)$

☒ 2. $(17/27) < (15/22) < (13/17)$

☐ 3. $(2/5) < (11/13) < (90/110)$

☐ 4. $(4/9) < (3/8) < (2/7)$

Question ID : 630680515608

Option 1 ID : 6306802014837

Option 2 ID : 6306802014839

Option 3 ID : 6306802014838


Option 4 ID : 6306802014840

Status : Answered

Chosen Option : 2

Q.71 In the context of Relational Algebra of Database Management System, which of the following is a symbol JOIN operation?

Ans

- ✗ 1. 
- ✓ 2. 
- ✗ 3. 
- ✗ 4. 

Question ID : 630680515575

Option 1 ID : 6306802014708

Option 2 ID : 6306802014707

Option 3 ID : 6306802014706

Option 4 ID : 6306802014705

Status : Answered

Chosen Option : 2

Q.72 According to memory hierarchy as one goes down the hierarchy what will NOT occur?

Ans

- ✗ 1. Decreasing cost per bit
- ✗ 2. Increasing capacity
- ✗ 3. Increasing access time
- ✓ 4. Increasing frequency of access of the memory by the processor

Question ID : 630680515524

Option 1 ID : 6306802014501

Option 2 ID : 6306802014502

Option 3 ID : 6306802014503

Option 4 ID : 6306802014504

Status : Answered

Chosen Option : 4

Q.73 How many steps are required to construct a string abbbb from the grammar given by using right most derivation?

$S \rightarrow aAB$

$A \rightarrow bBb$

$B \rightarrow A/E$

Ans

- ✗ 1. 7
- ✓ 2. 5
- ✗ 3. 6
- ✗ 4. 4

Question ID : 630680515548

Option 1 ID : 6306802014600

Option 2 ID : 6306802014598

Option 3 ID : 6306802014599

Option 4 ID : 6306802014597

Status : Answered

Chosen Option : 1

Q.74 _____ begins at the vortex of the spiral and concentrate on each component of the software as implemented in source code.

- Ans ☒ 1. Unit testing
☒ 2. System testing
☒ 3. Integration testing
☒ 4. Validation testing

Question ID : 630680515588

Option 1 ID : 6306802014757

Option 2 ID : 6306802014760


Option 3 ID : 6306802014758

Option 4 ID : 6306802014759

Status : Not Answered

Chosen Option : --

Q.75 What is the cyclomatic complexity of the given flow graph?



- Ans ☒ 1. 3
☒ 2. 4
☒ 3. 5
☒ 4. 6

Question ID : 630680515589

Option 1 ID : 6306802014761

Option 2 ID : 6306802014762


Option 3 ID : 6306802014763

Option 4 ID : 6306802014764

Status : Not Answered

Chosen Option : --

Q.76 What is the output function of the given XOR gate?



- Ans
- ☒ 1. $Z = (X + Y)'$
 - ☒ 2. $Z = XY' + X'Y$
 - ☒ 3. $Z = X.Y$
 - ☒ 4. $Z = X + Y$

Question ID : 630680515513

Option 1 ID : 6306802014459

Option 2 ID : 6306802014460

Option 3 ID : 6306802014457

Option 4 ID : 6306802014458

Status : Answered

Chosen Option : 2

Q.77 Which of the following is part of the hierarchical storage system?

- I. Cache memory
- II. Near-line mass storage devices

- Ans
- ☒ 1. Only II
 - ☒ 2. Only I
 - ☒ 3. Both I and II
 - ☒ 4. Neither I nor II

Question ID : 630680515523

Option 1 ID : 6306802014498

Option 2 ID : 6306802014497

Option 3 ID : 6306802014499

Option 4 ID : 6306802014500

Status : Not Answered

Chosen Option : --

Q.78 A merchant allows a discount of 10 percent on marked price. If he wants to earn a profit of 10 percent, then marked price will be how much percentage more than the cost price?

- Ans ☒ 1. 50.66 percent
☒ 2. 30 percent
☒ 3. 33.33 percent
☒ 4. 22.22 percent

Question ID : 630680515601
 Option 1 ID : 6306802014812
 Option 2 ID : 6306802014811
 Option 3 ID : 6306802014810
 Option 4 ID : 6306802014809
 Status : Answered
 Chosen Option : 4

Q.79 Consider the following confusion matrix.

	Positive (Predicted)	Negative (Predicted)
Positive (Actual)	100	50
Negative (Actual)	150	9700

What is the value of False Negative in this confusion matrix?

- Ans ☒ 1. 150
☒ 2. 50
☒ 3. 9700
☒ 4. 100

Question ID : 630680515598
 Option 1 ID : 6306802014799
 Option 2 ID : 6306802014798
 Option 3 ID : 6306802014800
 Option 4 ID : 6306802014797
 Status : Not Answered
 Chosen Option : --

Q.80 What is the decimal conversion of $(1010.011)_2$?

- Ans ☒ 1. 10.375
☒ 2. 12
☒ 3. 11.375
☒ 4. 14

Question ID : 630680515509
 Option 1 ID : 6306802014441
 Option 2 ID : 6306802014443
 Option 3 ID : 6306802014442
 Option 4 ID : 6306802014444
 Status : Answered
 Chosen Option : 1

Q.81 Which of the following is NOT an input device?

- Ans ☒ 1. Speech recognition devices
☒ 2. Point and draw devices
☒ 3. Keyboard
☒ 4. Voice response system

Question ID : 630680515521
Option 1 ID : 6306802014491
Option 2 ID : 6306802014490
Option 3 ID : 6306802014489
Option 4 ID : 6306802014492
Status : Answered
Chosen Option : 4

Q.82 In context of data normalization in database management system, relation is in Boyce-Codd Normal Form if and only if every determinant is a ____.

- Ans ☒ 1. Non-primary key
☒ 2. Alternate key
☒ 3. Foreign key
☒ 4. Candiate key

Question ID : 630680515570
Option 1 ID : 6306802014688
Option 2 ID : 6306802014687
Option 3 ID : 6306802014685
Option 4 ID : 6306802014686
Status : Answered
Chosen Option : 4

Q.83 Any address generated by the CPU is commonly referred to as a ____ where an address seen by the memory unit i.e. the one loaded into the memory address register is known as ____.

- Ans ☒ 1. absolute address; physical address
☒ 2. physical address; relocatable address
☒ 3. logical address; absolute address
☒ 4. logical address; physical address

Question ID : 630680515566
Option 1 ID : 6306802014672
Option 2 ID : 6306802014671
Option 3 ID : 6306802014669
Option 4 ID : 6306802014670
Status : Answered
Chosen Option : 4

Q.84 Name the phase of compiler, which separates characters of the source language into groups that logically belong together, these groups are called tokens.

- Ans
- ☒ 1. Error handling
 - ☒ 2. Code optimization
 - ☒ 3. Syntax analysis
 - ☒ 4. Lexical analysis

Question ID : 630680515551

Option 1 ID : 6306802014612

Option 2 ID : 6306802014611

Option 3 ID : 6306802014610

Option 4 ID : 6306802014609

Status : Answered

Chosen Option : 4

Q.85 K-Nearest Neighbours algorithm is a _____ classification algorithm that classifies new data point based on the nearest data point.

- Ans
- ☒ 1. Supervised
 - ☒ 2. Unsupervised
 - ☒ 3. Reinforcement
 - ☒ 4. Deep learning

Question ID : 630680515596

Option 1 ID : 6306802014789

Option 2 ID : 6306802014790

Option 3 ID : 6306802014791

Option 4 ID : 6306802014792

Status : Not Answered

Chosen Option : --

Q.86 Which of the following is the CORRECT sequence of the phases of a compiler?

- Ans
- ☒ 1. Lexical analysis, syntax analysis, intermediate code generation, code generation, code optimization
 - ☒ 2. Lexical analysis, intermediate code generation, syntax analysis, code generation, code optimization
 - ☒ 3. Lexical analysis, intermediate code generation, syntax analysis, code optimization, code generation
 - ☒ 4. Lexical analysis, syntax analysis, intermediate code generation, code optimization, code generation

Question ID : 630680515558

Option 1 ID : 6306802014639

Option 2 ID : 6306802014638

Option 3 ID : 6306802014637

Option 4 ID : 6306802014640

Status : Answered

Chosen Option : 4

Q.87 In context of OSI model of computer networks _____ layer provides means of establishing, maintaining and transmitting a dialogue between two end users.

- Ans
- ☒ 1. Application
 - ☒ 2. Transport
 - ☒ 3. Presentation
 - ☒ 4. Session

Question ID : 630680515583

Option 1 ID : 6306802014740

Option 2 ID : 6306802014737

Option 3 ID : 6306802014739

Option 4 ID : 6306802014738

Status : Answered

Chosen Option : 4

Q.88 Parser is categorized into which type of context-free grammar?

- Ans
- ☒ 1. One
 - ☒ 2. Four
 - ☒ 3. Three
 - ☒ 4. Two

Question ID : 630680515553

Option 1 ID : 6306802014617

Option 2 ID : 6306802014620

Option 3 ID : 6306802014619

Option 4 ID : 6306802014618

Status : Not Answered

Chosen Option : --

Q.89 What is the approximate value of $149.832 \div 25.0138 + 7.10 \times 2.008$?

- Ans
- ☒ 1. 35
 - ☒ 2. 11
 - ☒ 3. 20
 - ☒ 4. 27

Question ID : 630680515603

Option 1 ID : 6306802014820

Option 2 ID : 6306802014818

Option 3 ID : 6306802014817

Option 4 ID : 6306802014819

Status : Answered

Chosen Option : 3

Q.90 Match the following algorithm with its average complexity.

	Algorithm		Average Complexity
I	Binary search	1	$O(n^2)$
II	Quick sort	2	$O(\log n)$
III	Linear search	3	$O(n \log n)$
IV	Selection sort	4	$O(n)$

- Ans**
- ☒ 1. I – 1; II – 4; III – 2; IV – 3
 - ☒ 2. I – 3; II – 1; III – 2; IV – 4
 - ☒ 3. I – 4; II – 3; III – 2; IV – 1
 - ☒ 4. I – 2; II – 3; III – 4; IV – 1

Question ID : **630680515542**

Option 1 ID : **6306802014573**

Option 2 ID : **6306802014574**

Option 3 ID : **6306802014576**

Option 4 ID : **6306802014575**

Status : **Answered**

Chosen Option : **4**

Q.91 Choose the **CORRECT** sequence of steps involved in machine learning cycle.

Ans ☒ 1.

Data identification → Data preparation → Selection of machine learning algorithm → Evaluate the model → Train model → Deploy the model

☒ 2.

Data identification → Selection of machine learning algorithm → Data preparation → Train model → Evaluate the model → Deploy the model

☒ 3.

Data identification → Data preparation → Selection of machine learning algorithm → Train model → Evaluate the model → Deploy the model

☒ 4.

Data identification → Data preparation → Selection of machine learning algorithm → Train model → Deploy the model → Evaluate the model

Question ID : **630680515594**

Option 1 ID : **6306802014783**

Option 2 ID : **6306802014782**

Option 3 ID : **6306802014781**

Option 4 ID : **6306802014784**

Status : **Answered**

Chosen Option : **3**

Q.92 Full-Subtractor has _____ inputs and _____ outputs.

Ans ☒ 1. 3; 3

☒ 2. 3; 2

☒ 3. 2; 3

☒ 4. 2; 2

Question ID : 630680515515

Option 1 ID : 6306802014467

Option 2 ID : 6306802014465

Option 3 ID : 6306802014466

Option 4 ID : 6306802014468

Status : Answered

Chosen Option : 2

Q.93 Three unbiased dices are thrown, what is the probability of getting a sum of at least 11?

Ans ☒ 1. 13/36

☒ 2. 1/3

☒ 3. 1/2

☒ 4. 11/36

Question ID : 630680515607

Option 1 ID : 6306802014836

Option 2 ID : 6306802014833

Option 3 ID : 6306802014834

Option 4 ID : 6306802014835

Status : Not Answered

Chosen Option : --

Q.94 Which of the following machine learning algorithm does NOT use clustering?

Ans ☒ 1. K-Medians

☒ 2. Expectation Maximization

☒ 3. Linear Discriminant Analysis

☒ 4. K-means

Question ID : 630680515595

Option 1 ID : 6306802014786

Option 2 ID : 6306802014787

Option 3 ID : 6306802014788

Option 4 ID : 6306802014785

Status : Not Answered

Chosen Option : --

Q.95 How many distinct binary trees are constructed using 5 nodes?

Ans ☒ 1. 42

☒ 2. 5

☒ 3. 16

☒ 4. 30

Question ID : 630680515532

Option 1 ID : 6306802014534

Option 2 ID : 6306802014533

Option 3 ID : 6306802014535

Option 4 ID : 6306802014536

Status : Answered

Chosen Option : 1

Q.96 Dot-matrix printers are character printers that print _____ character at a time.

Ans ☒ 1. four

☒ 2. two

☒ 3. one

☒ 4. three

Question ID : 630680515522

Option 1 ID : 6306802014496

Option 2 ID : 6306802014494

Option 3 ID : 6306802014493

Option 4 ID : 6306802014495

Status : Not Answered

Chosen Option : --

Q.97 In the push down automata, transitional function δ is in the form _____.

Ans ☒ 1. $Q \times \Sigma \rightarrow Q$

☒ 2. $Q \times \Sigma \rightarrow (Q, \Gamma)$

☒ 3. $Q \times (\Sigma \cup \{\lambda\}) \times \Gamma \rightarrow (Q, \Gamma^*)$

☒ 4. $Q \times \Sigma \times \Gamma \rightarrow Q$

Question ID : 630680515549

Option 1 ID : 6306802014602

Option 2 ID : 6306802014603

Option 3 ID : 6306802014601

Option 4 ID : 6306802014604

Status : Answered

Chosen Option : 3

Q.98 $10 + (1010)^* [\wedge + (1010)^*]$ is equivalent to _____, where $\wedge$ represent null.

- Ans
- ☒ 1. $(1100)^*$
 - ☒ 2. $(1010)^* + 10$
 - ☒ 3. $(1010)^*$
 - ☒ 4. $10 + (1010)^*$

Question ID : 630680515543

Option 1 ID : 6306802014580

Option 2 ID : 6306802014579

Option 3 ID : 6306802014577

Option 4 ID : 6306802014578

Status : Answered

Chosen Option : 4

Q.99 Which of the following identities of regular expression is NOT correct?

- Ans
- ☒ 1. $R^* R^* = R^*$
 - ☒ 2. $\phi + R = R$
 - ☒ 3. $\wedge R = R$
 - ☒ 4. $\phi R = R$

Question ID : 630680515544

Option 1 ID : 6306802014584

Option 2 ID : 6306802014581

Option 3 ID : 6306802014583

Option 4 ID : 6306802014582

Status : Answered

Chosen Option : 4

Q.100 In context of Relational Algebra of Database Management System, SELECT operation is used to select a subset of the tuples from a relation that satisfy a _____.

- Ans
- ☒ 1. Attribute Criteria
 - ☒ 2. Block Criteria
 - ☒ 3. Selection Criteria
 - ☒ 4. Relation Criteria

Question ID : 630680515572

Option 1 ID : 6306802014696

Option 2 ID : 6306802014694

Option 3 ID : 6306802014693

Option 4 ID : 6306802014695

Status : Answered

Chosen Option : 3