

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 1 of 150 | Section Group 1 | Service Scope

1.1 Service Scope

This synthetic provision governs implementation milestones and acceptance criteria. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-001** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 100,750. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 1 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-001-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 2 of 150 | Section Group 1 | Fees and Invoicing

1.2 Fees and Invoicing

This synthetic provision governs monthly service reporting and invoice reconciliation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-002** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 101,500. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 2 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-002-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 3 of 150 | Section Group 1 | Security Controls

1.3 Security Controls

This synthetic provision governs access control and privileged accounts. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-003** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 102,250. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 3 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-003-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 4 of 150 | Section Group 1 | Data Processing

1.4 Data Processing

This synthetic provision governs customer data handling and incident response. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-004** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 103,000. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 4 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-004-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 5 of 150 | Section Group 1 | Intellectual Property

1.5 Intellectual Property

This synthetic provision governs deliverable ownership and background technology. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-005** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 103,750. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 5 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-005-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 6 of 150 | Section Group 1 | Warranties

1.6 Warranties

This synthetic provision governs service quality and defect remediation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-006** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 104,500. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 6 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-006-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 7 of 150 | Section Group 1 | Indemnification

1.7 Indemnification

This synthetic provision governs third-party claims and defense procedures. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-007** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 105,250. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 7 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-007-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 8 of 150 | Section Group 1 | Limitation of Liability

1.8 Limitation of Liability

This synthetic provision governs caps, exclusions and recoverable damages. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-008** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 106,000. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 8 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-008-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 9 of 150 | Section Group 1 | Termination

1.9 Termination

This synthetic provision governs termination notices and transition assistance. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-009** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 106,750. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 9 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-009-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 10 of 150 | Section Group 1 | Dispute Resolution

1.10 Dispute Resolution

This synthetic provision governs arbitration, venue and governing law. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-010** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 107,500. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 10 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-010-AED.

Metric	Value	Owner
Review period	8 business days	Contract Manager
Escalation target	3 business days	Service Lead
Financial baseline	AED 107,500	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 11 of 150 | Section Group 1 | Audit Rights

1.11 Audit Rights

This synthetic provision governs audit scheduling and evidence retention. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-011** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 108,250. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 11 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-011-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 12 of 150 | Section Group 1 | Subcontracting

1.12 Subcontracting

This synthetic provision governs approved subcontractors and flow-down obligations. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-012** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 109,000. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 12 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-012-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 13 of 150 | Section Group 1 | Business Continuity

1.13 Business Continuity

This synthetic provision governs backup testing and disaster recovery. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-013** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 109,750. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 13 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-013-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 14 of 150 | Section Group 1 | Change Control

1.14 Change Control

This synthetic provision governs scope changes, estimates and approvals. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-014** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 110,500. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 14 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-014-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 15 of 150 | Section Group 1 | Compliance

1.15 Compliance

This synthetic provision governs regulatory compliance and restricted activities. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-015** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 111,250. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 15 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-015-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 16 of 150 | Section Group 1 | Records Retention

1.16 Records Retention

This synthetic provision governs document retention and secure deletion. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-016** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 112,000. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 16 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-016-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 17 of 150 | Section Group 2 | Service Scope

2.1 Service Scope

This synthetic provision governs implementation milestones and acceptance criteria. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-017** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 112,750. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 17 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-017-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 18 of 150 | Section Group 2 | Fees and Invoicing

2.2 Fees and Invoicing

This synthetic provision governs monthly service reporting and invoice reconciliation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-018** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 113,500. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 18 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-018-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 19 of 150 | Section Group 2 | Security Controls

2.3 Security Controls

This synthetic provision governs access control and privileged accounts. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-019** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 114,250. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 19 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-019-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 20 of 150 | Section Group 2 | Data Processing

2.4 Data Processing

This synthetic provision governs customer data handling and incident response. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-020** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 115,000. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 20 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-020-AED.

Metric	Value	Owner
Review period	11 business days	Contract Manager
Escalation target	1 business days	Service Lead
Financial baseline	AED 115,000	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 21 of 150 | Section Group 2 | Intellectual Property

2.5 Intellectual Property

This synthetic provision governs deliverable ownership and background technology. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-021** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 115,750. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 21 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-021-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 22 of 150 | Section Group 2 | Warranties

2.6 Warranties

This synthetic provision governs service quality and defect remediation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-022** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 116,500. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 22 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-022-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 23 of 150 | Section Group 2 | Indemnification

2.7 Indemnification

This synthetic provision governs third-party claims and defense procedures. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-023** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 117,250. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 23 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-023-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 24 of 150 | Section Group 2 | Limitation of Liability

2.8 Limitation of Liability

This synthetic provision governs caps, exclusions and recoverable damages. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-024** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 118,000. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 24 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-024-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 25 of 150 | Section Group 2 | Termination

2.9 Termination

This synthetic provision governs termination notices and transition assistance. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-025** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 118,750. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 25 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-025-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 26 of 150 | Section Group 2 | Dispute Resolution

2.10 Dispute Resolution

This synthetic provision governs arbitration, venue and governing law. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-026** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 119,500. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 26 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-026-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 27 of 150 | Section Group 2 | Audit Rights

2.11 Audit Rights

This synthetic provision governs audit scheduling and evidence retention. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-027** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 120,250. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 27 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-027-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 28 of 150 | Section Group 2 | Subcontracting

2.12 Subcontracting

This synthetic provision governs approved subcontractors and flow-down obligations. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-028** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 121,000. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 28 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-028-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 29 of 150 | Section Group 2 | Business Continuity

2.13 Business Continuity

This synthetic provision governs backup testing and disaster recovery. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-029** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 121,750. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 29 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-029-AED.

2.14 Change Control

This synthetic provision governs scope changes, estimates and approvals. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-030** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 122,500. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 30 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-030-AED.

Metric	Value	Owner
Review period	7 business days	Contract Manager
Escalation target	3 business days	Service Lead
Financial baseline	AED 122,500	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 31 of 150 | Section Group 2 | Compliance

2.15 Compliance

This synthetic provision governs regulatory compliance and restricted activities. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-031** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 123,250. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 31 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-031-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 32 of 150 | Section Group 2 | Records Retention

2.16 Records Retention

This synthetic provision governs document retention and secure deletion. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-032** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 124,000. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 32 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-032-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 33 of 150 | Section Group 3 | Service Scope

3.1 Service Scope

This synthetic provision governs implementation milestones and acceptance criteria. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-033** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 124,750. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 33 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-033-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 34 of 150 | Section Group 3 | Fees and Invoicing

3.2 Fees and Invoicing

This synthetic provision governs monthly service reporting and invoice reconciliation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-034** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 125,500. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 34 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-034-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 35 of 150 | Section Group 3 | Security Controls

3.3 Security Controls

This synthetic provision governs access control and privileged accounts. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-035** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 126,250. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 35 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-035-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 36 of 150 | Section Group 3 | Data Processing

3.4 Data Processing

This synthetic provision governs customer data handling and incident response. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-036** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 127,000. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 36 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-036-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 37 of 150 | Section Group 3 | Intellectual Property

3.5 Intellectual Property

This synthetic provision governs deliverable ownership and background technology. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-037** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 127,750. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

CROSS-PAGE TEST START. *The following sentence intentionally begins on this page: Supplier shall provide a written incident report containing root cause, affected systems, remediation actions, customer communications, and evidence of corrective controls,*

Page 37 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-037-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 38 of 150 | Section Group 3 | Warranties

3.6 Warranties

This synthetic provision governs service quality and defect remediation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-038** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 128,500. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

CROSS-PAGE TEST CONTINUATION. *together with a timeline showing detection, containment, recovery, and closure within five business days after the incident is confirmed.*

Page 38 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-038-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 39 of 150 | Section Group 3 | Indemnification

3.7 Indemnification

This synthetic provision governs third-party claims and defense procedures. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-039** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 129,250. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 39 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-039-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 40 of 150 | Section Group 3 | Limitation of Liability

3.8 Limitation of Liability

This synthetic provision governs caps, exclusions and recoverable damages. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-040** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 130,000. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 40 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-040-AED.

Metric	Value	Owner
Review period	10 business days	Contract Manager
Escalation target	1 business days	Service Lead
Financial baseline	AED 130,000	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 41 of 150 | Section Group 3 | Termination

3.9 Termination

This synthetic provision governs termination notices and transition assistance. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-041** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 130,750. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 41 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-041-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 42 of 150 | Section Group 3 | Dispute Resolution

3.10 Dispute Resolution

This synthetic provision governs arbitration, venue and governing law. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-042** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 131,500. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 42 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-042-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 43 of 150 | Section Group 3 | Audit Rights

3.11 Audit Rights

This synthetic provision governs audit scheduling and evidence retention. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-043** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 132,250. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 43 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-043-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 44 of 150 | Section Group 3 | Subcontracting

3.12 Subcontracting

This synthetic provision governs approved subcontractors and flow-down obligations. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-044** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 133,000. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 44 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-044-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 45 of 150 | Section Group 3 | Business Continuity

3.13 Business Continuity

This synthetic provision governs backup testing and disaster recovery. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-045** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 133,750. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 45 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-045-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 46 of 150 | Section Group 3 | Change Control

3.14 Change Control

This synthetic provision governs scope changes, estimates and approvals. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-046** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 134,500. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 46 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-046-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 47 of 150 | Section Group 3 | Compliance

3.15 Compliance

This synthetic provision governs regulatory compliance and restricted activities. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-047** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 135,250. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 47 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-047-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 48 of 150 | Section Group 3 | Records Retention

3.16 Records Retention

This synthetic provision governs document retention and secure deletion. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-048** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 136,000. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 48 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-048-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 49 of 150 | Section Group 4 | Service Scope

4.1 Service Scope

This synthetic provision governs implementation milestones and acceptance criteria. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-049** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 136,750. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 49 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-049-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 50 of 150 | Section Group 4 | Fees and Invoicing

4.2 Fees and Invoicing

This synthetic provision governs monthly service reporting and invoice reconciliation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-050** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 137,500. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 50 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-050-AED.

Metric	Value	Owner
Review period	6 business days	Contract Manager
Escalation target	3 business days	Service Lead
Financial baseline	AED 137,500	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 51 of 150 | Section Group 4 | Security Controls

4.3 Security Controls

This synthetic provision governs access control and privileged accounts. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-051** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 138,250. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 51 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-051-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 52 of 150 | Section Group 4 | Data Processing

4.4 Data Processing

This synthetic provision governs customer data handling and incident response. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-052** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 139,000. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 52 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-052-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 53 of 150 | Section Group 4 | Intellectual Property

4.5 Intellectual Property

This synthetic provision governs deliverable ownership and background technology. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-053** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 139,750. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 53 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-053-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 54 of 150 | Section Group 4 | Warranties

4.6 Warranties

This synthetic provision governs service quality and defect remediation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-054** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 140,500. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 54 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-054-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 55 of 150 | Section Group 4 | Indemnification

4.7 Indemnification

This synthetic provision governs third-party claims and defense procedures. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-055** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 141,250. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 55 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-055-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 56 of 150 | Section Group 4 | Limitation of Liability

4.8 Limitation of Liability

This synthetic provision governs caps, exclusions and recoverable damages. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-056** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 142,000. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 56 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-056-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 57 of 150 | Section Group 4 | Termination

4.9 Termination

This synthetic provision governs termination notices and transition assistance. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-057** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 142,750. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 57 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-057-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 58 of 150 | Section Group 4 | Dispute Resolution

4.10 Dispute Resolution

This synthetic provision governs arbitration, venue and governing law. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-058** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 143,500. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 58 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-058-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 59 of 150 | Section Group 4 | Audit Rights

4.11 Audit Rights

This synthetic provision governs audit scheduling and evidence retention. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-059** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 144,250. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 59 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-059-AED.

4.12 Subcontracting

This synthetic provision governs approved subcontractors and flow-down obligations. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-060** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 145,000. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 60 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-060-AED.

Metric	Value	Owner
Review period	9 business days	Contract Manager
Escalation target	1 business days	Service Lead
Financial baseline	AED 145,000	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 61 of 150 | Section Group 4 | Business Continuity

4.13 Business Continuity

This synthetic provision governs backup testing and disaster recovery. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-061** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 145,750. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 61 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-061-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 62 of 150 | Section Group 4 | Change Control

4.14 Change Control

This synthetic provision governs scope changes, estimates and approvals. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-062** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 146,500. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 62 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-062-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 63 of 150 | Section Group 4 | Compliance

4.15 Compliance

This synthetic provision governs regulatory compliance and restricted activities. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-063** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 147,250. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 63 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-063-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 64 of 150 | Section Group 4 | Records Retention

4.16 Records Retention

This synthetic provision governs document retention and secure deletion. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-064** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 148,000. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 64 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-064-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 65 of 150 | Section Group 5 | Service Scope

5.1 Service Scope

This synthetic provision governs implementation milestones and acceptance criteria. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-065** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 148,750. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 65 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-065-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 66 of 150 | Section Group 5 | Fees and Invoicing

5.2 Fees and Invoicing

This synthetic provision governs monthly service reporting and invoice reconciliation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-066** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 149,500. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 66 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-066-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 67 of 150 | Section Group 5 | Security Controls

5.3 Security Controls

This synthetic provision governs access control and privileged accounts. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-067** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 150,250. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 67 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-067-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 68 of 150 | Section Group 5 | Data Processing

5.4 Data Processing

This synthetic provision governs customer data handling and incident response. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-068** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 151,000. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 68 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-068-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 69 of 150 | Section Group 5 | Intellectual Property

5.5 Intellectual Property

This synthetic provision governs deliverable ownership and background technology. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-069** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 151,750. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 69 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-069-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

5.6 Warranties

This synthetic provision governs service quality and defect remediation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-070** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 152,500. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 70 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-070-AED.

Metric	Value	Owner
Review period	5 business days	Contract Manager
Escalation target	3 business days	Service Lead
Financial baseline	AED 152,500	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 71 of 150 | Section Group 5 | Indemnification

5.7 Indemnification

This synthetic provision governs third-party claims and defense procedures. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-071** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 153,250. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 71 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-071-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 72 of 150 | Section Group 5 | Limitation of Liability

5.8 Limitation of Liability

This synthetic provision governs caps, exclusions and recoverable damages. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-072** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 154,000. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 72 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-072-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 73 of 150 | Section Group 5 | Termination

5.9 Termination

This synthetic provision governs termination notices and transition assistance. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-073** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 154,750. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 73 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-073-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 74 of 150 | Section Group 5 | Dispute Resolution

5.10 Dispute Resolution

This synthetic provision governs arbitration, venue and governing law. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-074** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 155,500. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 74 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-074-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 75 of 150 | Section Group 5 | Audit Rights

5.11 Audit Rights

This synthetic provision governs audit scheduling and evidence retention. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-075** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 156,250. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

REPEATED OCCURRENCE A: *"Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement."*

Page 75 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-075-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 76 of 150 | Section Group 5 | Subcontracting

5.12 Subcontracting

This synthetic provision governs approved subcontractors and flow-down obligations. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-076** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 157,000. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 76 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-076-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 77 of 150 | Section Group 5 | Business Continuity

5.13 Business Continuity

This synthetic provision governs backup testing and disaster recovery. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-077** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 157,750. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 77 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-077-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 78 of 150 | Section Group 5 | Change Control

5.14 Change Control

This synthetic provision governs scope changes, estimates and approvals. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-078** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 158,500. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 78 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-078-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 79 of 150 | Section Group 5 | Compliance

5.15 Compliance

This synthetic provision governs regulatory compliance and restricted activities. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-079** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 159,250. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 79 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-079-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 80 of 150 | Section Group 5 | Records Retention

5.16 Records Retention

This synthetic provision governs document retention and secure deletion. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-080** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 160,000. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 80 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-080-AED.

Metric	Value	Owner
Review period	8 business days	Contract Manager
Escalation target	1 business days	Service Lead
Financial baseline	AED 160,000	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 81 of 150 | Section Group 6 | Service Scope

6.1 Service Scope

This synthetic provision governs implementation milestones and acceptance criteria. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-081** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 160,750. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 81 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-081-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 82 of 150 | Section Group 6 | Fees and Invoicing

6.2 Fees and Invoicing

This synthetic provision governs monthly service reporting and invoice reconciliation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-082** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 161,500. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 82 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-082-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 83 of 150 | Section Group 6 | Security Controls

6.3 Security Controls

This synthetic provision governs access control and privileged accounts. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-083** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 162,250. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 83 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-083-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 84 of 150 | Section Group 6 | Data Processing

6.4 Data Processing

This synthetic provision governs customer data handling and incident response. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-084** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 163,000. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 84 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-084-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 85 of 150 | Section Group 6 | Intellectual Property

6.5 Intellectual Property

This synthetic provision governs deliverable ownership and background technology. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-085** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 163,750. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 85 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-085-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 86 of 150 | Section Group 6 | Warranties

6.6 Warranties

This synthetic provision governs service quality and defect remediation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-086** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 164,500. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 86 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-086-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 87 of 150 | Section Group 6 | Indemnification

6.7 Indemnification

This synthetic provision governs third-party claims and defense procedures. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-087** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 165,250. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 87 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-087-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 88 of 150 | Section Group 6 | Limitation of Liability

6.8 Limitation of Liability

This synthetic provision governs caps, exclusions and recoverable damages. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-088** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 166,000. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 88 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-088-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 89 of 150 | Section Group 6 | Termination

6.9 Termination

This synthetic provision governs termination notices and transition assistance. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-089** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 166,750. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 89 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-089-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 90 of 150 | Section Group 6 | Dispute Resolution

6.10 Dispute Resolution

This synthetic provision governs arbitration, venue and governing law. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-090** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 167,500. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 90 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-090-AED.

Metric	Value	Owner
Review period	11 business days	Contract Manager
Escalation target	3 business days	Service Lead
Financial baseline	AED 167,500	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 91 of 150 | Section Group 6 | Audit Rights

6.11 Audit Rights

This synthetic provision governs audit scheduling and evidence retention. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-091** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 168,250. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 91 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-091-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 92 of 150 | Section Group 6 | Subcontracting

6.12 Subcontracting

This synthetic provision governs approved subcontractors and flow-down obligations. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-092** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 169,000. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 92 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-092-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 93 of 150 | Section Group 6 | Business Continuity

6.13 Business Continuity

This synthetic provision governs backup testing and disaster recovery. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-093** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 169,750. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 93 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-093-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 94 of 150 | Section Group 6 | Change Control

6.14 Change Control

This synthetic provision governs scope changes, estimates and approvals. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-094** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 170,500. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 94 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-094-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 95 of 150 | Section Group 6 | Compliance

6.15 Compliance

This synthetic provision governs regulatory compliance and restricted activities. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-095** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 171,250. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 95 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-095-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 96 of 150 | Section Group 6 | Records Retention

6.16 Records Retention

This synthetic provision governs document retention and secure deletion. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-096** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 172,000. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 96 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-096-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 97 of 150 | Section Group 7 | Service Scope

7.1 Service Scope

This synthetic provision governs implementation milestones and acceptance criteria. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-097** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 172,750. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 97 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-097-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 98 of 150 | Section Group 7 | Fees and Invoicing

7.2 Fees and Invoicing

This synthetic provision governs monthly service reporting and invoice reconciliation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-098** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 173,500. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 98 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-098-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 99 of 150 | Section Group 7 | Security Controls

7.3 Security Controls

This synthetic provision governs access control and privileged accounts. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-099** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 174,250. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 99 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-099-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 100 of 150 | Section Group 7 | Data Processing

7.4 Data Processing

This synthetic provision governs customer data handling and incident response. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-100** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 175,000. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 100 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-100-AED.

Metric	Value	Owner
Review period	7 business days	Contract Manager
Escalation target	1 business days	Service Lead
Financial baseline	AED 175,000	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 101 of 150 | Section Group 7 | Intellectual Property

7.5 Intellectual Property

This synthetic provision governs deliverable ownership and background technology. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-101** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 175,750. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 101 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-101-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 102 of 150 | Section Group 7 | Warranties

7.6 Warranties

This synthetic provision governs service quality and defect remediation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-102** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 176,500. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 102 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-102-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 103 of 150 | Section Group 7 | Indemnification

7.7 Indemnification

This synthetic provision governs third-party claims and defense procedures. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-103** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 177,250. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 103 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-103-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 104 of 150 | Section Group 7 | Limitation of Liability

7.8 Limitation of Liability

This synthetic provision governs caps, exclusions and recoverable damages. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-104** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 178,000. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 104 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-104-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 105 of 150 | Section Group 7 | Termination

7.9 Termination

This synthetic provision governs termination notices and transition assistance. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-105** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 178,750. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 105 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-105-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 106 of 150 | Section Group 7 | Dispute Resolution

7.10 Dispute Resolution

This synthetic provision governs arbitration, venue and governing law. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-106** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 179,500. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 106 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-106-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 107 of 150 | Section Group 7 | Audit Rights

7.11 Audit Rights

This synthetic provision governs audit scheduling and evidence retention. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-107** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 180,250. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 107 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-107-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 108 of 150 | Section Group 7 | Subcontracting

7.12 Subcontracting

This synthetic provision governs approved subcontractors and flow-down obligations. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-108** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 181,000. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 108 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-108-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 109 of 150 | Section Group 7 | Business Continuity

7.13 Business Continuity

This synthetic provision governs backup testing and disaster recovery. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-109** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 181,750. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 109 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-109-AED.

7.14 Change Control

This synthetic provision governs scope changes, estimates and approvals. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-110** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 182,500. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 110 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-110-AED.

Metric	Value	Owner
Review period	10 business days	Contract Manager
Escalation target	3 business days	Service Lead
Financial baseline	AED 182,500	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 111 of 150 | Section Group 7 | Compliance

7.15 Compliance

This synthetic provision governs regulatory compliance and restricted activities. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-111** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 183,250. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 111 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-111-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 112 of 150 | Section Group 7 | Records Retention

7.16 Records Retention

This synthetic provision governs document retention and secure deletion. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-112** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 184,000. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 112 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-112-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 113 of 150 | Section Group 8 | Service Scope

8.1 Service Scope

This synthetic provision governs implementation milestones and acceptance criteria. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-113** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 184,750. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 113 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-113-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 114 of 150 | Section Group 8 | Fees and Invoicing

8.2 Fees and Invoicing

This synthetic provision governs monthly service reporting and invoice reconciliation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-114** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 185,500. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 114 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-114-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 115 of 150 | Section Group 8 | Security Controls

8.3 Security Controls

This synthetic provision governs access control and privileged accounts. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-115** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 186,250. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 115 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-115-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 116 of 150 | Section Group 8 | Data Processing

8.4 Data Processing

This synthetic provision governs customer data handling and incident response. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-116** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 187,000. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 116 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-116-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 117 of 150 | Section Group 8 | Intellectual Property

8.5 Intellectual Property

This synthetic provision governs deliverable ownership and background technology. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-117** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 187,750. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 117 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-117-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 118 of 150 | Section Group 8 | Warranties

8.6 Warranties

This synthetic provision governs service quality and defect remediation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-118** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 188,500. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 118 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-118-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 119 of 150 | Section Group 8 | Indemnification

8.7 Indemnification

This synthetic provision governs third-party claims and defense procedures. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-119** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 189,250. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 119 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-119-AED.

8.8 Limitation of Liability

This synthetic provision governs caps, exclusions and recoverable damages. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-120** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 190,000. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

REPEATED OCCURRENCE B: *“Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.”*

Page 120 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner. Reference value: REF-120-AED.

Metric	Value	Owner
Review period	6 business days	Contract Manager
Escalation target	1 business days	Service Lead
Financial baseline	AED 190,000	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 121 of 150 | Section Group 8 | Termination

8.9 Termination

This synthetic provision governs termination notices and transition assistance. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-121** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 190,750. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 121 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-121-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 122 of 150 | Section Group 8 | Dispute Resolution

8.10 Dispute Resolution

This synthetic provision governs arbitration, venue and governing law. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-122** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 191,500. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 122 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-122-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 123 of 150 | Section Group 8 | Audit Rights

8.11 Audit Rights

This synthetic provision governs audit scheduling and evidence retention. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-123** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 192,250. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 123 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-123-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 124 of 150 | Section Group 8 | Subcontracting

8.12 Subcontracting

This synthetic provision governs approved subcontractors and flow-down obligations. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-124** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 193,000. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 124 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-124-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 125 of 150 | Section Group 8 | Business Continuity

8.13 Business Continuity

This synthetic provision governs backup testing and disaster recovery. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-125** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 193,750. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 125 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-125-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 126 of 150 | Section Group 8 | Change Control

8.14 Change Control

This synthetic provision governs scope changes, estimates and approvals. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-126** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 194,500. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 126 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-126-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 127 of 150 | Section Group 8 | Compliance

8.15 Compliance

This synthetic provision governs regulatory compliance and restricted activities. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-127** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 195,250. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 127 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-127-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 128 of 150 | Section Group 8 | Records Retention

8.16 Records Retention

This synthetic provision governs document retention and secure deletion. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-128** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 196,000. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 128 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-128-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 129 of 150 | Section Group 9 | Service Scope

9.1 Service Scope

This synthetic provision governs implementation milestones and acceptance criteria. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-129** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 196,750. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 129 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-129-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 130 of 150 | Section Group 9 | Fees and Invoicing

9.2 Fees and Invoicing

This synthetic provision governs monthly service reporting and invoice reconciliation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-130** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 197,500. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 130 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-130-AED.

Metric	Value	Owner
Review period	9 business days	Contract Manager
Escalation target	3 business days	Service Lead
Financial baseline	AED 197,500	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 131 of 150 | Section Group 9 | Security Controls

9.3 Security Controls

This synthetic provision governs access control and privileged accounts. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-131** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 198,250. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 131 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-131-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 132 of 150 | Section Group 9 | Data Processing

9.4 Data Processing

This synthetic provision governs customer data handling and incident response. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-132** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 199,000. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 132 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-132-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 133 of 150 | Section Group 9 | Intellectual Property

9.5 Intellectual Property

This synthetic provision governs deliverable ownership and background technology. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-133** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 199,750. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 133 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-133-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 134 of 150 | Section Group 9 | Warranties

9.6 Warranties

This synthetic provision governs service quality and defect remediation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-134** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 200,500. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 134 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-134-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 135 of 150 | Section Group 9 | Indemnification

9.7 Indemnification

This synthetic provision governs third-party claims and defense procedures. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-135** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 201,250. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 135 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-135-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 136 of 150 | Section Group 9 | Limitation of Liability

9.8 Limitation of Liability

This synthetic provision governs caps, exclusions and recoverable damages. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-136** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 202,000. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 136 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-136-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 137 of 150 | Section Group 9 | Termination

9.9 Termination

This synthetic provision governs termination notices and transition assistance. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-137** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 202,750. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 137 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-137-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 138 of 150 | Section Group 9 | Dispute Resolution

9.10 Dispute Resolution

This synthetic provision governs arbitration, venue and governing law. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-138** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 203,500. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 138 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-138-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 139 of 150 | Section Group 9 | Audit Rights

9.11 Audit Rights

This synthetic provision governs audit scheduling and evidence retention. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-139** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 204,250. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 139 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-139-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 140 of 150 | Section Group 9 | Subcontracting

9.12 Subcontracting

This synthetic provision governs approved subcontractors and flow-down obligations. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-140** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 205,000. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 140 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-140-AED.

Metric	Value	Owner
Review period	5 business days	Contract Manager
Escalation target	1 business days	Service Lead
Financial baseline	AED 205,000	Finance Lead

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 141 of 150 | Section Group 9 | Business Continuity

9.13 Business Continuity

This synthetic provision governs backup testing and disaster recovery. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-141** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 205,750. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 141 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-141-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 142 of 150 | Section Group 9 | Change Control

9.14 Change Control

This synthetic provision governs scope changes, estimates and approvals. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-142** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 206,500. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 142 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-142-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 143 of 150 | Section Group 9 | Compliance

9.15 Compliance

This synthetic provision governs regulatory compliance and restricted activities. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-143** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 207,250. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 143 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-143-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 144 of 150 | Section Group 9 | Records Retention

9.16 Records Retention

This synthetic provision governs document retention and secure deletion. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-144** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 208,000. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 144 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-144-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 145 of 150 | Section Group 10 | Service Scope

10.1 Service Scope

This synthetic provision governs implementation milestones and acceptance criteria. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-145** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 208,750. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 145 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-145-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 146 of 150 | Section Group 10 | Fees and Invoicing

10.2 Fees and Invoicing

This synthetic provision governs monthly service reporting and invoice reconciliation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-146** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 209,500. For service acceptance, the default review period is 6 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 146 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-146-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 147 of 150 | Section Group 10 | Security Controls

10.3 Security Controls

This synthetic provision governs access control and privileged accounts. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-147** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 210,250. For service acceptance, the default review period is 7 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 147 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-147-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 148 of 150 | Section Group 10 | Data Processing

10.4 Data Processing

This synthetic provision governs customer data handling and incident response. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-148** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 211,000. For service acceptance, the default review period is 8 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 148 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-148-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

Page 149 of 150 | Section Group 10 | Intellectual Property

10.5 Intellectual Property

This synthetic provision governs deliverable ownership and background technology. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-149** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 211,750. For service acceptance, the default review period is 9 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 149 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.

Reference value: REF-149-AED.

VERITABIM MASTER SERVICES AGREEMENT - STRESS TEST

10.6 Warranties

This synthetic provision governs service quality and defect remediation. The parties will document the applicable operational baseline in the Statement of Work. The obligation applies to the services described for the current contract period and is subject to the exceptions and escalation process stated below. The internal test identifier **PAGE-UNIQUE-TOKEN-150** is included to verify page-specific retrieval and complete-document coverage.

Operational requirements for this page include maintaining accurate records, assigning a responsible owner, and notifying the counterparty of any material deviation. Where a deadline is stated, the parties will use business days unless the provision expressly uses calendar days. For financial matters, the commercial baseline for this page is AED 212,500. For service acceptance, the default review period is 5 business days.

Cross-reference clause: the agreement should be read consistently with the provisions on confidentiality, data security, limitation of liability, termination, and dispute resolution. If two clauses address the same operational event, the more specific provision for the applicable SOW controls.

Repeated test phrase: Each party shall maintain reasonable safeguards for Confidential Information and shall use it only for purposes permitted by this Agreement.

Page 150 includes additional operational detail for automated extraction testing. The responsible manager shall review the relevant records every quarter. Any exception must be approved in writing by the contract owner.
Reference value: REF-150-AED.

Metric	Value	Owner
Review period	8 business days	Contract Manager
Escalation target	3 business days	Service Lead
Financial baseline	AED 212,500	Finance Lead