

Common Probability Distributions

Discrete Random Variables

1. Discrete vs Continuous
2. Discrete Uniform Distributions
3. Binomial Distributions

Random Variable

Uncertain quantity or number

Discrete

Continuous




Discrete Random Variables

1. Discrete vs Continuous
2. Discrete Uniform Distributions
3. Binomial Distributions

Discrete Random Variable

*number of possible outcomes can be **counted***



e.g. num of up days for a stock


Continuous Random Variable

*number of possible outcomes is **infinite***



Discrete Random Variable

*number of possible outcomes can be **counted***



e.g. num of up days for a stock


Continuous Random Variable

*number of possible outcomes is **infinite***




e.g. time for stock to move +/- 1%


Discrete Random Variable



Continuous Random Variable




Discrete Random Variable




$$F(1) = P(X \leq 1) = 0.2$$

Continuous Random Variable



$$F(1) = P(X \leq 1) = 0.2$$


Discrete Random Variable




$$F(1) = P(X \leq 1) = 0.2$$

Discrete Uniform Random Variable

All outcomes
equally likely




$$p(1) = P(X=1) = 0.2$$




$$F(1) = P(X \leq 1) = 0.2$$

Discrete Uniform Random Variable



$$p(1) = P(X=1) = 0.2$$



$$F(1) = P(X \leq 1) = 0.2$$

Determine the following for the result of one throw of a fair 6-sided dice.

(a) $p(2)$

(b) $F(2)$


(c) $P(X>2)$

(a) $p(2) = P(X=2)$
 $= 1/6$

(b) $F(2) = p(1) + p(2)$
 $= 1/6 + 1/6 = 1/3$


(c) $P(X>2) = 1 - F(2)$
 $= 1 - 1/3 = 2/3$

Discrete Uniform Random Variable




$$p(1) = P(X=1) = 0.2$$


Bernoulli Random Variable




Bernoulli Random Variable



Experiment



Experiment



Binomial Distribution

X: number of successes


n: number of trials

p: probability of success

$$P(X=2)$$

$$= 3 \times 0.6^2 \times 0.4$$

Experiment



Binomial Distribution

X: number of successes

n: number of trials

p: probability of success

$$p(x) = P(X=x)$$
$$= nC_x p^x (1-p)^{n-x}$$


Discrete Random Variables

1. Discrete vs Continuous

2. Discrete Uniform Distributions

3. Binomial Distributions

Experiment



Binomial Distribution

X: number of successes

n: number of trials

p: probability of success

$$\begin{aligned} p(x) &= P(X=x) \\ &= nC_x p^x (1-p)^{n-x} \end{aligned}$$

$$\begin{aligned} E(X) &= np \\ &= 3 \times 0.6 \\ &= 1.8 \end{aligned}$$


Discrete Random Variables

1. Discrete vs Continuous

2. Discrete Uniform Distributions

3. Binomial Distributions

Experiment



Binomial Distribution

X: number of successes

n: number of trials

p: probability of success

$$\begin{aligned} p(x) &= P(X=x) \\ &= nC_x p^x (1-p)^{n-x} \end{aligned}$$

$$E(X) = np$$

$$\begin{aligned} \text{Var}(X) &= np(1-p) \\ &= 3 \times 0.6 \times 0.4 \\ &= 0.72 \end{aligned}$$


Discrete Random Variables

1. Discrete vs Continuous

2. Discrete Uniform Distributions

3. Binomial Distributions

Experiment



Binomial Distribution

X: number of successes

n: number of trials

p: probability of success

$$p(x) = P(X=x) = nC_x p^x (1-p)^{n-x}$$

$$E(X) = np$$

$$\text{Var}(X) = np(1-p)$$

A fund manager claims that its US equity fund has a 0.8 probability of keeping to less than +/-1% tracking error from the S&P500 return in any quarter. Calculate, out of 4 successive quarters, what is the probability of there being at least 3 quarters of success in keeping to this tracking error of +/-1%.

Tracking Error

Total return of portfolio - Total return of index



	Fund Return (A)	S&P500 Return (B)	Tracking Error (A) - (B)
Q1	+7.2%	+7.7%	-0.5%
Q2	-1.2%	-1.2%	0%
Q3	+8.1%	+8.0%	+0.1%
Q4	-0.7%	+0.7%	-1.4%

Within +/- 1%

X=3

A fund manager claims that its US equity fund has a 0.8 probability of keeping to less than +/-1% tracking error from the S&P500 return in any quarter. Calculate, out of 4 successive quarters, what is the probability of there being at least 3 quarters of success in keeping to this tracking error of +/-1%.

$$\begin{aligned} p(x) &= P(X=x) \\ &= {}_nC_x p^x (1-p)^{n-x} \end{aligned}$$

Binomial distribution

$$n=4 \quad p=0.8$$

$$P(X \geq 3) = p(3) + p(4)$$

$$= {}_4C_3(0.8)^3(0.2) + {}_4C_4(0.8)^4$$

$$= 0.41 + 0.41$$

$$= 0.82$$

A fund manager claims that its US equity fund has a 0.8 probability of keeping to less than +/-1% tracking error from the S&P500 return in any quarter. Out of 4 quarters, what is the expected number of quarters that will NOT meet the tracking error of +/- 1%? What is the standard deviation of this number?

$$\begin{aligned} p(x) &= P(X=x) \\ &= {}_nC_x p^x (1-p)^{n-x} \end{aligned}$$

Binomial distribution


$$n=4 \quad p=0.2$$

$$E(X) = np = 4 \times 0.2 = 0.8$$

$$\text{Variance} = np(1-p) = 4 \times 0.2 \times 0.8 = 0.64$$

$$\text{Std Dev} = (0.64)^{\frac{1}{2}} = 0.8$$

Stock Price Movement



Binomial Distribution

X: number of up moves

n: number of days

p: probability of up move

▲ 1% in up move

$$U = 1.01$$

$$D = 1/1.01$$

▼ 1% in down move

$$p(x) = P(X=x)$$

$$= nC_x p^x (1-p)^{n-x}$$

Discrete Random Variables

1. Discrete vs Continuous


2. Discrete Uniform Distributions

3. Binomial Distributions

Stock Price Movement

$U = 1.01$

$D = 1/1.01$



Day 3

0.6

0.4

0.6

0.4

0.6

0.4

0.6

0.4

0.6

0.4

Prob = $0.6^3 = 0.216$
 $\$100 \times 1.01^3 = \103.03

Prob = $0.6 \times 0.4^2 = 0.096$
 $\$100 \times 1.01 \times 1/1.01^2 = \99.01

$$p(x) = P(X=x) = nC_x p^x (1-p)^{n-x}$$

Discrete Random Variables

1. Discrete vs Continuous


2. Discrete Uniform Distributions

3. Binomial Distributions

Stock Price Movement

$U = 1.01$

$D = 1/1.01$



What is the probability of having 2 up days and 1 down day? What is the expected price in this case?

$$\begin{aligned} p(2) &= {}_3C_2 (0.6)^2 (0.4) \\ &= 0.432 \end{aligned}$$

Expected price

$$\begin{aligned} &= \$100 \times 1.01^2 \times 1/1.01 \\ &= \$101 \end{aligned}$$

$$\begin{aligned} p(x) &= P(X=x) \\ &= {}_nC_x p^x (1-p)^{n-x} \end{aligned}$$

Discrete Random Variables

1. Discrete vs Continuous

2. Discrete Uniform Distributions

3. Binomial Distributions



prepnuggets.com