InsureAI

General Insurance Web Portal

COMPLETE QA LIFECYCLE REPORT

Version: 1.0
Date: 24-Mar-2026
Prepared By: QA Team Lead

URL: http://localhost:3000

CONFIDENTIAL — FOR INTERNAL QA USE ONLY

TABLE OF CONTENTS

#	SECTION	PAGE
1	Application Analysis & Theme Detection	3
2	Requirement Generation (Functional + Non-Functional)	5
3	Test Planning	12
4	Test Design — Manual QA	18
5	Test Design — Automation QA	35
6	Test Execution — Manual (Simulated)	42
7	Test Execution — Automation (Simulated)	48
8	API Testing	54
9	Performance Testing	62
10	Defect Summary	68
11	Parallel Execution Timeline	74
12	Test Summary Report	76
13	Sign-Off & Release Recommendation	80

SECTION 1 — APPLICATION ANALYSIS & THEME DETECTION

1.1 Application Overview

FIELD	DETAILS
Application Name	InsureAI — Smart Insurance Portal
URL	file:///C:/Users/Vishal/PlaywrightPractice/insurance-app/payments.html
Serving URL	http://localhost:3000
Technology Stack	HTML5, CSS3, JavaScript (ES6+), Bootstrap 5.3.0, localStorage
Application Type	Single Page Web Application (client-side rendering)
Data Storage	Browser localStorage (demo/prototype)
Authentication	Client-side email/password with session storage
Responsive	Yes — Bootstrap grid, media queries (breakpoint 768px)

1.2 Theme Detection Report

```
╔═══════════════════════════════════════════════════════════════╗
║                    🎨 THEME ANALYSIS                          ║
╠═══════════════════════════════════════════════════════════════╣
║                                                               ║
║  PRIMARY COLOR      : #0d47a1  ║║║║║║║  (Dark Blue)          ║
║  PRIMARY LIGHT      : #1976d2  ║║║║║║║  (Medium Blue)        ║
║  ACCENT / BRAND     : #ffd54f  ║║║║║║║  (Gold/Yellow)        ║
║  SECONDARY          : #ff6f00  ║║║║║║║  (Orange)            ║
║  SUCCESS            : #2e7d32  ║║║║║║║  (Green)             ║
║  DANGER             : #c62828  ║║║║║║║  (Red)               ║
║  WARNING            : #f57f17  ║║║║║║║  (Amber)             ║
║  BACKGROUND         : #f4f6fb  ║║║║║║║  (Light Grey-Blue)   ║
║  TEXT               : #1a1a2e  ║║║║║║║  (Near Black)        ║
║  MUTED TEXT         : #6c757d  ║║║║║║║  (Grey)              ║
║                                                               ║
║  FONT FAMILY        : 'Segoe UI', sans-serif                 ║
║  BORDER RADIUS      : 8px (buttons), 12px (cards)            ║
║  NAVBAR             : Dark blue gradient (#0d47a1)           ║
║  SIDEBAR            : White (#fff) with blue active state    ║
║  HERO GRADIENT      : 135deg #0d47a1 → #1976d2 → #0288d1     ║
║  BRANDING           : "Insure" (white) + "AI" (gold #ffd54f) ║
║                                                               ║
║  UI FRAMEWORK       : Bootstrap 5.3.0                        ║
║  ICON LIBRARY       : Bootstrap Icons 1.11.0                 ║
║  CARD STYLE         : Flat, 12px radius, subtle shadow       ║
║  BUTTON STYLE       : Rounded (8px), bold text (600 weight)  ║
║                                                               ║
╚═══════════════════════════════════════════════════════════════╝
```

> **Word Document Instruction:** Apply **#0d47a1** (dark blue) to all Heading 1/2 borders and table headers. Use **#ffd54f** (gold) for accent highlights. Use **#2e7d32** (green) for pass indicators and **#c62828** (red) for fail indicators.

1.3 Modules Identified

#	MODULE	PAGES	COMPLEXITY	USER ROLES
1	Landing / Home	index.html	Low	Guest
2	Registration	register.html	High	Guest
3	Login / Authentication	login.html, forgot-password.html	High	Guest
4	Customer Dashboard	dashboard.html	Medium	Customer
5	Quote Generation — Motor	motor-quote.html	High	Customer
6	Quote Generation — Health	health-quote.html	High	Customer
7	Quote Generation — Home	home-quote.html	Medium	Customer
8	Quote Generation — Travel	travel-quote.html	High	Customer
9	Quote Hub	get-quote.html	Low	Customer

#	MODULE	PAGES	COMPLEXITY	USER ROLES
10	Policy Purchase (Checkout)	checkout.html	Critical	Customer
11	Policy Management	policies.html, policy-detail.html	High	Customer
12	Claims Management	claims.html	Critical	Customer
13	Payment History	payments.html	Medium	Customer
14	Documents & Downloads	documents.html	Low	Customer
15	Admin Panel	admin.html	High	Admin
16	Forgot Password	forgot-password.html	Low	Guest

1.4 User Roles & Workflows

```
┌──────────────────────────────────────────────────────────────┐
│                    USER WORKFLOW MAP                         │
├──────────────────────────────────────────────────────────────┤
│                                                              │
│  GUEST USER:                                                 │
│  index.html → register.html → login.html                     │
│                                                              │
│  CUSTOMER:                                                   │
│  login → dashboard → get-quote → [motor/health/home/travel]  │
│       → checkout → policies → policy-detail                  │
│       → claims (file/track)                                  │
│       → payments (history/receipt)                           │
│       → documents (download)                                 │
│                                                              │
│  ADMIN:                                                      │
│  login → admin.html                                          │
│       → Dashboard (stats)                                    │
│       → Customers (search/deactivate/unlock)                 │
│       → All Policies (view)                                  │
│       → Claims (update status)                               │
│       → Payments (view all)                                  │
│       → Reports (analytics)                                  │
│                                                              │
└──────────────────────────────────────────────────────────────┘
```

1.5 Key Business Flows

FLOW	STEPS	PRIORITY
E2E Policy Purchase	Register → Login → Get Quote → Fill Details → Select Plan → Checkout → Pay → View Policy	Critical
Claim Lifecycle	Login → File Claim → Admin Review → Approve/Reject → Customer Track	Critical
Payment Verification	Purchase Policy → Payment Processed → View in Payment History → Download Receipt	High

FLOW	STEPS	PRIORITY
Admin Management	Admin Login → View Dashboard → Manage Customers → Update Claims → View Reports	High
Policy Renewal	Login → Dashboard (alert) → Policies → Renew (within 60 days) → Checkout → Pay	Medium
Policy Cancellation	Login → Policies → Policy Detail → Cancel → Confirm → Refund Calculation	Medium

SECTION 2 — REQUIREMENT GENERATION

2.1 Functional Requirements (Inferred from UI/UX Analysis)

Module 1: Registration & Authentication

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-001	System shall allow new user registration with Name, Email, Mobile, DOB, Password	Valid data → success message; user stored in system	Critical
FR-002	System shall validate email format (RFC 5322 pattern)	Invalid email → inline error "Please enter a valid email"	High
FR-003	System shall validate mobile number (exactly 10 digits)	Non-10-digit → error; only numeric allowed	High
FR-004	System shall enforce minimum age of 18 years	DOB < 18 years → "You must be at least 18 years old"	High
FR-005	System shall enforce password complexity: 8+ chars, uppercase, lowercase, number, special char	Weak password → specific inline error per missing rule	High
FR-006	System shall verify password and confirm password match	Mismatch → "Passwords do not match" error	High
FR-007	System shall prevent duplicate email registration	Existing email → "Email already registered" error	Critical
FR-008	System shall allow login with email and password	Valid credentials → redirect to dashboard (customer) or admin panel (admin)	Critical
FR-009	System shall display generic error on invalid login (no field specificity)	Wrong credentials → "Invalid credentials. Please try again."	High
FR-010	System shall lock account after 5 consecutive failed login attempts	5th failure → "Account locked" message	Critical
FR-011	System shall show remaining login attempts on failure	After each failure → "X attempts remaining" displayed	Medium
FR-012	System shall provide "Forgot Password" flow	Click link → enter email → success message shown	Medium
FR-013	System shall provide password visibility toggle	Eye icon click → password shown/hidden	Low
FR-014	System shall provide "Remember Me for 7 days" option	Checkbox available on login form	Low

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-015	System shall redirect logged-in users away from login page	Already logged in + visit login → auto redirect to dashboard	Medium
FR-016	System shall clear session on logout and prevent back-button access	Logout → session cleared; back button → stays on login	Critical

Module 2: Customer Dashboard

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-017	Dashboard shall display 4 stat cards: Active Policies, Due for Renewal, Total Claims, Total Premium	All values correctly calculated from user data	High
FR-018	Dashboard shall display time-based greeting (Morning/Afternoon/Evening)	Greeting matches current time of day	Low
FR-019	Dashboard shall show list of active policies with type, plan, premium, end date	Policies listed with status badges	High
FR-020	Dashboard shall display renewal alerts for policies expiring within 30 days	Orange alert (30 days), Red alert (<7 days)	High
FR-021	Dashboard shall show 3 most recent claims with status	Claims listed with ID, type, date, status badge	Medium
FR-022	Dashboard shall provide Quick Actions: Get Quote, File Claim, Make Payment, Download	Buttons navigate to correct pages	Medium

Module 3: Quote Generation

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-023	Motor quote shall collect: Vehicle Type, Reg Number, Make, Model, Year, Fuel, NCB, City	All fields validated before submission	High
FR-024	Motor registration number shall match format XX00XX0000	Invalid format → validation error	High
FR-025	Vehicle Model dropdown shall populate dynamically based on Make selection	Select Make → Models appear	High
FR-026	Motor quote shall display 3 plans: Third Party, Standard, Comprehensive	3 plan cards shown with features and premiums	High
FR-027	NCB discount shall be applied to motor premium calculation	Higher NCB → lower premium (0%, 20%, 25%, 35%, 45%, 50%)	High
FR-028	Motor add-ons (Zero Dep, Roadside, Engine Protection) shall update premium dynamically	Check add-on → premium recalculates without page reload	High

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-029	Health quote shall support Individual and Family Floater plans	Individual: 1 member; Family: 2-6 members	High
FR-030	Health quote shall generate member age inputs dynamically based on member count	Select 3 members → 3 age dropdowns appear	Medium
FR-031	Pre-existing disease selection shall show waiting period warning	PED = Yes → yellow alert with 48-month waiting period note	Medium
FR-032	Home quote shall collect property details: Type, Construction, Age, Area, Value, City, PIN	All fields validated	High
FR-033	Home premium shall calculate based on property value (0.05%–0.12%)	Premium = property value × rate × plan multiplier	High
FR-034	Travel quote shall require future start date	Past date → validation error	Critical
FR-035	Travel trip duration shall not exceed 180 days	End date > start + 180 → error	High
FR-036	Travel quote shall differentiate domestic vs international pricing	International destinations → higher premiums	Medium
FR-037	All quote types shall support "Save Quote" and "Buy Now" actions	Save → stored in quotes list; Buy Now → redirects to checkout	High

Module 4: Policy Purchase (Checkout)

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-038	Checkout shall collect Nominee details: Name, Relationship, DOB, Address, KYC	All fields required and validated	High
FR-039	Checkout shall support 5 payment methods: Credit Card, Debit Card, UPI, Net Banking, Wallet	Method selection shows corresponding input fields	High
FR-040	Card number shall format with spaces every 4 digits	Input "4111111111111111" → displays "4111 1111 1111 1111"	Medium
FR-041	Payment processing shall show spinner/loading for ~2 seconds	Button → spinner → success modal	Medium
FR-042	Success modal shall display unique Policy Number (POL...) and Transaction ID (TXN...)	Both IDs generated and shown	Critical
FR-043	Order Summary shall show Type, Plan, Sum Insured, Period, Base Premium, GST (18%), Total	Accurate calculation displayed	High
FR-044	No card data shall be stored in localStorage after payment	Post-payment: no card/CVV in storage	Critical

Module 5: Policy Management

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-045	My Policies page shall list all user policies with filter tabs	Tabs: All, Active, Expired, Motor, Health, Home, Travel	High
FR-046	Policy card shall show type, plan, status badge, sum insured, dates, premium, nominee	All data correctly populated	High
FR-047	Renewal button shall appear for active policies within 60 days of expiry	Active + ≤60 days → Renew button visible	High
FR-048	Policy cancellation shall calculate pro-rata refund	Days remaining / 365 × annual premium = refund amount	High
FR-049	Policy detail page shall display type-specific information (vehicle/property/travel details)	Motor shows vehicle info; Home shows property info	Medium
FR-050	Policy detail shall show claims history linked to that policy	Claims table filtered by policy ID	Medium

Module 6: Claims Management

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-051	Customer shall file a claim against an active policy	Claim form with policy dropdown (active policies only)	Critical
FR-052	Incident date must fall within policy start and end date	Date outside period → validation error	Critical
FR-053	Claim description shall enforce 20-500 character limit with counter	<20 chars → error; counter shows remaining	Medium
FR-054	System shall generate unique Claim ID (CLM...) on submission	Success → CLM reference number displayed	Critical
FR-055	Claim status timeline shall show progression with dates	Timeline: Submitted → Under Review → [Approved/Rejected]	High
FR-056	Customer shall see "Upload Additional Documents" when status = "Additional Info Required"	Upload section appears only for this status	Medium

Module 7: Payment History

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-057	Payments page shall display stats: Successful Payments count, Total Premium Paid	Values calculated from payment records	High

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-058	All transactions shall be listed with: TXN ID, Policy, Type, Date, Method, Amount, Status	Table populated with all user payments	High
FR-059	Search shall filter transactions by ID, type, or payment method	Type partial text → table filters in real-time	Medium
FR-060	Receipt modal shall display full payment details	Click receipt icon → modal shows TXN details	Medium
FR-061	Print Receipt button shall trigger browser print dialog	Click Print → window.print() called	Low

Module 8: Documents & Downloads

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-062	Documents page shall list: Policy Documents, Premium Receipts, Renewal Notices	Documents generated from policies and payments	Medium
FR-063	Approved claim settlement letters shall appear in documents	Approved claims → settlement letter listed	Medium
FR-064	Download button shall generate a demo text file	Click → file downloaded with policy/payment details	Low

Module 9: Admin Panel

REQ ID	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
FR-065	Admin dashboard shall show 4 stats: Customers, Policies, Claims, Premium Collected	Aggregated from all data	High
FR-066	Admin shall search customers by name, email, or mobile	Partial match search → filtered results	High
FR-067	Admin shall deactivate/unlock customer accounts	Deactivate → status changes; Unlock → locked=false	High
FR-068	Admin shall update claim status with remarks	Status dropdown + remarks → claim updated	Critical
FR-069	Admin reports shall show policies by type, claims by status, premium collection stats	Bar charts and summary cards	Medium
FR-070	Non-admin users shall be redirected away from admin.html	Customer accessing admin.html → redirected to login	Critical

2.2 Non-Functional Requirements

REQ ID	CATEGORY	REQUIREMENT	ACCEPTANCE CRITERIA	PRIORITY
NFR-001	Performance	All pages shall load within 3 seconds	Measured via Navigation Timing API	High
NFR-002	Performance	First Contentful Paint (FCP) < 1.8 seconds	Measured via PerformanceObserver	High
NFR-003	Performance	Largest Contentful Paint (LCP) < 2.5 seconds	Core Web Vital threshold	High
NFR-004	Performance	Cumulative Layout Shift (CLS) < 0.1	Core Web Vital threshold	Medium
NFR-005	Responsiveness	Application shall be usable from 320px to 2560px width	Sidebar hidden on mobile; content reflows	Medium
NFR-006	Compatibility	Application shall work on Chrome, Firefox, Edge, Safari (WebKit)	No functional differences across browsers	High
NFR-007	Security	No card data (number, CVV, expiry) stored in localStorage	Post-checkout: localStorage audit passes	Critical
NFR-008	Security	Auth guard shall prevent unauthenticated access to protected pages	Direct URL → redirect to login.html	Critical
NFR-009	Security	Admin pages shall be inaccessible to non-admin users	Customer accessing admin.html → redirected	Critical
NFR-010	Usability	Error messages shall use red (#c62828); success messages shall use green (#2e7d32)	Visual audit passes	Low
NFR-011	Usability	Form validation shall provide inline feedback (not just alert boxes)	Invalid field → red border + message below field	Medium
NFR-012	Data Integrity	Policy, Claim, and Transaction IDs shall be unique	No duplicate IDs across all records	High
NFR-013	Reliability	Application shall handle concurrent multi-tab usage	No data corruption between tabs	Medium
NFR-014	Accessibility	All interactive elements shall be keyboard navigable	Tab order correct; Enter/Space activates buttons	Low

SECTION 3 — TEST PLANNING

3.1 Test Plan Document

3.1.1 Objective

To validate that InsureAI General Insurance Portal v1.0 meets all functional, non-functional, security, and performance requirements inferred from UI/UX analysis, ensuring production-readiness for client demonstration.

3.1.2 Scope

CATEGORY	DETAILS
Functional Testing	All 15 modules, 70 functional requirements
Integration Testing	E2E flows: Registration → Policy Purchase → Claim → Payment
UI/UX Testing	Responsive design, cross-browser, theme consistency
Security Testing	Auth guard, card data storage, admin access control, XSS, injection
Performance Testing	Page load, Core Web Vitals, concurrent users, memory leaks
API Testing	Simulated API contracts (production-readiness design)
Regression Testing	Full suite after each defect fix cycle
Exploratory Testing	Unscripted edge case discovery

CATEGORY	REASON
Real payment gateway testing	Demo uses simulated payments
Email/SMS delivery verification	Simulated via console.log
Backend database testing	No real DB (localStorage demo)
Load testing beyond 10 concurrent sessions	Browser limitation for localStorage
Native mobile app testing	Web-only application
Penetration testing	Requires separate engagement

3.1.3 Entry Criteria

- [ ] Application deployed and accessible at localhost:3000
- [ ] All 16 HTML pages rendering without console errors
- [ ] Test environment stable (localStorage seeded with demo data)
- [ ] Requirements document reviewed and baselined

- [ ] Test cases reviewed and approved by QA Lead
- [ ] Test data prepared and verified
- [ ] Automation framework setup and smoke test passing
- [ ] Playwright installed with all browser engines

3.1.4 Exit Criteria

- [ ] 100% test case execution completed
- [ ] All Critical (P1) and High (P2) defects fixed and verified
- [ ] Regression pass rate ≥ 95%
- [ ] Performance: All pages < 3s load time
- [ ] No open P1 defects; ≤ 2 open P2 defects (with workarounds)
- [ ] Automation coverage ≥ 80% of automatable test cases
- [ ] Test Summary Report signed by QA Lead
- [ ] All security tests passed (auth guard, card data, admin access)

3.1.5 Risk Register

#	RISK	PROBABILITY	IMPACT	MITIGATION STRATEGY
R1	localStorage cleared between test runs	High	High	Seed data in beforeEach hook; verify seed before each test
R2	Browser compatibility differences in date pickers	Medium	Medium	Test on all 4 browsers; document known differences
R3	Test data conflicts in parallel test execution	Medium	High	Isolate data per test; use unique email/IDs per run
R4	Flaky tests due to animation/transition timing	Medium	Medium	Use Playwright auto-wait; add explicit waitFor assertions
R5	Scope creep from UI changes during testing	Low	High	Baseline UI before testing; change request process
R6	localStorage size limits affecting large data sets	Low	Medium	Monitor storage usage; clean up after test suites
R7	Race conditions in multi-tab testing	Medium	Medium	Sequential execution for multi-tab scenarios

3.2 QA Team Responsibility Matrix (RACI)

```
╔═══════════════════════════════════════════════════════════════════════╗
║                    QA TEAM — RESPONSIBILITY MATRIX                    ╒
╟═══════════════════════════╤═══════╤═══════╤═══════╤═══════════════════╢
║ Activity                  ║ QA TL ║ Man QA║ Auto QA║ Perf/API QA      ╒
╟═══════════════════════════╤═══════╤═══════╤═══════╤═══════════════════╢
║ Requirement Analysis      ║   A   ║   R   ║   C   ║       C           ╒
║ Test Plan Creation        ║  R/A  ║   C   ║   C   ║       C           ╒
║ Test Scenario Design      ║   A   ║   R   ║   C   ║       I           ╒
║ Test Case Writing         ║   A   ║   R   ║   I   ║       I           ╒
║ RTM Creation              ║   A   ║   R   ║   C   ║       I           ╒
║ Test Data Preparation     ║   A   ║   R   ║   R   ║       C           ╒
║ Automation Framework Design ║  A  ║   I   ║   R   ║       C           ╒
║ Automation Script Dev     ║   A   ║   I   ║   R   ║       I           ╒
║ Smoke Test Execution      ║   A   ║   R   ║   R   ║       I           ╒
║ Functional Test Execution ║   A   ║   R   ║   I   ║       I           ╒
║ Regression Test Execution ║   A   ║   R   ║   R   ║       I           ╒
║ Integration/E2E Testing   ║   A   ║   R   ║   R   ║       I           ╒
║ Cross-Browser Testing     ║   A   ║   R   ║   R   ║       I           ╒
║ API Test Design & Execution ║ A   ║   I   ║   C   ║       R           ╒
║ Performance Test Execution ║  A   ║   I   ║   C   ║       R           ╒
║ Security Testing          ║   A   ║   R   ║   R   ║       C           ╒
║ Exploratory Testing       ║   A   ║   R   ║   I   ║       I           ╒
║ Defect Logging & Triage   ║  R/A  ║   R   ║   R   ║       R           ╒
║ Daily Status Report       ║   A   ║   R   ║   R   ║       R           ╒
║ Test Summary Report       ║  R/A  ║   C   ║   C   ║       C           ╒
╟═══════════════════════════╤═══════╤═══════╤═══════╤═══════════════════╢
║ R = Responsible | A = Accountable | C = Consulted | I = Informed      ╒
╚═══════════════════════════╧═══════╧═══════╧═══════╧═══════════════════╝
```

3.3 Sprint Timeline — Parallel Execution Plan

```
╔═══════╦═══════════════════════════╦═══════════════════════════════════╗
║                      6-WEEK QA SPRINT PLAN                            ╒
╠═══════╬═══════════════════════════╬═══════════════════════════════════╣
║ Week  ╒ Manual QA Engineer        ╒ Automation / Perf / API QA Engineer ╒
╠═══════╬═══════════════════════════╬═══════════════════════════════════╣
║       ╒                           ╒                                   ╒
║ WK 1  ╒ ▪ Requirement analysis     ╒ ▪ Framework setup (Playwright + POM) ╒
║       ╒ ▪ Test scenario writing    ╒ ▪ Folder structure creation       ╒
║       ╒ ▪ Test cases: Modules 1-4  ╒ ▪ Page object creation (Login, Register) ╒
║       ╒ ▪ Test data preparation    ╒ ▪ Seed data helper implementation ╒
║       ╒                           ╒                                   ╒
║ WK 2  ╒ ▪ Test cases: Modules 5-9  ╒ ▪ Smoke test automation (10 tests) ╒
║       ╒ ▪ Test cases: Modules 10-15 ╒ ▪ Login/Registration automation ╒
║       ╒ ▪ RTM creation             ╒ ▪ API test design (endpoints + contracts) ╒
║       ╒ ▪ Test case review with TL ╒ ▪ Performance test setup (page load) ╒
║       ╒                           ╒                                   ╒
║ WK 3  ╒ ▪ Smoke testing (30 min)  ╒ ▪ Quote flow automation (Motor, Health) ╒
║       ╒ ▪ Sanity testing           ╒ ▪ Checkout + Policy automation   ╒
║       ╒ ▪ Functional: Auth module  ╒ ▪ Core Web Vitals test implementation ╒
║       ╒ ▪ Functional: Quote module ╒ ▪ CI/CD pipeline setup (GitHub Actions) ╒
║       ╒                           ╒                                   ╒
║ WK 4  ╒ ▪ Functional: Policy module ╒ ▪ Claims + Payments automation  ╒
║       ╒ ▪ Functional: Claims/Payment ╒ ▪ Admin panel automation       ╒
║       ╒ ▪ Integration testing (E2E) ╒ ▪ API test execution (simulated) ╒
║       ╒ ▪ Cross-browser testing    ╒ ▪ Concurrent users perf test    ╒
║       ╒                           ╒                                   ╒
║ WK 5  ╒ ▪ Regression cycle 1       ╒ ▪ Full regression run (all browsers) ╒
║       ╒ ▪ Defect re-testing        ╒ ▪ Performance suite execution   ╒
║       ╒ ▪ Exploratory testing      ╒ ▪ Memory leak testing           ╒
║       ╒ ▪ Admin module testing     ╒ ▪ Security automation (auth guard, data) ╒
║       ╒                           ╒                                   ╒
║ WK 6  ╒ ▪ Final regression cycle   ╒ ▪ Final automation run + report ╒
║       ╒ ▪ UAT support              ╒ ▪ Performance benchmark report  ╒
║       ╒ ▪ Test summary report      ╒ ▪ CI/CD pipeline documentation  ╒
║       ╒ ▪ Sign-off preparation     ╒ ▪ Automation maintenance guide  ╒
║       ╒                           ╒                                   ╒
╚═══════╩═══════════════════════════╩═══════════════════════════════════╝
```

SECTION 4 — TEST DESIGN (MANUAL QA)

4.1 Test Scenarios — Complete List

Module 1: Registration

ID	SCENARIO	PRIORITY
TS_REG_01	Verify successful registration with all valid mandatory fields	Critical
TS_REG_02	Verify inline validation errors for each invalid field	High
TS_REG_03	Verify password strength rules enforcement	High
TS_REG_04	Verify duplicate email registration is blocked	Critical
TS_REG_05	Verify age validation (must be 18+)	High
TS_REG_06	Verify confirm password mismatch error	High
TS_REG_07	Verify mobile number accepts exactly 10 digits	High
TS_REG_08	Verify successful redirect to login after registration	Medium

Module 2: Login & Authentication

ID	SCENARIO	PRIORITY
TS_LOG_01	Verify customer login with valid credentials → dashboard redirect	Critical
TS_LOG_02	Verify admin login with valid credentials → admin panel redirect	Critical
TS_LOG_03	Verify login failure with wrong password → generic error message	High
TS_LOG_04	Verify account lockout after 5 consecutive failed attempts	Critical
TS_LOG_05	Verify remaining attempts counter decrements on each failure	Medium
TS_LOG_06	Verify forgot password flow displays success message	Medium
TS_LOG_07	Verify password visibility toggle works	Low
TS_LOG_08	Verify logout clears session and back button doesn't return to dashboard	Critical
TS_LOG_09	Verify logged-in user is redirected away from login page	Medium

Module 3: Dashboard

ID	SCENARIO	PRIORITY
TS_DASH_01	Verify dashboard loads with correct stat cards	High

ID	SCENARIO	PRIORITY
TS_DASH_02	Verify time-based greeting message	Low
TS_DASH_03	Verify active policies listed correctly	High
TS_DASH_04	Verify renewal alerts displayed for policies within 30 days	High
TS_DASH_05	Verify recent claims section shows latest 3 claims	Medium
TS_DASH_06	Verify Quick Actions buttons navigate correctly	Medium

Module 4: Motor Quote

ID	SCENARIO	PRIORITY
TS_MOTOR_01	Verify motor quote form accepts all valid vehicle details	High
TS_MOTOR_02	Verify registration number format validation (XX00XX0000)	High
TS_MOTOR_03	Verify Model dropdown populates after Make selection	High
TS_MOTOR_04	Verify 3 plans displayed with correct premiums	High
TS_MOTOR_05	Verify NCB discount applied correctly to premium	High
TS_MOTOR_06	Verify add-ons dynamically update premium (no page reload)	High
TS_MOTOR_07	Verify Save Quote stores quote in system	Medium
TS_MOTOR_08	Verify Buy Now redirects to checkout with correct data	High

Module 5: Health Quote

ID	SCENARIO	PRIORITY
TS_HLT_01	Verify Individual plan generates quote for 1 member	High
TS_HLT_02	Verify Family Floater dynamically shows member count + age inputs	High
TS_HLT_03	Verify PED selection shows 48-month waiting period warning	Medium
TS_HLT_04	Verify premium calculates based on oldest member age	High
TS_HLT_05	Verify 3 plans: Silver, Gold, Platinum with different features	High

Module 6: Home Quote

ID	SCENARIO	PRIORITY
TS_HOME_01	Verify home quote with valid property details	High
TS_HOME_02	Verify premium calculation based on property value	High
TS_HOME_03	Verify PIN code validation (6 digits)	Medium

ID	SCENARIO	PRIORITY
TS_HOME_04	Verify 3 plans: Basic, Standard, Comprehensive	Medium

Module 7: Travel Quote

ID	SCENARIO	PRIORITY
TS_TRVL_01	Verify travel quote rejects past start dates	Critical
TS_TRVL_02	Verify max 180-day trip duration enforced	High
TS_TRVL_03	Verify domestic vs international pricing differentiation	Medium
TS_TRVL_04	Verify dynamic traveller age inputs based on count	Medium
TS_TRVL_05	Verify premium = rate × days × travellers × 1.18 (GST)	High

Module 8: Checkout & Payment

ID	SCENARIO	PRIORITY
TS_CHK_01	Verify nominee details form validation	High
TS_CHK_02	Verify 5 payment methods display correct input fields	High
TS_CHK_03	Verify credit card number formatting (spaces every 4 digits)	Medium
TS_CHK_04	Verify payment processing shows spinner animation	Medium
TS_CHK_05	Verify success modal shows Policy Number + Transaction ID	Critical
TS_CHK_06	Verify order summary calculations (premium + 18% GST = total)	High
TS_CHK_07	Verify no card data stored in localStorage post-payment	Critical

Module 9: Policy Management

ID	SCENARIO	PRIORITY
TS_POL_01	Verify policies listed with correct filter tabs	High
TS_POL_02	Verify Active/Expired/Cancelled status badges	High
TS_POL_03	Verify Renew button appears within 60 days of expiry	High
TS_POL_04	Verify policy cancellation with pro-rata refund calculation	High
TS_POL_05	Verify policy detail shows type-specific information	Medium
TS_POL_06	Verify claims history on policy detail page	Medium

Module 10: Claims Management

ID	SCENARIO	PRIORITY
TS_CLM_01	Verify claim filed successfully with Claim ID generated	Critical
TS_CLM_02	Verify incident date validation (must be within policy period)	Critical
TS_CLM_03	Verify description 20-500 char limit with counter	Medium
TS_CLM_04	Verify claim dropdown shows only active policies	High
TS_CLM_05	Verify claim status timeline displays correctly	High
TS_CLM_06	Verify "Upload Documents" shown only for "Additional Info Required" status	Medium

Module 11: Payment History (payments.html — TARGET PAGE)

ID	SCENARIO	PRIORITY
TS_PAY_01	Verify payment stats cards show correct counts and totals	High
TS_PAY_02	Verify all transactions listed with correct columns	High
TS_PAY_03	Verify search filters by Transaction ID	High
TS_PAY_04	Verify search filters by insurance type	Medium
TS_PAY_05	Verify search filters by payment method	Medium
TS_PAY_06	Verify receipt modal shows full transaction details	High
TS_PAY_07	Verify Print Receipt triggers browser print	Low
TS_PAY_08	Verify empty state when no transactions exist	Medium

Module 12: Documents

ID	SCENARIO	PRIORITY
TS_DOC_01	Verify documents listed for each policy	Medium
TS_DOC_02	Verify download generates demo file	Low
TS_DOC_03	Verify approved claim settlement letters appear	Medium

Module 13: Admin Panel

ID	SCENARIO	PRIORITY
TS_ADM_01	Verify admin dashboard stats are accurate	High
TS_ADM_02	Verify customer search by name/email/mobile	High
TS_ADM_03	Verify admin can deactivate a customer account	High
TS_ADM_04	Verify admin can unlock a locked account	High

ID	SCENARIO	PRIORITY
TS_ADM_05	Verify admin can update claim status with remarks	Critical
TS_ADM_06	Verify admin reports show correct aggregations	Medium
TS_ADM_07	Verify non-admin user cannot access admin.html	Critical

Module 14: Non-Functional

ID	SCENARIO	PRIORITY
TS_NFR_01	Verify all 16 pages load within 3 seconds	High
TS_NFR_02	Verify responsive layout at 320px, 375px, 768px, 1024px, 1440px, 2560px	Medium
TS_NFR_03	Verify cross-browser: Chrome, Firefox, Edge, Safari	High
TS_NFR_04	Verify auth guard on all protected pages	Critical
TS_NFR_05	Verify no card data in localStorage	Critical
TS_NFR_06	Verify error=red, success=green color coding	Low

4.2 Detailed Test Cases — Payments Module (Target Page Deep Dive)

Since the URL provided is **payments.html**, here are exhaustive test cases for this module:

TC_PAY_001 — Verify Payment Stats Cards Display Correctly

FIELD	DETAILS
Test Case ID	TC_PAY_001
Title	Verify Successful Payments count and Total Premium Paid stats
Module	Payment History
Priority	High
Type	Functional / Positive
Pre-condition	User logged in with existing payment records
Test Data	User: rahul@demo.com / Test@1234 (has 2 payments: ₹12,500 + ₹18,000 = ₹30,500)

STEP	ACTION	EXPECTED RESULT
1	Login as rahul@demo.com	Dashboard displayed
2	Navigate to Payments from sidebar	payments.html loaded
3	Verify "Successful Payments" stat card	Shows "2" (count of Success status payments)

STEP	ACTION	EXPECTED RESULT
4	Verify "Total Premium Paid" stat card	Shows "₹30,500" (12,500 + 18,000)
5	Verify stat card styling	Blue gradient for count; Green gradient for total

TC_PAY_002 — Verify Transaction Table Columns and Data

FIELD	DETAILS
Test Case ID	TC_PAY_002
Title	Verify all transaction columns display with correct data
Module	Payment History
Priority	High
Type	Functional / Positive
Pre-condition	User logged in with payments

STEP	ACTION	EXPECTED RESULT
1	Navigate to Payments page	Transactions table visible
2	Verify table header columns	Headers: Transaction ID, Policy, Type, Date, Method, Amount, Status, [Receipt]
3	Verify first row: TXN202600001	Policy: POL202600001, Type: Motor, Method: 💳 Credit Card, Amount: ₹12,500, Status: Success (green badge)
4	Verify second row: TXN202600002	Policy: POL202600002, Type: Health, Method: 📱 UPI, Amount: ₹18,000, Status: Success (green badge)
5	Verify date format	DD-Mon-YYYY format (e.g., "01 Jan 2026")
6	Verify amount format	Currency with Indian locale (₹ prefix, comma separators)

TC_PAY_003 — Verify Search Filter by Transaction ID

FIELD	DETAILS
Test Case ID	TC_PAY_003
Title	Search transactions by Transaction ID
Module	Payment History
Priority	High
Type	Functional / Positive

STEP	ACTION	EXPECTED RESULT
1	Navigate to Payments page	All transactions visible
2	Type "TXN202600001" in search box	Only TXN202600001 row shown
3	Clear search box	All transactions restored
4	Type partial ID "00001"	Matching transaction(s) filtered

TC_PAY_004 — Verify Search Filter by Insurance Type

FIELD	DETAILS
Test Case ID	TC_PAY_004
Title	Search transactions by insurance type
Module	Payment History
Priority	Medium

STEP	ACTION	EXPECTED RESULT
1	Type "Motor" in search box	Only Motor type transactions shown
2	Type "Health" in search box	Only Health type transactions shown
3	Type "xyz" (no match)	Empty state: "No transactions found."

TC_PAY_005 — Verify Search Filter by Payment Method

FIELD	DETAILS
Test Case ID	TC_PAY_005
Title	Search transactions by payment method
Module	Payment History
Priority	Medium

STEP	ACTION	EXPECTED RESULT
1	Type "Credit Card" in search	Only Credit Card payments shown
2	Type "UPI" in search	Only UPI payments shown
3	Type "Net Banking" in search	Only Net Banking payments shown

TC_PAY_006 — Verify Receipt Modal Opens with Correct Details

FIELD	DETAILS
Test Case ID	TC_PAY_006
Title	Receipt modal displays complete transaction details
Module	Payment History
Priority	High

STEP	ACTION	EXPECTED RESULT
1	Click receipt icon on TXN202600001 row	Modal opens with animation
2	Verify modal title	"Payment Receipt" with receipt icon
3	Verify success checkmark	✅ icon displayed
4	Verify Transaction ID	Shows "TXN202600001"
5	Verify Reference No.	Shows "HDFC8723641"
6	Verify Policy ID	Shows "POL202600001"
7	Verify Insurance Type	Shows "Motor"
8	Verify Payment Date	Shows formatted date
9	Verify Payment Method	Shows "Credit Card"
10	Verify Status	Green "Success" badge
11	Verify Amount Paid	Shows "₹12,500" in blue, large font
12	Verify "Print Receipt" button present	Button with printer icon visible
13	Click "Close" button	Modal closes

TC_PAY_007 — Verify Print Receipt Functionality

FIELD	DETAILS
Test Case ID	TC_PAY_007
Title	Print Receipt button triggers browser print dialog
Module	Payment History
Priority	Low

STEP	ACTION	EXPECTED RESULT
1	Open receipt modal for any transaction	Modal displayed
2	Click "Print Receipt" button	Browser's native print dialog opens

STEP	ACTION	EXPECTED RESULT
3	Cancel print dialog	Modal remains open, no error

TC_PAY_008 — Verify Empty State When No Payments Exist

FIELD	DETAILS
Test Case ID	TC_PAY_008
Title	Empty state message displayed for new user with no payments
Module	Payment History
Priority	Medium
Test Data	New user with no purchase history

STEP	ACTION	EXPECTED RESULT
1	Register new user and login	Dashboard displayed
2	Navigate to Payments	Payments page loaded
3	Verify transaction table area	Shows "No transactions found." with receipt icon
4	Verify stats	Successful Payments: 0, Total Premium: ₹0

TC_PAY_009 — Verify Payment Method Icons Display Correctly

FIELD	DETAILS
Test Case ID	TC_PAY_009
Title	Verify emoji icons for each payment method
Module	Payment History
Priority	Low

STEP	ACTION	EXPECTED RESULT
1	Verify Credit Card row	Shows 💳 icon before "Credit Card"
2	Verify UPI row	Shows 📱 icon before "UPI"
3	Verify Net Banking row	Shows 🏦 icon before "Net Banking"

TC_PAY_010 — Verify Auth Guard Redirects Unauthenticated Users

FIELD	DETAILS
Test Case ID	TC_PAY_010
Title	Payments page requires authentication
Module	Payment History / Security
Priority	Critical

STEP	ACTION	EXPECTED RESULT
1	Clear all localStorage (logout)	Session cleared
2	Navigate directly to payments.html	Redirected to login.html
3	Verify payments page content not visible	Login form displayed instead

TC_PAY_011 — Verify Search is Case-Insensitive

FIELD	DETAILS
Test Case ID	TC_PAY_011
Title	Search filter works regardless of case
Module	Payment History
Priority	Medium

STEP	ACTION	EXPECTED RESULT
1	Type "motor" (lowercase) in search	Motor transactions shown
2	Type "MOTOR" (uppercase) in search	Same Motor transactions shown
3	Type "Motor" (mixed case) in search	Same Motor transactions shown

TC_PAY_012 — Verify Navigation and Sidebar Active State

FIELD	DETAILS
Test Case ID	TC_PAY_012
Title	Sidebar highlights Payments link as active
Module	Payment History / UI
Priority	Low

STEP	ACTION	EXPECTED RESULT
1	Navigate to Payments page	Page loaded
2	Verify sidebar	"Payments" link has blue highlight + left border
3	Verify other sidebar links	No active state on other links
4	Verify navbar	Shows "Hi, [FirstName]" and Logout button

4.3 Detailed Test Cases — E2E Integration Flows

TC_E2E_001 — Complete Motor Policy Purchase → Payment Verification

FIELD	DETAILS
Test Case ID	TC_E2E_001
Title	End-to-End: Motor Quote → Purchase → Payment History Verification
Priority	Critical
Type	Integration / E2E
Pre-condition	User registered and logged in

STEP	ACTION	EXPECTED RESULT
1	Login as rahul@demo.com	Dashboard displayed
2	Navigate to Get Quote → Motor Insurance	Motor quote form loaded
3	Fill: Type=Four-Wheeler, Reg=MH12CD5678, Make=Hyundai, Model=Creta, Year=2023, Fuel=Diesel, NCB=25%, City=Mumbai	All fields filled
4	Click "Get Quotes"	3 plans displayed
5	Select Comprehensive plan	Plan highlighted
6	Check Zero Depreciation add-on	Premium increases by ₹1,200
7	Click Buy Now	Checkout page loaded with quote data
8	Fill nominee: Name=Test Nominee, Relationship=Spouse, DOB=1992-01-01, KYC=PAN, KYC#=ABCDE1234F	Nominee form filled
9	Select Credit Card, enter card: 4111 1111 1111 1111, Exp: 12/28, CVV: 123	Card fields populated
10	Click "Pay Securely"	Spinner shows for ~2 seconds
11	Verify success modal	Policy Number (POL...) and Transaction ID (TXN...) displayed
12	Navigate to Payments	payments.html loaded

STEP	ACTION	EXPECTED RESULT
13	Verify new transaction in table	New TXN row with correct amount, method=Credit Card, status=Success
14	Click receipt icon on new transaction	Receipt modal shows correct details
15	Verify stats updated	Successful Payments count +1, Total Premium updated

TC_E2E_002 — Claim Filing → Admin Approval → Payment History Check

FIELD	DETAILS
Test Case ID	TC_E2E_002
Title	End-to-End: File Claim → Admin Updates → Customer Tracks
Priority	Critical
Type	Integration / E2E

STEP	ACTION	EXPECTED RESULT
1	Login as customer	Dashboard
2	Navigate to Claims → File New Claim	Claim modal opens
3	Select active Motor policy, enter incident details	Form filled
4	Submit claim	CLM reference number generated
5	Logout → Login as admin	Admin panel
6	Navigate to Claims → Find new claim	Claim visible in list
7	Update status to "Under Review" → "Approved"	Status updated
8	Logout → Login as customer	Dashboard
9	Navigate to Claims → Track	Timeline shows all status changes

4.4 Test Data Sheet

```
╔═══════════════════════════════════════════════════════════════════════╗
║                          TEST DATA REPOSITORY                         ║
╟═══════════════════════════════════════════════════════════════════════╢
║                                                                       ║
║  ┌─────────────────────────────────────────────────────────────────┐  ║
║  │ VALID USER ACCOUNTS                                             │  ║
║  ├──────────────┬──────────────────────────┬────────────┬──────────┤  ║
║  │ Role         │ Email                    │ Password   │ Name     │  ║
║  ├──────────────┼──────────────────────────┼────────────┼──────────┤  ║
║  │ Customer     │ rahul@demo.com           │ Test@1234  │ Rahul Sharma │  ║
║  │ Customer     │ priya@demo.com           │ Test@1234  │ Priya Patel  │  ║
║  │ Admin        │ admin@insureai.com       │ Admin@123  │ Admin User   │  ║
║  │ New User     │ newuser_[timestamp]@test │ Test@1234  │ Test User    │  ║
║  └──────────────┴──────────────────────────┴────────────┴──────────┘  ║
║                                                                       ║
║  ┌─────────────────────────────────────────────────────────────────┐  ║
║  │ INVALID LOGIN DATA                                              │  ║
║  ├──────────────────────────┬──────────────────────────────────────┤  ║
║  │ Wrong password           │ rahul@demo.com / WrongPass@1         │  ║
║  │ Non-existent email       │ nouser@test.com / Test@1234          │  ║
║  │ Empty email              │ (blank) / Test@1234                  │  ║
║  │ Empty password           │ rahul@demo.com / (blank)             │  ║
║  │ SQL injection            │ ' OR 1=1 -- / anything               │  ║
║  │ XSS attempt              │ <script>alert(1)</script> / pass     │  ║
║  └──────────────────────────┴──────────────────────────────────────┘  ║
║                                                                       ║
║  ┌─────────────────────────────────────────────────────────────────┐  ║
║  │ REGISTRATION DATA                                               │  ║
║  ├──────────────────────────┬──────────────────────────────────────┤  ║
║  │ Valid DOB (18+)          │ 1995-06-15                           │  ║
║  │ Invalid DOB (<18)        │ 2015-01-01                           │  ║
║  │ Boundary DOB (exactly 18) │ 2008-03-24                          │  ║
║  │ Weak password (no upper) │ test@1234                            │  ║
║  │ Weak password (no special) │ Test12345                          │  ║
║  │ Weak password (short)    │ Te@1                                 │  ║
║  │ Valid mobile             │ 9876543210                           │  ║
║  │ Invalid mobile (5 digits) │ 98765                               │  ║
║  │ Invalid mobile (letters) │ 98765abcde                           │  ║
║  └──────────────────────────┴──────────────────────────────────────┘  ║
║                                                                       ║
║  ┌─────────────────────────────────────────────────────────────────┐  ║
║  │ MOTOR INSURANCE DATA                                            │  ║
║  ├──────────────────────────┬──────────────────────────────────────┤  ║
║  │ Valid Reg Number         │ MH12AB1234                           │  ║
║  │ Invalid Reg Number       │ ABCD123 / 12MH1234AB                 │  ║
║  │ Make/Model               │ Maruti Suzuki / Swift                │  ║
║  │ Year                     │ 2022                                 │  ║
║  │ Fuel Types               │ Petrol, Diesel, Electric, CNG        │  ║
║  │ NCB Values               │ 0%, 20%, 25%, 35%, 45%, 50%          │  ║
║  │ Add-ons                  │ Zero Dep (₹1200), Roadside (₹500)    │  ║
║  └──────────────────────────┴──────────────────────────────────────┘  ║
║                                                                       ║
║  ┌─────────────────────────────────────────────────────────────────┐  ║
║  │ PAYMENT DATA                                                    │  ║
║  ├──────────────────────────┬──────────────────────────────────────┤  ║
║  │ Valid Card Number        │ 4111 1111 1111 1111                  │  ║
║  │ Card Expiry              │ 12/28                                │  ║
║  │ CVV                      │ 123                                  │  ║
```

```
│ UPI ID                      │ test@upi                          │
│ Invalid Card (short)        │ 4111 1111                         │
│ Expired Card                │ 01/20                             │
└─────────────────────────────┴───────────────────────────────────┘

┌──────────────────────────────────────────────────────────────────┐
│ SEEDED PAYMENT RECORDS (for Payments page testing)               │
├──────────────┬──────────────┬────────┬────────┬────────┬─────────┤
│ TXN ID       │ Policy ID    │ Type   │ Amount │ Method │ Status  │
├──────────────┼──────────────┼────────┼────────┼────────┼─────────┤
│ TXN202600001 │ POL202600001 │ Motor  │ 12,500 │ Credit │ Success │
│ TXN202600002 │ POL202600002 │ Health │ 18,000 │ UPI    │ Success │
│ TXN202600003 │ POL202600004 │ Home   │  8,500 │ NetBnk │ Success │
└──────────────┴──────────────┴────────┴────────┴────────┴─────────┘
```

4.5 Requirement Traceability Matrix (RTM)

REQ ID	REQUIREMENT	TEST SCENARIOS	TEST CASES	PRIORITY	OWNER
FR-001	Registration with mandatory fields	TS_REG_01, TS_REG_02	TC_REG_001–008	Critical	Manual
FR-004	Minimum age 18 validation	TS_REG_05	TC_REG_009–011	High	Manual+Auto
FR-005	Password complexity rules	TS_REG_03	TC_REG_012–016	High	Manual+Auto
FR-007	Duplicate email blocked	TS_REG_04	TC_REG_017	Critical	Manual+Auto
FR-008	Login with credentials	TS_LOG_01, TS_LOG_02	TC_LOG_001–004	Critical	Manual+Auto
FR-010	Account lockout (5 failures)	TS_LOG_04	TC_LOG_005–007	Critical	Manual+Auto
FR-016	Logout + back button prevention	TS_LOG_08	TC_LOG_008–010	Critical	Manual+Auto
FR-024	Motor reg number format	TS_MOTOR_02	TC_MOTOR_005–008	High	Manual+Auto
FR-028	Motor add-on dynamic premium	TS_MOTOR_06	TC_MOTOR_012–015	High	Manual+Auto
FR-034	Travel future date requirement	TS_TRVL_01	TC_TRVL_001–003	Critical	Manual+Auto
FR-035	Travel max 180 days	TS_TRVL_02	TC_TRVL_004–006	High	Manual+Auto
FR-042	Success modal with POL# + TXN#	TS_CHK_05	TC_CHK_010–012	Critical	Auto
FR-044	No card data in localStorage	TS_CHK_07	TC_SEC_001–003	Critical	Auto
FR-051	File claim with CLM ID	TS_CLM_01	TC_CLM_001–003	Critical	Auto

REQ ID	REQUIREMENT	TEST SCENARIOS	TEST CASES	PRIORITY	OWNER
FR-052	Claim date within policy period	TS_CLM_02	TC_CLM_004–006	Critical	Auto
FR-057	Payment stats display	TS_PAY_01	TC_PAY_001	High	Manual+Auto
FR-058	Transaction table	TS_PAY_02	TC_PAY_002	High	Manual+Auto
FR-059	Payment search filter	TS_PAY_03–05	TC_PAY_003–005	Medium	Manual+Auto
FR-060	Receipt modal	TS_PAY_06	TC_PAY_006	Medium	Manual+Auto
FR-068	Admin update claim status	TS_ADM_05	TC_ADM_010–012	Critical	Manual+Auto
FR-070	Admin access control	TS_ADM_07	TC_ADM_013–015	Critical	Auto
NFR-001	Page load < 3 seconds	TS_NFR_01	TC_PERF_001–016	High	Perf QA
NFR-006	Cross-browser compatibility	TS_NFR_03	TC_COMPAT_001–004	High	Manual+Auto
NFR-007	No card data stored	TS_NFR_05	TC_SEC_001	Critical	Auto
NFR-008	Auth guard on protected pages	TS_NFR_04	TC_SEC_004–010	Critical	Auto

SECTION 5 — TEST DESIGN (AUTOMATION QA)

5.1 Automation Candidates

Priority 1 — Automate Immediately (Sprint 1)

#	TEST AREA	TEST COUNT	REASON
1	Login (valid/invalid/lockout)	8	Regression-critical, run every sprint
2	Registration validation	10	Core entry point, complex validations
3	Auth guard (all protected pages)	8	Security — must never regress
4	Dashboard load + data verification	5	REQ-017 performance compliance
5	Motor quote generation	12	Highest usage flow, complex calculation
6	Checkout + Payment	10	Revenue-critical flow
7	Claim filing + date validation	8	Core business flow
8	Payment history display + search	6	Data integrity verification
Total	**67**		

Priority 2 — Automate in Sprint 2

#	TEST AREA	TEST COUNT	REASON
1	Health quote (family floater)	6	Complex dynamic UI
2	Travel date validations	5	Boundary logic
3	Policy management (filter/cancel/renew)	8	Business rules
4	Admin claim status update	5	Multi-role flow
5	Receipt modal verification	4	UI modal interaction
Total	**28**		

Priority 3 — Keep Manual

#	TEST AREA	REASON
1	Exploratory testing	Requires human judgment
2	Visual/UI aesthetics	Color, spacing, alignment
3	Cross-browser rendering	Visual comparison needed

#	TEST AREA	REASON
4	Print receipt (browser dialog)	Cannot automate native dialog
5	Usability feedback	Human observation

5.2 Automation Framework Design

```
InsureAI-Automation/
│
├── playwright.config.js                ← Main config
├── playwright.perf.config.js           ← Performance config
├── package.json                        ← Dependencies
│
├── tests/
│   ├── smoke/                          ← 10 Smoke Tests (5 min)
│   │   ├── login.smoke.spec.js
│   │   ├── registration.smoke.spec.js
│   │   ├── dashboard.smoke.spec.js
│   │   ├── motor-quote.smoke.spec.js
│   │   └── checkout.smoke.spec.js
│   │
│   ├── regression/                     ← 82 Regression Tests (25 min)
│   │   ├── auth/
│   │   │   ├── login.spec.js           (8 tests)
│   │   │   ├── registration.spec.js    (10 tests)
│   │   │   ├── logout.spec.js          (4 tests)
│   │   │   └── forgot-password.spec.js (3 tests)
│   │   ├── quote/
│   │   │   ├── motor-quote.spec.js     (12 tests)
│   │   │   ├── health-quote.spec.js    (6 tests)
│   │   │   ├── home-quote.spec.js      (4 tests)
│   │   │   └── travel-quote.spec.js    (5 tests)
│   │   ├── policy/
│   │   │   ├── checkout.spec.js        (10 tests)
│   │   │   ├── policies-list.spec.js   (6 tests)
│   │   │   └── policy-cancel.spec.js   (4 tests)
│   │   ├── claims/
│   │   │   ├── file-claim.spec.js      (8 tests)
│   │   │   └── track-claim.spec.js     (4 tests)
│   │   ├── payments/
│   │   │   ├── payment-history.spec.js (6 tests)
│   │   │   └── payment-receipt.spec.js (4 tests)
│   │   ├── admin/
│   │   │   ├── admin-access.spec.js    (5 tests)
│   │   │   └── claim-management.spec.js(4 tests)
│   │   └── security/
│   │       ├── auth-guard.spec.js      (8 tests)
│   │       └── card-data.spec.js       (3 tests)
│   │
│   ├── e2e/                            ← 5 E2E Flows (10 min)
│   │   ├── motor-policy-purchase.e2e.spec.js
│   │   ├── health-policy-purchase.e2e.spec.js
│   │   ├── claim-approval-flow.e2e.spec.js
│   │   ├── policy-cancel-refund.e2e.spec.js
│   │   └── payment-verification.e2e.spec.js
│   │
│   ├── performance/                    ← 14 Perf Tests (8 min)
│   │   ├── page-load.perf.js
│   │   ├── core-web-vitals.perf.js
│   │   └── concurrent-users.perf.js
│   │
│   └── api/                            ← 10 API Tests (simulated)
│       └── auth-api.spec.js
│
├── pages/                              ← Page Object Model
```

```
│   ├── BasePage.js
│   ├── LoginPage.js
│   ├── RegisterPage.js
│   ├── DashboardPage.js
│   ├── MotorQuotePage.js
│   ├── HealthQuotePage.js
│   ├── HomeQuotePage.js
│   ├── TravelQuotePage.js
│   ├── CheckoutPage.js
│   ├── PoliciesPage.js
│   ├── PolicyDetailPage.js
│   ├── ClaimsPage.js
│   ├── PaymentsPage.js
│   ├── DocumentsPage.js
│   └── AdminPage.js
│
├── fixtures/
│   ├── users.json
│   ├── motor-data.json
│   ├── health-data.json
│   ├── travel-data.json
│   └── payment-data.json
│
├── helpers/
│   ├── seed-data.js
│   ├── auth-helper.js
│   ├── date-helper.js
│   └── assertion-helper.js
│
└── reports/
    ├── playwright-report/
    └── performance-results/
```

5.3 Sample Page Object — PaymentsPage.js

```
// pages/PaymentsPage.js
export class PaymentsPage {
  constructor(page) {
    this.page = page;
    // Locators
    this.payStats         = page.locator('#payStats');
    this.successCount     = page.locator('.stat-value').first();
    this.totalPremium     = page.locator('.stat-value').nth(1);
    this.searchInput      = page.locator('#searchTxn');
    this.transactionsTable = page.locator('#paymentsTable');
    this.tableRows        = page.locator('#paymentsTable tbody tr');
    this.emptyState       = page.locator('.empty-state');
    this.receiptModal     = page.locator('#receiptModal');
    this.receiptBody      = page.locator('#receiptBody');
    this.printBtn         = page.locator('button:has-text("Print Receipt")');
    this.closeModalBtn    = page.locator('#receiptModal .btn-outline-secondary');
  }

  async navigate() {
    await this.page.goto('/payments.html');
  }

  async getSuccessfulPaymentsCount() {
    return await this.successCount.innerText();
  }

  async getTotalPremiumPaid() {
    return await this.totalPremium.innerText();
  }

  async searchTransactions(query) {
    await this.searchInput.fill(query);
  }

  async clearSearch() {
    await this.searchInput.fill('');
  }

  async getTransactionCount() {
    return await this.tableRows.count();
  }

  async openReceipt(txnId) {
    await this.page.locator(`button[onclick="showReceipt('${txnId}')"]`).click();
    await this.receiptModal.waitFor({ state: 'visible' });
  }

  async getReceiptField(label) {
    return await this.receiptBody.locator(`tr:has(td:text("${label}")) td`).nth(1).innerText();
  }

  async closeReceipt() {
    await this.closeModalBtn.click();
  }

  async isEmptyState() {
    return await this.emptyState.isVisible();
```

```
  }
}
```

5.4 Sample Automation Script — Payment History Tests

```
// tests/regression/payments/payment-history.spec.js
import { test, expect } from '@playwright/test';
import { PaymentsPage } from '../../../pages/PaymentsPage.js';
import { LoginPage } from '../../../pages/LoginPage.js';
import { seedTestData } from '../../../helpers/seed-data.js';

test.describe('💳 Payment History — Functional Tests', () => {

  test.beforeEach(async ({ page }) => {
    await seedTestData(page);
    const login = new LoginPage(page);
    await login.navigate();
    await login.login('rahul@demo.com', 'Test@1234');
    await expect(page).toHaveURL(/dashboard/);
  });

  test('FR-057 | Stats show correct Successful Payments count', async ({ page }) => {
    const payments = new PaymentsPage(page);
    await payments.navigate();
    const count = await payments.getSuccessfulPaymentsCount();
    expect(count).toBe('2');
  });

  test('FR-057 | Stats show correct Total Premium Paid', async ({ page }) => {
    const payments = new PaymentsPage(page);
    await payments.navigate();
    const total = await payments.getTotalPremiumPaid();
    expect(total).toContain('30,500');
  });

  test('FR-058 | All transactions listed with correct columns', async ({ page }) => {
    const payments = new PaymentsPage(page);
    await payments.navigate();
    const count = await payments.getTransactionCount();
    expect(count).toBe(2); // Rahul has 2 payments

    // Verify headers
    await expect(page.locator('th:text("Transaction ID")')).toBeVisible();
    await expect(page.locator('th:text("Policy")')).toBeVisible();
    await expect(page.locator('th:text("Amount")')).toBeVisible();
    await expect(page.locator('th:text("Status")')).toBeVisible();
  });

  test('FR-059 | Search filters by Transaction ID', async ({ page }) => {
    const payments = new PaymentsPage(page);
    await payments.navigate();
    await payments.searchTransactions('TXN202600001');
    const count = await payments.getTransactionCount();
    expect(count).toBe(1);
    await expect(page.locator('td:text("TXN202600001")')).toBeVisible();
  });

  test('FR-059 | Search filters by insurance type', async ({ page }) => {
    const payments = new PaymentsPage(page);
    await payments.navigate();
    await payments.searchTransactions('Motor');
    const count = await payments.getTransactionCount();
    expect(count).toBe(1);
```

```
  });

  test('FR-060 | Receipt modal shows correct transaction details', async ({ page }) => {
    const payments = new PaymentsPage(page);
    await payments.navigate();
    await payments.openReceipt('TXN202600001');

    const txnId = await payments.getReceiptField('Transaction ID');
    expect(txnId).toBe('TXN202600001');

    const method = await payments.getReceiptField('Payment Method');
    expect(method).toBe('Credit Card');

    const amount = await payments.getReceiptField('Amount Paid');
    expect(amount).toContain('12,500');

    await payments.closeReceipt();
  });

});
```

SECTION 6 — TEST EXECUTION (SIMULATED — MANUAL QA)

6.1 Smoke Test Results

```
╔═══════════════════════════════════════════════════════════════════╗
║                SMOKE TEST EXECUTION RESULTS                       ╒
║                Date: 24-Mar-2026 | Duration: 28 minutes           ╒
╟═══╤═══════════════════════════════════════════════╤═══════╤═══╤═══╢
╟   #   Test Case                                    Result    ╟
╟═══╤═══════════════════════════════════════════════╤═══════╤═══╤═══╢
╟   1   Application opens at localhost:3000          ✓ PASS    ╟
╟   2   Home page loads with all 4 product cards      ✓ PASS    ╟
╟   3   New user can register successfully            ✓ PASS    ╟
╟   4   Registered user can login (customer)          ✓ PASS    ╟
╟   5   Dashboard loads with stats and policies       ✓ PASS    ╟
╟   6   Motor insurance quote can be generated        ✓ PASS    ╟
╟   7   Policy can be purchased (checkout flow)       ✓ PASS    ╟
╟   8   Claim can be filed against a policy           ✓ PASS    ╟
╟   9   Payment history displays transactions         ✓ PASS    ╟
╟  10   Admin can login and access admin panel        ✓ PASS    ╟
╟  11   Logout works and session is cleared           ✓ PASS    ╟
╟  12   Documents page shows downloadable files       ✓ PASS    ╟
╟═══╤═══════════════════════════════════════════════╤═══════╤═══╤═══╢
╟                    RESULT: 12/12 PASSED (100%) ✓                ╟
╟                    BUILD STATUS: GO FOR FUNCTIONAL TESTING      ╟
╚═══╧═══════════════════════════════════════════════╧═══════╧═══╧═══╝
```

6.2 Functional Test Execution Results

```
╔═══════════════════════════════════════════════════════════════════════╗
╠═══                FUNCTIONAL TEST EXECUTION SUMMARY                  ═══╣
╠═══                Date: 24-Mar-2026 | Cycle: 1                       ═══╣
╠═══╦═══╦═══╦
```

```
╔═══════════════════════════════════════════════════════════════════╗
║                E2E INTEGRATION TEST RESULTS                       ║
╟────┬──────────────────────────────────────────────┬──────────────╢
│ #  │ E2E Flow                                     │ Result       │
╟────┼──────────────────────────────────────────────┼──────────────╢
│ 1  │ Register → Login → Dashboard                 │ ✓ PASS       │
│ 2  │ Motor Quote → Checkout → Payment → Policy List │ ✓ PASS      │
│ 3  │ Health Quote → Checkout → Payment History     │ ✓ PASS      │
│ 4  │ File Claim → Admin Approval → Track Timeline  │ ✓ PASS      │
│ 5  │ Policy Purchase → Payment History → Receipt   │ ✓ PASS      │
│ 6  │ Policy Cancel → Refund Calculation            │ ✓ PASS      │
│ 7  │ Admin Deactivate → Customer Login Blocked     │ X FAIL (DEF-08)│
│ 8  │ Multi-tab Login → Data Consistency            │ ⚠ BLOCKED   │
╟────┴──────────────────────────────────────────────┴──────────────╢
│                    RESULT: 6/8 PASSED | 1 Failed | 1 Blocked      │
╚═══════════════════════════════════════════════════════════════════╝
```

6.4 Cross-Browser Test Results

```
╔═══════════════════════════════════════════════════════════════════╗
║                CROSS-BROWSER COMPATIBILITY RESULTS                ║
╟──────────────────┬──────────┬──────────┬──────────┬──────────────╢
│ Module           │ Chrome 131│ Firefox132│ Edge 131 │ Safari(WebKit) │
╟──────────────────┼──────────┼──────────┼──────────┼──────────────╢
│ Landing Page     │ ✓ PASS   │ ✓ PASS   │ ✓ PASS   │ ✓ PASS       │
│ Registration     │ ✓ PASS   │ ✓ PASS   │ ✓ PASS   │ ✓ PASS       │
│ Login            │ ✓ PASS   │ ✓ PASS   │ ✓ PASS   │ ✓ PASS       │
│ Dashboard        │ ✓ PASS   │ ✓ PASS   │ ✓ PASS   │ ✓ PASS       │
│ Motor Quote      │ ✓ PASS   │ ⚠ MINOR  │ ✓ PASS   │ ✓ PASS       │
│ Health Quote     │ ✓ PASS   │ ✓ PASS   │ ✓ PASS   │ ✓ PASS       │
│ Checkout         │ ✓ PASS   │ ✓ PASS   │ ✓ PASS   │ ✓ PASS       │
│ Policies         │ ✓ PASS   │ ✓ PASS   │ ✓ PASS   │ ✓ PASS       │
│ Claims           │ ✓ PASS   │ ✓ PASS   │ ✓ PASS   │ ✓ PASS       │
│ Payments         │ ✓ PASS   │ ✓ PASS   │ ✓ PASS   │ ✓ PASS       │
│ Admin            │ ✓ PASS   │ ✓ PASS   │ ✓ PASS   │ ✓ PASS       │
╟──────────────────┼──────────┼──────────┼──────────┼──────────────╢
│ Status           │ ✓ CLEAR  │ ⚠ 1 Minor│ ✓ CLEAR  │ ✓ CLEAR      │
╚══════════════════╧══════════╧══════════╧══════════╧══════════════╝

Note: Firefox minor issue — date picker styling differs slightly (cosmetic only, DEF-14)
```

SECTION 7 — TEST EXECUTION (SIMULATED — AUTOMATION QA)

7.1 Automation Run Summary

```
═══════════════════════════════════════════════════════════
AUTOMATION EXECUTION REPORT
Date     : 24-Mar-2026 | 23:00 IST (Nightly Run)
Run ID   : RUN-2026-032401
Browsers : Chromium 131 | Firefox 132 | WebKit
Duration : 33 minutes 18 seconds
═══════════════════════════════════════════════════════════

SUITE RESULTS — CHROMIUM (Primary)
───────────────────────────────────────────────────────────
✅ Smoke Tests         :  12/12  PASSED     (1m 48s)
✅ Auth Tests          :  25/25  PASSED     (3m 22s)
⚠️ Quote Tests         :  25/27  PASSED     (5m 14s)  — 2 FAILED
✅ Policy Tests        :  20/20  PASSED     (3m 56s)
✅ Claims Tests        :  12/12  PASSED     (2m 41s)
✅ Payment Tests       :  10/10  PASSED     (1m 52s)  ★
⚠️ Admin Tests         :   8/ 9  PASSED     (2m 08s)  — 1 FAILED
✅ Security Tests      :  11/11  PASSED     (1m 34s)
✅ E2E Tests           :   5/ 5  PASSED     (4m 22s)
✅ Performance Tests   :  14/14  PASSED     (6m 21s)
───────────────────────────────────────────────────────────
TOTAL                 : 142/145  PASSED    (33m 18s)
PASS RATE             : 97.9%
═══════════════════════════════════════════════════════════
```

7.2 Failed Test Details

```
═══════════════════════════════════════════════════════════
FAILURE #1
═══════════════════════════════════════════════════════════
File    : tests/regression/quote/motor-quote.spec.js
Test    : FR-025 | Model dropdown populates after make selection
Line    : 45
Duration: 8.2s

Error Log:
  ┌──────────────────────────────────────────────────────┐
  │ TimeoutError: locator('#model option')               │
  │   expected to have count > 0                         │
  │   but found 0 options                                │
  │                                                      │
  │ Waiting for: page.locator('#model option').count()   │
  │ Timeout: 5000ms exceeded                             │
  │                                                      │
  │ Call stack:                                           │
  │   at motor-quote.spec.js:45:7                        │
  │   at Object.<anonymous> (test-runner.js:112:23)      │
  └──────────────────────────────────────────────────────┘

Root Cause: Race condition — model dropdown populates via JS
            after make selection but test asserts before
            event handler completes.

Fix: Add explicit waitFor on model dropdown population:
     await page.waitForFunction(() =>
       document.querySelector('#model').options.length > 1
     );

Screenshot: [Full page screenshot captured — model dropdown
             shows "Select Model" with no options populated.
             Make dropdown shows "Hyundai" selected.]

═══════════════════════════════════════════════════════════
FAILURE #2
═══════════════════════════════════════════════════════════
File    : tests/regression/quote/motor-quote.spec.js
Test    : FR-028 | Add-on Engine Protection updates premium
Line    : 89

Error Log:
  ┌──────────────────────────────────────────────────────┐
  │ AssertionError:                                      │
  │   Expected: premium to increase by ₹800              │
  │   Received: premium unchanged                        │
  │                                                      │
  │   Before add-on: ₹14,750                             │
  │   After add-on:  ₹14,750 (expected ₹15,550)          │
  └──────────────────────────────────────────────────────┘

Root Cause: Engine Protection add-on click event not
            triggering recalculation. Possible JS binding
            issue on checkbox change listener.

Screenshot: [Checkbox appears checked but premium display
             shows same amount. Console shows no errors.]
```

```
═══════════════════════════════════════════════════════════
FAILURE #3
═══════════════════════════════════════════════════════════
File    : tests/regression/admin/admin-access.spec.js
Test    : FR-067 | Admin deactivate updates customer status
Line    : 78

Error Log:
  ┌──────────────────────────────────────────────────────┐
  │ TimeoutError: Waiting for table refresh               │
  │   locator('td:text("Deactivated")').waitFor()         │
  │   Timeout: 5000ms exceeded                            │
  │                                                       │
  │ Table still shows "Active" after deactivate click.    │
  └──────────────────────────────────────────────────────┘

Root Cause: Table re-render not triggered after localStorage
            update. Missing DOM refresh call.

Screenshot: [Admin Customers table showing user still
             Active. Deactivate button was clicked but
             table did not refresh.]
```

7.3 Payment Tests — All Passed (Detail)

```
═══════════════════════════════════════════════════════════
PAYMENT TESTS — DETAILED RESULTS  ★ 10/10 PASSED
═══════════════════════════════════════════════════════════
Duration: 1 minute 52 seconds

✓ FR-057 | Stats show correct Successful Payments count    (1.2s)
✓ FR-057 | Stats show correct Total Premium Paid           (1.1s)
✓ FR-058 | All transactions listed with correct columns    (1.8s)
✓ FR-059 | Search filters by Transaction ID                (2.1s)
✓ FR-059 | Search filters by insurance type                (1.9s)
✓ FR-059 | Search filters by payment method                (1.8s)
✓ FR-060 | Receipt modal shows correct transaction details  (3.2s)
✓ FR-060 | Receipt modal Close button works                (1.4s)
✓ FR-058 | Empty state shown for user with no payments     (2.8s)
✓ SEC    | Auth guard redirects unauthenticated user       (1.1s)
═══════════════════════════════════════════════════════════
```

SECTION 8 — API TESTING (SIMULATED)

> **Note:** InsureAI uses localStorage, not REST APIs. The following represents

> production-readiness API contracts inferred from UI functionality.

8.1 API Endpoint Mapping (Inferred from UI)

#	ENDPOINT	METHOD	DESCRIPTION	AUTH REQUIRED
1	/api/auth/register	POST	User registration	No
2	/api/auth/login	POST	User authentication	No
3	/api/auth/forgot-password	POST	Password reset request	No
4	/api/auth/logout	POST	Session termination	Yes
5	/api/dashboard	GET	Dashboard stats + data	Yes
6	/api/quotes	POST	Generate insurance quote	Yes
7	/api/quotes	GET	List saved quotes	Yes
8	/api/policies	GET	List user policies	Yes
9	/api/policies/:id	GET	Policy detail	Yes
10	/api/policies/:id/cancel	POST	Cancel policy	Yes
11	/api/policies/:id/renew	POST	Renew policy	Yes
12	/api/claims	POST	File new claim	Yes
13	/api/claims	GET	List user claims	Yes
14	/api/claims/:id	GET	Claim detail + timeline	Yes
15	/api/claims/:id/status	PATCH	Update claim status (admin)	Admin
16	/api/payments	GET	Payment history	Yes
17	/api/payments/:id/receipt	GET	Payment receipt	Yes
18	/api/documents	GET	List downloadable docs	Yes
19	/api/admin/customers	GET	List all customers (admin)	Admin
20	/api/admin/customers/:id	PATCH	Activate/deactivate (admin)	Admin
21	/api/admin/reports	GET	Analytics data (admin)	Admin

8.2 API Test Cases — Payments Endpoints (Target Module)

ID	ENDPOINT	METHOD	SCENARIO	REQUEST	EXPECTED
API_PAY_01	/api/payments	GET	List payments with valid token	Header: Authorization: Bearer {jwt}	200 + payments array
API_PAY_02	/api/payments	GET	Unauthorized (no token)	No auth header	401 Unauthorized
API_PAY_03	/api/payments	GET	Expired token	Header: Bearer expired_token	401 Token expired
API_PAY_04	/api/payments	GET	Filter by type=Motor	Query: ?type=Motor	200 + filtered array
API_PAY_05	/api/payments	GET	Filter by method=UPI	Query: ?method=UPI	200 + filtered array
API_PAY_06	/api/payments	GET	Search by txnId	Query: ?search=TXN202600001	200 + single item
API_PAY_07	/api/payments/:id/receipt	GET	Get receipt for valid TXN	Param: TXN202600001	200 + receipt object
API_PAY_08	/api/payments/:id/receipt	GET	Receipt for non-existent TXN	Param: TXN999999	404 Not Found
API_PAY_09	/api/payments	GET	Verify response schema	Valid request	All fields present with correct types
API_PAY_10	/api/payments	GET	User isolation (no cross-user data)	User A token	Only User A payments returned

8.3 API Test Execution Results (Simulated)

```
╔═══════════════════════════════════════════════════════════════════════╗
║                    API TEST EXECUTION RESULTS                         ╒
╟═══╤═══╤═══╤
```

```
REQUEST:
  GET /api/payments HTTP/1.1
  Host: localhost:3000
  Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...
  Accept: application/json

RESPONSE (200 OK):
{
  "success": true,
  "count": 2,
  "payments": [
    {
      "id": "TXN202600001",
      "userId": "USR001",
      "policyId": "POL202600001",
      "policyType": "Motor",
      "date": "2026-01-01T00:00:00Z",
      "amount": 12500,
      "method": "Credit Card",
      "status": "Success",
      "txnRef": "HDFC8723641"
    },
    {
      "id": "TXN202600002",
      "userId": "USR001",
      "policyId": "POL202600002",
      "policyType": "Health",
      "date": "2026-02-01T00:00:00Z",
      "amount": 18000,
      "method": "UPI",
      "status": "Success",
      "txnRef": "UPI9034512"
    }
  ]
}
```

SECTION 9 — PERFORMANCE TESTING

9.1 Performance Test Strategy

METRIC	TOOL	THRESHOLD	PRIORITY
Full Page Load	Navigation Timing API	< 3,000ms	High
First Contentful Paint (FCP)	PerformanceObserver	< 1,800ms	High
Largest Contentful Paint (LCP)	PerformanceObserver	< 2,500ms	High
Cumulative Layout Shift (CLS)	PerformanceObserver	< 0.1	Medium
Total Blocking Time (TBT)	Long Tasks API	< 200ms	Medium
5 Concurrent Users	Playwright Multi-Context	Avg < 5,000ms	High
10 Concurrent Users (Stress)	Playwright Multi-Context	Max < 8,000ms	Medium
Memory Leak (8 iterations)	CDP metrics()	Heap growth < 50MB	Medium
Form Interaction (INP)	Performance.now()	< 200ms	Low

9.2 Page Load Results — All 16 Pages

```
╔═══════════════════════════════════════════════════════════════════════╗
║                    PAGE LOAD PERFORMANCE RESULTS                      ║
║                    Budget: < 3,000ms per page                         ║
╟──────────────────────┬──────────┬──────────┬──────────┬──────────────╟
║ Page                 ║ Load(ms) ║ FCP(ms)  ║ LCP(ms)  ║ Status       ║
╟──────────────────────┼──────────┼──────────┼──────────┼──────────────╟
║ index.html           ║    287   ║    198   ║    342   ║ ✓ PASS      ║
║ login.html           ║    195   ║    142   ║    228   ║ ✓ PASS      ║
║ register.html        ║    201   ║    148   ║    235   ║ ✓ PASS      ║
║ forgot-password.html ║    178   ║    126   ║    198   ║ ✓ PASS      ║
║ dashboard.html       ║    412   ║    285   ║    498   ║ ✓ PASS      ║
║ get-quote.html       ║    238   ║    172   ║    302   ║ ✓ PASS      ║
║ motor-quote.html     ║    356   ║    248   ║    421   ║ ✓ PASS      ║
║ health-quote.html    ║    328   ║    234   ║    389   ║ ✓ PASS      ║
║ home-quote.html      ║    312   ║    218   ║    368   ║ ✓ PASS      ║
║ travel-quote.html    ║    335   ║    242   ║    398   ║ ✓ PASS      ║
║ checkout.html        ║    389   ║    268   ║    465   ║ ✓ PASS      ║
║ policies.html        ║    345   ║    238   ║    412   ║ ✓ PASS      ║
║ policy-detail.html   ║    298   ║    202   ║    355   ║ ✓ PASS      ║
║ claims.html          ║    378   ║    262   ║    448   ║ ✓ PASS      ║
║ payments.html  ★     ║    285   ║    195   ║    338   ║ ✓ PASS      ║
║ documents.html       ║    248   ║    178   ║    298   ║ ✓ PASS      ║
║ admin.html           ║    456   ║    312   ║    542   ║ ✓ PASS      ║
╟──────────────────────┼──────────┼──────────┼──────────┼──────────────╟
║ AVERAGE              ║    308   ║    216   ║    367   ║ ✓ ALL PASS  ║
║ MAX                  ║    456   ║    312   ║    542   ║ (admin.html) ║
║ MIN                  ║    178   ║    126   ║    198   ║ (forgot-pwd) ║
╚═══════════════════════╧══════════╧══════════╧══════════╧══════════════╝

★ payments.html — Target page: 285ms load | Well within 3s budget
```

9.3 Core Web Vitals Summary

```
╔═══════════════════════╦═══════════╦═══════════╦═══════════════╗
║            CORE WEB VITALS — OVERALL RATING                    ║
╟───────────────────────┼───────────┼───────────┼───────────────╟
║ Metric                ║ Value     ║ Threshold ║ Rating        ║
╟───────────────────────┼───────────┼───────────┼───────────────╟
║ FCP (avg)             ║   216ms   ║ < 1800ms ║ 🟢 GOOD       ║
║ LCP (avg)             ║   367ms   ║ < 2500ms ║ 🟢 GOOD       ║
║ CLS (avg)             ║   0.02    ║ < 0.1    ║ 🟢 GOOD       ║
║ TBT (avg)             ║    45ms   ║ < 200ms  ║ 🟢 GOOD       ║
║ INP (avg)             ║    62ms   ║ < 200ms  ║ 🟢 GOOD       ║
╟───────────────────────┼───────────┼───────────┼───────────────╟
║               OVERALL: 🟢 GOOD (All vitals within budget)    ║
╚═══════════════════════╧═══════════╧═══════════╧═══════════════╝
```

9.4 Concurrent Users Stress Test

```
╔═══════════════════════════════════════════════════════════════╗
║                CONCURRENT USERS — STRESS TEST                 ╒
╟═══════════════════╤═══════════╤═══════════╤═══════╤═══════════╢
║ Scenario          ║ Avg Load  ║ Max Load  ║ Errors ║ Status    ╒
╟═══════════════════╤═══════════╤═══════════╤═══════╤═══════════╢
║ 1 User (baseline)║    285ms  ║    285ms  ║   0   ║ ✓ PASS   ╒
║ 3 Users          ║    412ms  ║    548ms  ║   0   ║ ✓ PASS   ╒
║ 5 Users          ║    856ms  ║  1,245ms  ║   0   ║ ✓ PASS   ╒
║ 8 Users          ║  1,423ms  ║  2,178ms  ║   0   ║ ✓ PASS   ╒
║ 10 Users (stress)║  2,845ms  ║  4,512ms  ║   0   ║ ✓ PASS   ╒
╟═══════════════════╤═══════════╤═══════════╤═══════╤═══════════╢
║ Budget: 5 users < 5,000ms avg | 10 users < 8,000ms max      ╒
║ Result: ALL SCENARIOS PASSED ✓                               ╒
╚═══════════════════╧═══════════╧═══════════╧═══════╧═══════════╝
```

9.5 Memory Leak Test

```
╔═══════╤═══════════╤═══════════╤═══════════════════╗
║              MEMORY LEAK TEST — 8 NAVIGATION CYCLES           ╒
╟═══════╤═══════════╤═══════════╤═══════════════════╢
║ Cycle ║ JS Heap (MB)║ Delta (MB)  ║ Observation       ╒
╟═══════╤═══════════╤═══════════╤═══════════════════╢
║   1   ║    12.4   ║    —      ║ Baseline           ╒
║   2   ║    14.8   ║   +2.4    ║ Expected growth    ╒
║   3   ║    16.1   ║   +1.3    ║ Normal             ╒
║   4   ║    15.2   ║   -0.9    ║ GC collected       ╒
║   5   ║    17.8   ║   +2.6    ║ Normal             ╒
║   6   ║    16.5   ║   -1.3    ║ GC collected       ╒
║   7   ║    18.2   ║   +1.7    ║ Normal             ╒
║   8   ║    17.1   ║   -1.1    ║ GC collected       ╒
╟═══════╤═══════════╤═══════════╤═══════════════════╢
║ Total ║  Net: +4.7 ║ Budget: 50MB ║ ✓ PASS — No leak  ╒
╚═══════╧═══════════╧═══════════╧═══════════════════╝
```

9.6 Performance Visualization (Text-Based Chart)


PAGE LOAD TIMES (ms) — Budget: 3000ms
index.html 287ms
login.html 195ms
register.html 201ms
forgot-password 178ms
dashboard.html 412ms
get-quote.html 238ms
motor-quote.html 356ms
health-quote.html 328ms
home-quote.html 312ms
travel-quote.html 335ms
checkout.html 389ms
policies.html 345ms
policy-detail.html 298ms
claims.html 378ms
payments.html ★ 285ms
documents.html 248ms
admin.html 456ms
0 500 1000 1500 2000 2500 3000
▲ All pages well within 3000ms budget
CONCURRENT USERS — Average Response Time
1 User 285ms
3 Users 412ms
5 Users 856ms
8 Users 1,423ms
10 Users 2,845ms
0 1000 2000 3000 4000 5000
▲ All within budget thresholds

SECTION 10 — DEFECT SUMMARY

10.1 Defect Log

DEFECT REGISTER

ID	Module	Sev	Pri	Title	Status
DEF-01	Reg	S2	P2	Mobile field accepts alphabetic chars via paste (no input type="tel" enforcement)	✗ OPEN
DEF-02	Reg	S3	P3	No inline validation feedback for Name field (only required, no format check)	✗ OPEN
DEF-03	Login	S2	P2	After account lockout, no email sent (demo limitation — simulated only)	✓ BY DESIGN
DEF-04	Motor	S2	P2	Model dropdown race condition — loads before Make selection event completes	✗ OPEN
DEF-05	Motor	S2	P2	Engine Protection add-on click does not recalculate premium (binding issue)	✗ OPEN
DEF-06	Travel	S2	P2	181-day trip not rejected when end date entered before start date	✗ OPEN
DEF-07	Claims	S1	P1	Claim date validation allows dates before policy start date (boundary off-by-one)	✓ FIXED VERIFIED
DEF-08	Claims	S2	P2	Claim with amount ₹0 accepted without validation error	✗ OPEN
DEF-09	Admin	S2	P2	Deactivated user can still login until localStorage refresh (session not cleared)	✗ OPEN
DEF-10	Policy	S3	P3	Cancellation refund shows NaN when policy end date is in the past	✗ OPEN
DEF-11	Chkout	S3	P3	CVV field allows more than 3 digits on some browsers (no maxlength enforcement)	✗ OPEN
DEF-12	NFR	S1	P1	Auth guard on admin.html can be bypassed by setting currentUser.role="admin" in browser console	✓ FIXED VERIFIED
DEF-13	UI	S3	P3	Login form label overlaps at 375px mobile width (CSS media query gap)	✗ OPEN
DEF-14	UI	S4	P4	Firefox date picker styling inconsistent (cosmetic only, no functional impact)	✗ OPEN

10.2 Defect Summary Statistics

```
TOTAL DEFECTS RAISED: 14
═══════════════════════════════════════════════════════════

BY SEVERITY                          BY PRIORITY
────────────────────────────         ────────────────────────────

Critical (S1)  : ▓▓  2 (14%)         P1 : ▓▓  2 (14%) — Both FIXED ✓
Major (S2)     : ▓▓▓▓▓▓▓  7 (50%)    P2 : ▓▓▓▓▓▓▓  7 (50%)
Minor (S3)     : ▓▓▓▓  4 (29%)       P3 : ▓▓▓▓  4 (29%)
Trivial (S4)   : ▓  1 (7%)           P4 : ▓  1 (7%)

BY STATUS
────────────────────────────

Open           : ▓▓▓▓▓▓▓▓▓  9 (64%)
Fixed/Verified : ▓▓  2 (14%)
By Design      : ▓  1 (7%)
Deferred       : ▓▓  2 (14%)

BY MODULE
────────────────────────────

Registration   : ▓▓  2
Login          : ▓  1 (By Design)
Motor Quote    : ▓▓  2
Travel Quote   : ▓  1
Claims         : ▓▓  2 (1 Fixed)
Admin          : ▓  1
Checkout       : ▓  1
Policy         : ▓  1
Security/NFR   : ▓  1 (Fixed)
UI/Responsive  : ▓▓  2
Payments       : 0 (No defects) ★
```

10.3 Sample Defect Report — DEF-05

```
╔═══════════════════════════════════════════════════════════════╗
║                    DEFECT REPORT — DEF-05                     ╒
╞═══════════════════════════════════════════════════════════════╡
╒ Defect ID     : DEF-05                                        ╒
╒ Title         : Engine Protection add-on does not             ╒
╒                 recalculate motor premium                     ╒
╒ Module        : Motor Quote                                   ╒
╒ Severity      : Major (S2)                                    ╒
╒ Priority      : P2                                            ╒
╒ Found In      : v1.0                                          ╒
╒ Found By      : Automation QA (motor-quote.spec.js:89)        ╒
╒ Reported Date : 24-Mar-2026                                   ╒
╒ Assigned To   : Developer                                     ╒
╒ Status        : Open                                          ╒
╞═══════════════════════════════════════════════════════════════╡
╒ Environment                                                   ╒
╒   OS          : Windows 11 Pro                                ╒
╒   Browser     : Chromium 131                                  ╒
╒   URL         : http://localhost:3000/motor-quote.html        ╒
╞═══════════════════════════════════════════════════════════════╡
╒ STEPS TO REPRODUCE                                             ╒
╒   1. Login as rahul@demo.com / Test@1234                       ╒
╒   2. Navigate to Get Quote → Motor Insurance                    ╒
╒   3. Fill valid vehicle details                                 ╒
╒   4. Click "Get Quotes"                                         ╒
╒   5. Select Comprehensive plan                                  ╒
╒   6. Note base premium (e.g., ₹14,750)                          ╒
╒   7. Check "Engine Protection" add-on checkbox                  ╒
╒   8. Observe premium display                                    ╒
╞═══════════════════════════════════════════════════════════════╡
╒ EXPECTED RESULT                                                ╒
╒   Premium should increase by ₹800 (₹14,750 → ₹15,550)          ╒
╒   Total should recalculate dynamically without page reload      ╒
╞═══════════════════════════════════════════════════════════════╡
╒ ACTUAL RESULT                                                  ╒
╒   Premium remains at ₹14,750 after checking Engine              ╒
╒   Protection. No recalculation occurs. Console shows no         ╒
╒   errors. Zero Depreciation and Roadside add-ons work           ╒
╒   correctly — only Engine Protection is affected.                ╒
╞═══════════════════════════════════════════════════════════════╡
╒ ROOT CAUSE (Suspected)                                         ╒
╒   Change event listener not bound to Engine Protection          ╒
╒   checkbox. Likely missing event binding in JS code.            ╒
╞═══════════════════════════════════════════════════════════════╡
╒ ATTACHMENTS                                                    ╒
╒   [Screenshot: Premium unchanged after checkbox checked]        ╒
╒   [Video: 12-second reproduction clip]                          ╒
╒   [Console log: No errors captured]                            ╒
╚═══════════════════════════════════════════════════════════════╝
```

SECTION 11 — PARALLEL EXECUTION TIMELINE

11.1 Day-Wise Parallel Execution View

```
═══════════════════════════════════════════════════════════════════════════
                    PARALLEL EXECUTION TIMELINE — WEEK 3-4
═══════════════════════════════════════════════════════════════════════════

          MANUAL QA                          AUTOMATION QA
          _________                          _____________

DAY 1     ┌──────────────────┐               ┌──────────────────┐
(Mon)     │ Smoke Testing    │               │ Smoke Suite Run  │
          │ (12 tests, 28 min)│              │ (12 tests, 2 min)│
          │ Result: 12/12 ✓  │               │ Result: 12/12 ✓  │
          └──────────────────┘               └──────────────────┘

          ┌──────────────────┐               ┌──────────────────┐
          │ Auth Module Testing│             │ Auth Suite Automated│
          │ (27 tests, 3.5 hrs)│             │ (25 tests, 3 min)│
          │ Result: 24/27    │               │ Result: 25/25 ✓  │
          └──────────────────┘               └──────────────────┘

DAY 2     ┌──────────────────┐               ┌──────────────────┐
(Tue)     │ Motor Quote Testing│             │ Quote Suite Run  │
          │ (15 tests, 4 hrs)│               │ (27 tests, 5 min)│
          │ Result: 13/15    │               │ Result: 25/27 ⚠️ │
          │ DEF-04, DEF-05 found│            │ 2 failures logged│
          └──────────────────┘               └──────────────────┘

          ┌──────────────────┐               ┌──────────────────┐
          │ Health/Home/Travel│              │ Checkout + Policy│
          │ Quote Testing    │               │ Suite Automated  │
          │ (22 tests, 4 hrs)│               │ (30 tests, 7 min)│
          │ Result: 20/22    │               │ Result: 30/30 ✓  │
          └──────────────────┘               └──────────────────┘

DAY 3     ┌──────────────────┐               ┌──────────────────┐
(Wed)     │ Checkout + Policy│               │ Claims + Payments│
          │ Module Testing   │               │ Suite Run        │
          │ (23 tests, 5 hrs)│               │ (22 tests, 4 min)│
          │ Result: 21/23    │               │ Result: 22/22 ✓  │
          └──────────────────┘               └──────────────────┘

          ┌──────────────────┐               ┌──────────────────┐
          │ Claims Testing   │               │ Admin + Security │
          │ (15 tests, 3.5 hrs)│             │ Suite Run        │
          │ Result: 13/15    │               │ (20 tests, 4 min)│
          │ DEF-07, DEF-08 found│            │ Result: 19/20 ⚠️ │
          └──────────────────┘               └──────────────────┘

DAY 4     ┌──────────────────┐               ┌──────────────────┐
(Thu)     │ Payments Module ★ │              │ E2E Suite Run    │
          │ (12 tests, 2.5 hrs)│             │ (5 tests, 10 min)│
          │ Result: 12/12 ✓  │               │ Result: 5/5 ✓    │
          │ ZERO DEFECTS! ★  │               │                  │
          └──────────────────┘               └──────────────────┘

          ┌──────────────────┐               ┌──────────────────┐
          │ Admin Panel Testing│             │ Performance Suite│
          │ (18 tests, 4 hrs)│               │ (14 tests, 8 min)│
          │ Result: 16/18    │               │ Result: 14/14 ✓  │
          │ DEF-09 found     │               │ All pages < 3s ✓ │
          └──────────────────┘               └──────────────────┘

DAY 5     ┌──────────────────┐               ┌──────────────────┐
(Fri)     │ Cross-Browser Test│              │ Multi-Browser Run│
```

```
          │ Chrome/Firefox/Edge │              │ Chromium+Firefox    │
          │ Result: 3/3 browsers│              │ +WebKit parallel    │
          │ DEF-13, DEF-14 found│              │ Result: Pass ✓      │
          └────────────────────┘              └────────────────────┘

          ┌────────────────────┐              ┌────────────────────┐
          │ Exploratory Testing │              │ API Test Suite      │
          │ (6 charters, 3 hrs) │              │ (20 tests, 3 min)   │
          │ DEF-12 found (sec)  │              │ Result: 20/20 ✓     │
          └────────────────────┘              └────────────────────┘


═══════════════════════════════════════════════════════════════════════
SUMMARY: Manual QA = 5 days active | Automation QA = 5 days parallel
         Total Manual Execution: ~30 hours | Automation: ~45 minutes
═══════════════════════════════════════════════════════════════════════
```

SECTION 12 — TEST SUMMARY REPORT

```
╔═══════════════════════════════════════════════════════════════════════╗
║                                                                       ╒
╒                                                                       ╒
╒                                                                       ╒
╒
```

```
│ All 16 pages < 3s load      │ ✓ PASS (avg 308ms, max 456ms)       │
│ Core Web Vitals (FCP)       │ ✓ GOOD — 216ms avg                  │
│ Core Web Vitals (LCP)       │ ✓ GOOD — 367ms avg                  │
│ Core Web Vitals (CLS)       │ ✓ GOOD — 0.02 avg                   │
│ 10 Concurrent Users         │ ✓ PASS — 2,845ms avg (< 5,000ms)    │
│ Memory Leak Test            │ ✓ PASS — Net +4.7MB (< 50MB budget) │
└─────────────────────────────┴─────────────────────────────────────┘

┌──────────────────────────────────────────────────────────────────┐
│                        API TEST SUMMARY                          │
├─────────────────────────────┬─────────────────────────────────────┤
│ Total API Test Cases        │  20                                 │
│ Passed                      │  20 (100%)                          │
│ Endpoints Covered           │  21 (inferred from UI)              │
│ Auth Scenarios              │   6 (register, login, lockout)      │
│ CRUD Scenarios              │   8 (policies, claims, payments)    │
│ Security Scenarios          │   6 (unauthorized, forbidden, etc.) │
└─────────────────────────────┴─────────────────────────────────────┘

┌──────────────────────────────────────────────────────────────────┐
│                  ★ PAYMENTS MODULE — HIGHLIGHT ★                 │
├─────────────────────────────┬─────────────────────────────────────┤
│ Manual Test Cases           │  12/12 PASSED (100%) ✓              │
│ Automation Tests            │  10/10 PASSED (100%) ✓              │
│ API Tests                   │   6/6  PASSED (100%) ✓              │
│ Defects Found               │   0 — ZERO DEFECTS ★                │
│ Performance (payments.html) │  285ms load time ✓                  │
│ Cross-Browser               │  4/4 browsers PASSED ✓              │
└─────────────────────────────┴─────────────────────────────────────┘

═══════════════════════════════════════════════════════════════════════

  SIGN-OFF RECOMMENDATION
  ═══════════════════════

  ✓ All Critical (P1) defects resolved and verified
  ✓ Performance budgets met on all pages
  ✓ Security tests passed (auth guard, card data, admin access)
  ✓ Core Web Vitals rated GOOD across all metrics
  ✓ Automation coverage at 86% with 97.9% pass rate
  ⚠️ 5 Major (P2) defects remain open — none blocking demo
  ⚠️ 3 Minor/Trivial defects deferred — cosmetic only

  ┌──────────────────────────────────────────────────────────────┐
  │                                                              │
  │    RECOMMENDATION: ✓ APPROVED FOR CLIENT DEMONSTRATION       │
  │                                                              │
  │    The application meets all critical business requirements. │
  │    Open P2 defects have documented workarounds and do not    │
  │    impact core insurance workflows.                          │
  │                                                              │
  └──────────────────────────────────────────────────────────────┘
```

SECTION 13 — SIGN-OFF & RELEASE

13.1 Release Notes

```
═══════════════════════════════════════════════════════════
RELEASE NOTES — InsureAI v1.0
Date: 24-Mar-2026
═══════════════════════════════════════════════════════════

FEATURES TESTED & VERIFIED
──────────────────────────────────────────────────────────
✓ Module 01 : User Registration with full validation
✓ Module 02 : Login with lockout, forgot password, session mgmt
✓ Module 03 : Customer Dashboard with stats & alerts
✓ Module 04 : Motor Insurance Quote (3 plans + add-ons + NCB)
✓ Module 05 : Health Insurance Quote (Individual + Family)
✓ Module 06 : Home Insurance Quote (3 plans)
✓ Module 07 : Travel Insurance Quote (domestic + international)
✓ Module 08 : Policy Purchase with 5 payment methods
✓ Module 09 : Policy Management (view, filter, cancel, renew)
✓ Module 10 : Claims Filing & Tracking with timeline
✓ Module 11 : Payment History with search & receipts  ★
✓ Module 12 : Document Downloads
✓ Module 13 : Admin Panel (customers, claims, reports)
✓ Security  : Auth guard, admin access control, card data protection
✓ Perf      : All pages < 3s, Core Web Vitals GOOD

KNOWN ISSUES (Accepted for Demo)
──────────────────────────────────────────────────────────
⚠️ DEF-04 : Motor model dropdown has intermittent race condition
   Workaround: Select make, wait 1 second, then select model

⚠️ DEF-05 : Engine Protection add-on doesn't update premium
   Workaround: Use Zero Dep or Roadside add-ons for demo

⚠️ DEF-13 : Login form label overlaps at 375px mobile
   Workaround: Use Chrome desktop or 390px+ for demo

⚠️ DEF-14 : Firefox date picker styling differs slightly
   Workaround: Use Chrome for demo

TEST CREDENTIALS
──────────────────────────────────────────────────────────
Customer : rahul@demo.com      / Test@1234
Customer : priya@demo.com      / Test@1234
Admin    : admin@insureai.com  / Admin@123
═══════════════════════════════════════════════════════════
```

13.2 Sign-Off Sheet

```
╔═══════════════════════════════════════════════════════════╗
║                    SIGN-OFF SHEET                         ║
║              InsureAI v1.0 — 24-Mar-2026                  ║
╟═══════════════════════════════════════════════════════════╢
║                                                           ║
║  QA Team Lead    : _________________  Date: ______________  ║
║                                                           ║
║  Manual QA       : _________________  Date: ______________  ║
║                                                           ║
║  Automation QA   : _________________  Date: ______________  ║
║                                                           ║
║  Perf/API QA     : _________________  Date: ______________  ║
║                                                           ║
║  Dev Lead        : _________________  Date: ______________  ║
║                                                           ║
║  Product Owner   : _________________  Date: ______________  ║
║                                                           ║
╚═══════════════════════════════════════════════════════════╝
```

13.3 Assumptions Made

#	ASSUMPTION	IMPACT
1	Backend is simulated via localStorage — no real server API	API tests are contract-based (production-readiness design)
2	Email/SMS notifications are simulated (console.log)	Email delivery tests marked "By Design"
3	Payment gateway uses sandbox/demo mode	No real transaction testing
4	Documents generate demo text files, not real PDFs	Download content not validated
5	Performance thresholds based on local environment (localhost)	Production performance may differ
6	API endpoints inferred from UI functionality	Actual API may differ in production
7	Concurrent user test limited to 10 browser contexts	Real load testing needs JMeter/k6
8	Security testing is surface-level (client-side)	Server-side security needs separate pentest