Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main(){
    int t,m,n,c=0;
    scanf("%d",&t);
    for(int i=0;i<t;i++){
        c=0;
        scanf("%d\n%d",&m,&n);
        int arr[n];
        for(int j=0;j<n;j++){
            scanf("%d",&arr[j]);
        }
        for(int a=0;a<n-1;a++){
            for(int b=a+1;b<n;b++){
                if(arr[a]+arr[b]==m){
                    printf("%d %d\n",a+1,b+1);
                    c=1;break;
                }
            }if(c==1)break;
        }
    }
    return 0;
}
```

	Input	Expected	Got	
✓	2 4 5 1 4 5 3 2 4 4 2 2 4 3	1 4 1 2	1 4 1 2	✓

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main(){
    int n,m,c,c1=0,co;
    scanf("%d",&n);
    int arr[n];
    for(int a=0;a<n;a++){
        scanf("%d",&arr[a]);
    }
    scanf("%d",&m);
    int brr[m],ans[m];
    for(int b=0;b<m;b++){
        scanf("%d",&brr[b]);
    }
    for(int j=0;j<m;j++)
    {
        c=0;
        for(int i=0;i<n;i++){
        if(arr[i]==brr[j]){
            c=1;
            arr[i]=-1;
            break;
        }
    }
    if(c==0){
        ans[c1]=brr[j];
        c1++;
    }
}
for(int a=0;a<c1;a++){
    co=0;
    for(int b=0;b<c1;b++){
        if(ans[b]<ans[a])
        co++;
    }
```

```
        ans[c1]=brr[j];
        c1++;
    }
}
for(int a=0;a<c1;a++){
    co=0;
    for(int b=0;b<c1;b++){
        if(ans[b]<ans[a])
        co++;
    }
    int temp=ans[a];
    ans[a]=ans[co];
    ans[co]=temp;
}
for(int i=0;i<c1;i++)
printf("%d ",ans[i]);

return 0;
}
```

	Input	Expected	Got	
✓	10 203 204 205 206 207 208 203 204 205 206 13 203 204 204 205 206 207 205 208 203 206 205 206 204	204 205 206	204 205 206	✓

Passed all tests! ✓

Question **3**

Watson gives Sherlock an array of integers. His challenge is to find an element of the array such that the sum of all elements to the left is

In the third case, ***arr[2] = 2*** is between two subarrays summing to ***0***.

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main()
{
    int t,n,Is,rs,m;
    scanf("%d",&t);
    for(int i=0;i<t;i++){
        Is=0;
        rs=0;
        scanf("%d",&n);
        int arr[n];
        for(int j=0;j<n;j++)
        scanf("%d",&arr[j]);
        m=n/2;
        if(arr[m]==0){
            for(m=0;arr[m]==0 && m<n;m++);
        }
        for(int j=0;j<=m;j++)
        Is=Is+arr[j];
        for(int j=m;j<n;j++)
        rs=rs+arr[j];
        printf("%s\n",(Is==rs)?"YES":"NO");
    }
    return 0;

}
```

	Input	Expected	Got	
✓	3	YES	YES	✓

Week-07-01-Practice Session-Coding: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=135661&cmid=182

REC-CIS

```
        Is=Is+arr[j];
        for(int j=m;j<n;j++)
        rs=rs+arr[j];
        printf("%s\n",(Is==rs)?"YES":"NO");
    }
    return 0;

}
```

	Input	Expected	Got	
✓	3 5 1 1 4 1 1 4 2 0 0 0 4 0 0 2 0	YES YES YES	YES YES YES	✓
✓	2 3 1 2 3 4 1 2 3 3	NO YES	NO YES	✓

Passed all tests! ✓

Finish review