Week-15-Pointers: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=157817&cmid=404

REC-CIS

```
 *
 *      return a;
 * }
 *
 */
int* reverseArray(int n, int *a, int *rC) {
 *rC=n;
 int *b=(int*)malloc(sizeof(int)*n);
 for(int i=0;i<n;i++){
     b[i]=a[n-i-1];
 }
 return b;
}
```

	Test	Expected	Got	

✓	`int arr[] = {1, 3, 2, 4, 5};`
	`int result_count;`
	`int* result = reverseArray(5, arr, &result_count);`
	`for (int i = 0; i < result_count; i++)`
	`printf("%d\n", *(result + i));`
		5
		4
		2
		3
		1
			5
			4
			2
			3
			1
				✓

Passed all tests! ✓

Question **2**

Incorrect

Marked out of 1.00

An automated cutting machine is used to cut rods into segments. The cutting machine can only hold a rod of *minLength* or more, and it can only make one cut at a time. Given the array *lengths[]* representing the desired lengths of each segment, determine if it is possible to make the necessary cuts using this machine. The rod is marked into lengths already, in the order given.

Week-15-Pointers: Attempt review | REC-CIS - Personal - Microsoft Edge

Not secure | www.rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=158367&cmid=404

REC-CIS

```
 *     for (int i = 0; i < 5; i++) {
 *         *(a + i) = i + 1;
 *     }
 *
 *     return a;
 * }
 *
 */
int* reverseArray(int n, int *a, int *rC) {
    *rC=n;

    int *b = (int*)malloc(sizeof(int)*n);
    for(int i=0;i<n;i++){
        b[i] = a[n-i-1];
    }return b;
}
```

	Test	Expected	Got	

✓	`int arr[] = {1, 3, 2, 4, 5};`
	`int result_count;`
	`int* result = reverseArray(5, arr, &result_count);`
	`for (int i = 0; i < result_count; i++)`
	`printf("%d\n", *(result + i));`
		5
		4
		2
		3
		1
			5
			4
			2
			3
			1
				✓

Passed all tests! ✓

Question **2**
Correct

An automated cutting machine is used to cut rods into segments. The cutting machine can only hold a rod of *minLength* or more, and it can