

REC-CIS

```

1  /*
2  * Complete the 'myFunc' function below.
3  *
4  * The function is expected to return an INTEGER.
5  * The function accepts INTEGER n as parameter.
6  */
7
8  int myFunc(int n)
9  {
10     while(n>1)
11     {
12         if(n%20==0)
13         {
14             n/=20;
15         }
16         else if(n%10==0)
17         {
18             n/=10;
19         }
20         else
21         {
22             return 0;
23         }
24     }
25     return 1;
26 }
27
28

```

|   | Test                    | Expected | Got |   |
|---|-------------------------|----------|-----|---|
| ✓ | printf("%d", myFunc(1)) | 1        | 1   | ✓ |
| ✓ | printf("%d", myFunc(2)) | 0        | 0   | ✓ |

REC-CIS

```

14 {
15     n/=20;
16 }
17 else if(n%10==0)
18 {
19     n/=10;
20 }
21 else
22 {
23     return 0;
24 }
25 }
26 return 1;
27 }
28

```

|   | Test                      | Expected | Got |   |
|---|---------------------------|----------|-----|---|
| ✓ | printf("%d", myFunc(1))   | 1        | 1   | ✓ |
| ✓ | printf("%d", myFunc(2))   | 0        | 0   | ✓ |
| ✓ | printf("%d", myFunc(10))  | 1        | 1   | ✓ |
| ✓ | printf("%d", myFunc(25))  | 0        | 0   | ✓ |
| ✓ | printf("%d", myFunc(200)) | 1        | 1   | ✓ |

Passed all tests! ✓

Question 2

```
1 /*
2  * Complete the 'powerSum' function below.
3  *
4  * The function is expected to return an INTEGER.
5  * The function accepts following parameters:
6  * 1. INTEGER x
7  * 2. INTEGER n
8  */
9 int powerSum(int x,int m,int n)
10 {
11     if(x==0)
12     {
13         return 1;
14     }
15     if(x<0)
16     {
17         return 0;
18     }
19     int count=0;
20     for(int i=m;;i++)
21     {
22         int powe=1;
23         for(int j=0;j<n;j++)
24         {
25             power*=i;
26         }
27         if(power>x)
28         {
29             break;
30         }
31         count+=powerSum(x - power,i+1,n);
32     }
33     return count;
34 }
35
36
37
```

REC-CIS

```

16  if(x<0)
17  {
18      return 0;
19  }
20  int count=0;
21  for(int i=m;;i++)
22  {
23      int power=1;
24      for(int j=0;j<n;j++)
25      {
26          power*=i;
27      }
28      if(power>x)
29      {
30          break;
31      }
32      count+=powerSum(x-power,i+1,n);
33  }
34  return count;
35  }
    
```

|   | Test                             | Expected | Got |   |
|---|----------------------------------|----------|-----|---|
| ✓ | printf("%d", powerSum(10, 1, 2)) | 1        | 1   | ✓ |

Passed all tests! ✓

Finish review