

REC-CIS

Answer: (penalty regime: 0 %)

```

1 #include<stdio.h>
2 int main()
3 {
4     int a;
5     scanf("%d",&a);
6
7     for(int i=0;i<a;i++)
8     {
9         int l,w,h;
10        scanf("%d %d %d",&l,&w,&h);
11
12        if(h<41)
13        {
14            printf("%d\n",(l*w*h));
15        }
16    }
17 }
    
```

	Input	Expected	Got	
✓	4	125	125	✓
	5 5 5	80	80	
	1 2 40			
	10 5 41			
	7 2 42			

Passed all tests! ✓

REC-CIS

Answer: (penalty regime: 0 %)

```

1 #include<stdio.h>
2 #include<stdlib.h>
3 #include<math.h>
4 int cmp(const void*a,const void*b){
5     return(*(int*)a)-(*(int*)b);
6 }
7 int main(){
8     int a;
9     scanf("%d",&a);
10
11     int b[a][3];
12     int c[a],d[a];
13     for(int i=0;i<a;i++){
14         scanf("%d %d %d",&b[i][0],&b[i][1],&b[i][2]);
15
16         int p=(b[i][0]+b[i][1]+b[i][2]);
17         c[i]=sqrt((p*(p-b[i][0])*(p-b[i][1])*(p-b[i][2])));
18         d[i]=c[i];
19     }
20     qsort(d,a,sizeof(int),cmp);
21     for(int i=0;i<a;i++){
22         for(int j=0;j<a;j++){
23             if(d[i]==c[j]){
24                 printf("%d %d %d\n",b[j][0],b[j][1],b[j][2]);
25                 break;
26             }
27         }
28     }
29 }

```

Input	Expected	Got	
3	3 4 5	3 4 5	

REC-CIS

```
13 for(int i=0;i<a;i++){
14     scanf("%d %d %d",&b[i][0],&b[i][1],&b[i][2]);
15
16     int p=(b[i][0]+b[i][1]+b[i][2]);
17     c[i]=sqrt((p*(p-b[i][0])*(p-b[i][1])*(p-b[i][2])));
18     d[i]=c[i];
19 }
20 qsort(d,a,sizeof(int),cmp);
21 for(int i=0;i<a;i++){
22     for(int j=0;j<a;j++){
23         if(d[i]==c[j]){
24             printf("%d %d %d\n",b[j][0],b[j][1],b[j][2]);
25             break;
26         }
27     }
28 }
29 }
```

	Input	Expected	Got	
✓	3 7 24 25 5 12 13 3 4 5	3 4 5 5 12 13 7 24 25	3 4 5 5 12 13 7 24 25	✓

Passed all tests! ✓

Finish review