

REC-CIS

Explanation Out of given numbers, a is maximum.

Answer: (penalty regime: 0 %)

```

1 #include<stdio.h>
2 int main()
3 {
4     int a, b, c ;
5
6     scanf("%d",&a);
7
8     scanf("%d",&b);
9
10    scanf("%d",&c);
11    if((a>b)&&(a>c)) {
12        printf("%d",a);
13    }
14    else if((b>a)&&(b>c)){
15        printf("%d",b);
16    }
17    else {
18        printf("%d",c);
19    }
20
21 }
```

	Input	Expected	Got	
✓	81 26 15	81	81	✓

Passed all tests! ✓

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int n;
5     scanf("%d",&n);
6     printf("%d", (n*(n-1))/2);
7 }
8
```

	Input	Expected	Got	
✓	1	0	0	✓
✓	2	1	1	✓

Passed all tests! ✓

REC-CIS

Answer: (penalty regime: 0 %)

```

1 #include <stdio.h>
2 int main()
3 {
4     int x;
5     int y;
6     scanf("%d",&x);
7     scanf("%d",&y);
8     if(x<=y) {
9         printf("YES");
10    }
11    else {
12        printf("NO");
13    }
14    return 0;
15 }

```

	Input	Expected	Got	
✓	100 110	YES	YES	✓
✓	100 90	NO	NO	✓

Passed all tests! ✓