

REC-CIS

```

32     break;
33     case(4):
34         printf("Rat");
35         break;
36     case(5):
37         printf("Ox");
38         break;
39     case(6):
40         printf("Tiger");
41         break;
42     case(7):
43         printf("Hare");
44         break;
45     }
46     return 0;
47 }
```

	Input	Expected	Got	
✓	2004	Monkey	Monkey	✓
✓	2010	Tiger	Tiger	✓

Passed all tests! ✓

Question 3

Incorrect

Marked out of 7.00

Positions on a chess board are identified by a letter and a number. The letter identifies the column, while the number identifies the row, as shown below:

8 

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int year,n;
5     scanf("%d",&year);
6     n=year%12;
7     switch (n)
8     {
9         case (8):
10            printf("Dragon");
11            break;
12         case(9):
13            printf("Snake");
14            break;
15         case(10):
16            printf("Horse");
17            break;
18         case(11):
19            printf("Sheep");
20            break;
21         case(0):
22            printf("Monkey");
23            break;
24         case(1):
25            printf("Rooster");
26            break;
27         case(2):
28            printf("Dog");
29            break;
30         case(3):
31            printf("Pig");
32            break;
33         case(4):
34            printf("Rat");
35            break;
36         case(5):
37            printf("Ox");
```

REC-CIS

```

21     case 8:
22         printf("Octagon");
23         break;
24     case 9:
25         printf("Nonagon");
26         break;
27     case 10:
28         printf("Decagon");
29         break;
30     default:
31         printf("The number of sides is not supported.");
32         break;
33     }
34     return 0;
35 }
36
37

```

	Input	Expected	Got	
✓	3	Triangle	Triangle	✓
✓	7	Heptagon	Heptagon	✓
✓	11	The number of sides is not supported.	The number of sides is not supported.	✓

Passed all tests! ✓

Question 2
Correct

The Chinese zodiac assigns animals to years in a 12-year cycle. One 12-year cycle is shown in the table below. The pattern repeats from there, with 2012 being another year of the Dragon, and 1999 being another year of the Hare.

```
1 #include<stdio.h>
2 int main(){
3     int a;
4     scanf("%d",&a);
5     switch(a){
6     case 3:
7         printf("Triangle");
8         break;
9     case 4:
10        printf("Square");
11        break;
12    case 5:
13        printf("Pentagon");
14        break ;
15    case 6:
16        printf("Hexagon");
17        break;
18    case 7:
19        printf("Heptagon");
20        break;
21    case 8:
22        printf("Octagon");
23        break;
24    case 9:
25        printf("Nonagon");
26        break;
27    case 10:
28        printf("Decagon");
29        break;
30    default:
31        printf("The number of sides is not supported.");
32        break;
33    }
34    return 0;
35 }
36 }
37 }
```