# Git Assignment

### Ex -01 First Commit

```
Arun8@ArunHP MINGW64 /e
$ cd e:

Arun8@ArunHP MINGW64 /e
$ cd my_git_projects/

Arun8@ArunHP MINGW64 /e/my_git_projects
$ git init Exercise-1
Initialized empty Git repository in E:/my_git_projects/Exercise-1/.git/

Arun8@ArunHP MINGW64 /e/my_git_projects
$ cd Exercise-1/

Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-1 (master)
$ touch index.html

Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-1 (master)
$ git add index.html

Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-1 (master)
$ git add index.html

arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-1 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
(use "git rm --cached <file>..." to unstage)

new file: index.html

Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-1 (master)
$ git commit - m "Initial Message"
1 file changed, 1 insertion(+)
create mode 100644 index.html

Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-1 (master)
$ git commit - m "Initial Message"
1 file changed, 1 insertion(+)
create mode 100644 index.html

Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-1 (master)
$ [
master (root-commit) 5-63a003] Initial Message
1 file changed, 1 insertion(+)
create mode 100644 index.html
```

## Ex -02 Commit only one file

## Ex -03 Modify Last Commit

```
Arum8BArumNP MINGM64 /e/my_git_projects
$ git init Exercise=3
Initialized methy Cit repository in E:/my_git_projects/Exercise=3/.git/
Arum8BArumNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ cach index.html
Arum8BArumNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ nano index.html
Arum8BArumNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ git add index.html
Arum8BArumNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ git add index.html
Arum8BArumNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ git add index.html
Arum8BArumNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ git comit = "midting index.html" influence in arum8BArumNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ function in arum8BARUMNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ touch about.html
Arum8BArumNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ touch about.html
Arum8BArumNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ git add about.html
Arum8BArumNP MINGM64 /e/my_git_projects/Exercise=3 (master)
$ git commit =-memod = "dding index.html and about.html
Inaster in the working copy of "about.html" in arum8 mingmin in the working copy of "about.html" in arum8 mingmin in arum8 min
```

### EX-04 Create git ignore file

```
Arun8@ArunHP MINGW64 /e/my_git_projects
$ git init Exercise-4
Initialized empty Git repository in E:/my_git_projects/Exercise-4/.git/
Arun8@ArunHP MINGW64 /e/my_git_projects
$ cd Exercise-4
Arun8@ArunHP MINGw64 /e/my_git_projects/Exercise-4 (master) $ touch gitignore
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-4 (master)
$ nano gitignore
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-4 (master)
$ rm gitignore
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-4 (master) $ touch .gitignore
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-4 (master)
$ ls
 Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-4 (master)
$ nano .gitignore
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-4 (master)
$ git add .gitignore
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-4 (master)
$ git commit -m "gitignore file added"
[master (root-commit) e5e5d13] gitignore file added
1 file changed, 5 insertions(+)
create mode 100644 .gitignore
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-4 (master)
$ git status
On branch master
nothing to commit, working tree clean
 Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-4 (master)
```

#### EX-05 Save the work with Stash

```
Arun8@ArunHP MINGW64 /<mark>e/my_git_projects</mark>
$ git init Exercise-5
Initialized empty Git repository in E:/my_git_projects/Exercise-5/.git/
$ cd Exercise-5
Arun8@ArunHP MINGw64 /e/my_git_projects/Exercise-5 (master)
$ touch index.html
Arun8@ArunHP MINGw64 /e/my_git_projects/Exercise-5 (master) $ git add index.html
warning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-5 (master)
$ git commit -m "adding index"
[master (root-commit) 061b84a] adding index
1 file changed, 1 insertion(+)
create mode 100644 index.html
Arun8@ArunHP MINGw64 /e/my_git_projects/Exercise-5 (master) $ touch about.html random.html
  run8@ArunHP MINGW64 /e/my_git_projects/Exercise-5 (master)
$ git stash
No local changes to save
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-5 (master)
$ git add about.html random.html
warning: in the working copy of 'about.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'random.html', LF will be replaced by CRLF the next time Git touches it
 Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-5 (master)
Aruns@Arunne Minomov / Cristian Significant State WIP on master: 061b84a adding index Saved working directory and index state WIP on master: 061b84a adding index
 Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-5 (master)
$ git status
On branch master
nothing to commit, working tree clean
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-5 (master)
$ git stash list
stash@{0}: WIP on master: 061b84a adding index
```

## EX -06 Reset Previous Commit Keeping changes. (Soft Reset)

```
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-6 (master)
$ git log
commit 79116c9abc742f7b1fd56b500d2d42c24798f31e (HEAD -> master)
Author: vishali <arun88@hotmail.com>
Date: Fri Mar 17 23:01:30 2023 -0400
     adding random.html
commit 36ea82e427f8a5acd18a9fabc36b69187bf3c789
Author: vishali <arun88@hotmail.com>
Date: Fri Mar 17 23:00:49 2023 -0400
     adding about.html
 ommit 6e36b8b8c9da9676058301c2633a260d52af7cdf
Author: vishali <arun88@hotmail.com>
Date: Fri Mar 17 22:59:54 2023 -0400
     adding index.html
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-6 (master) $ git reset 36ea82e427f8a5acd18a9fabc36b69187bf3c789
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-6 (master)
$ git log
commit 36ea82e427f8a5acd18a9fabc36b69187bf3c789 (HEAD -> master)
Author: vishali <arun88@hotmail.com>
Date: Fri Mar 17 23:00:49 2023 -0400
     adding about.html
commit 6e36b8b8c9da9676058301c2633a260d52af7cdf
Author: vishali <arun88@hotmail.com>
Date: Fri Mar 17 22:59:54 2023 -0400
     adding index.html
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-6 (master) $ git status
On branch master
```

```
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-7 (master)
commit a00aadefc4efa826ff0847e3353eaa4dc842dae8 (HEAD -> master)
Author: vishali <arun88@hotmail.com>
Date: Fri Mar 17 23:08:14 2023 -0400
    commit 3
commit 55fa2f31550783f916f5198b437ffeed49e8feac
Author: vishali <arun88@hotmail.com>
        Fri Mar 17 23:07:53 2023 -0400
Date:
    commit 2
commit f20564225e4c72cf129ed1a4b805a7b2385c1aab
Author: vishali <arun88@hotmail.com>
Date: Fri Mar 17 23:07:29 2023 -0400
    commit 1
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-7 (master) $ git reset --hard 55fa2f31550783f916f5198b437ffeed49e8feac
HEAD is now at 55fa2f3 commit 2
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-7 (master)
$ git log
commit 55fa2f31550783f916f5198b437ffeed49e8feac (HEAD -> master)
Author: vishali <arun88@hotmail.com>
Date: Fri Mar 17 23:07:53 2023 -0400
    commit 2
 commit f20564225e4c72cf129ed1a4b805a7b2385c1aab
Author: vishali <arun88@hotmail.com>
Date: Fri Mar 17 23:07:29 2023 -0400
    commit 1
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-7 (master) $ git status
On branch master
nothing to commit, working tree clean
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-7 (master)
```

## Ex 08: Merge branch (No Conflicts)

```
run8@ArunHP MINGW64 /e/my_git_projects
git init Exercise-8
Initialized empty Git repository in E:/my_git_projects/Exercise-8/.git/
 run8@ArunHP MINGW64 /e/my_git_projects
 cd Exercise-8
 run8@ArunHP MINGW64 /e/my_git_projects/Exercise-8 (master) git add index.html
varning: in the working copy of 'index.html', LF will be replaced by CRLF the next time Git touches it
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-8 (master)
git commit -m "add index"
[master (root-commit) 5c4cd5b] add index
1 file changed, 1 insertion(+)
create mode 100644 index.html
 run8@ArunHP MINGW64 /e/my_git_projects/Exercise-8 (master)
 git branch my-feature
 run8@ArunHP MINGW64 /e/my_git_projects/Exercise-8 (master)
git checkout my-feature
witched to branch 'my-feature'
 run8@ArunHP MINGW64 /e/my_git_projects/Exercise-8 (my-feature) git add about-us.html
varning: in the working copy of 'about-us.html', LF will be replaced by CRLF the next time Git touches it
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-8 (my-feature)
git commit -m "add abt to branch"
[my-feature ab03d36] add abt to branch
1 file changed, 1 insertion(+)
create mode 100644 about-us.html
 run8@ArunHP MINGW64 /e/my_git_projects/Exercise-8 (my-feature)
 git checkout master
witched to branch 'master'
 run8@ArunHP MINGW64 /e/my_git_projects/Exercise-8 (master)
 git merge
                master
                                  my-feature
run8@ArunHP MINGW64 /e/my_git_projects/Exercise-8 (master)
git merge my-feature
Jpdating 5c4cd5b..ab03d36
ast-forward
about-us.html | 1 +
1 file changed, 1 insertion(+)
create mode 100644 about-us.html
 cun8@ArunHP MINGW64 /e/my_git_projects/Exercise-8 (master)
```

#### EX 09: Merge branch (Conflicts)

```
Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-9 (master)

$ git merge my-feature
Merge made by the 'ort' strategy.
about-us.html | 1 +
1 file changed, 1 insertion(+)
create mode 100644 about-us.html

Arun8@ArunHP MINGW64 /e/my_git_projects/Exercise-9 (master)

$ |
```