

COVID-19 research in Wikipedia

Giovanni Colavizza^{*1}

¹ *University of Amsterdam, the Netherlands*

Abstract

Wikipedia is one of the main sources of free knowledge on the Web. During the first few months of the pandemic, over 5,200 new Wikipedia pages on COVID-19 have been created and have accumulated over 400M pageviews by mid June 2020.¹ At the same time, an unprecedented amount of scientific articles on COVID-19 and the ongoing pandemic have been published online. Wikipedia’s contents are based on reliable sources such as scientific literature. Given its public function, it is crucial for Wikipedia to rely on representative and reliable scientific results, especially so in a time of crisis. We assess the coverage of COVID-19-related research in Wikipedia via citations to a corpus of over 160,000 articles. We find that Wikipedia editors are integrating new research at a fast pace, and have cited close to 2% of the COVID-19 literature under consideration. While doing so, they are able to provide a representative coverage of COVID-19-related research. We show that all the main topics discussed in this literature are proportionally represented from Wikipedia, after accounting for article-level effects. We further use regression analyses to model citations from Wikipedia and show that Wikipedia editors on average rely on literature which is highly cited, widely shared on social media, and has been peer-reviewed.

COVID-19, Coronavirus, CORD-19, Scientometrics, Bibliometrics, Wikipedia.

1 Introduction

Alongside the primary health crisis, the COVID-19 pandemic has been recognized as an information crisis, or an “infodemic” [Xie et al., 2020; Cinelli et al., 2020; Ioannidis, 2020]. Widespread misinformation [Swire-Thompson and Lazer, 2020] and low levels of health literacy [Paakkari and Okan, 2020] are two of the main issues. In an effort to deal with them, the World Health Organization maintains a list of relevant research updated daily [Zarocostas, 2020], as well

^{*}Please address any comment or remark to g.colavizza@uva.nl. ORCID <https://orcid.org/0000-0002-9806-084X>.

¹<https://wikimediafoundation.org/covid19/data> [accessed 2020-07-04].

as a portal to provide information to the public [World Health Organization (WHO), 2020a]; similarly does the European Commission [European Commission, 2020], and many other countries and organizations. The need to convey accurate, reliable and understandable medical information online has never been so pressing.

Wikipedia plays a fundamental role as a public source of information on the Web, striving to provide “neutral” and unbiased contents [Mesgari et al., 2015]. Wikipedia is particularly important as go-point to access trusted medical information [Swire-Thompson and Lazer, 2020; Smith, 2020]. Fortunately, Wikipedia biomedical articles have been repeatedly found to be highly visible and of high quality [Adams et al., 2020; Maggio et al., 2020]. Wikipedia’s verifiability policy mandates that readers can check the sources of information contained in Wikipedia, and that reliable sources should be secondary and published.² These guidelines are particularly strict with respect to biomedical contents, where the preferred sources are, in order: systematic reviews, reviews, books and other scientific literature.³

The COVID-19 pandemic has put Wikipedia under stress with a large amount of new, often non-peer-reviewed research being published in parallel to a surge in interest for information related to the pandemic [Wikimedia Foundation, 2020]. The response of Wikipedia’s editor community has been fast: since March 17 2020, all COVID-19-related Wikipedia pages have been put under indefinite sanctions entailing restricted edit access, to allow for a better vetting of their contents.⁴ In parallel, a WikiProject COVID-19 has been established and a content creation campaign is ongoing [Wikimedia Foundation, 2020; Jung et al., 2020].⁵ While this effort is commendable, it also raises questions on the capacity of editors to find, select and integrate scientific information on COVID-19 at such a rapid pace, while keeping quality high. As an illustration of the speed at which events are happening, in Figure 1 we show the average time in number of months from publication to a first citation from Wikipedia for a large set of COVID-19-related articles (see Section 3). In 2020, this time has gone to zero: articles on COVID-19 are frequently cited in Wikipedia immediately after or even before their official publication date, based on early access versions of articles.

In this work, we pose the following general question: *Is Wikipedia relying on a representative and reliable sample of COVID-19-related research?* We break this question down into the following two research questions:

1. RQ1: Is the literature cited from Wikipedia representative of the broader topics discussed in COVID-19-related research?
2. RQ2: Is Wikipedia citing COVID-19-related research during the pandemic

²https://en.wikipedia.org/wiki/Wikipedia:Reliable_sources [accessed 2020-05-10].

³[https://en.wikipedia.org/wiki/Wikipedia:Identifying_reliable_sources_\(medicine\)](https://en.wikipedia.org/wiki/Wikipedia:Identifying_reliable_sources_(medicine)) [accessed 2020-05-10].

⁴https://en.wikipedia.org/wiki/Wikipedia:General_sanctions [accessed 2020-05-10].

⁵https://en.wikipedia.org/wiki/Wikipedia:WikiProject_COVID-19 [accessed 2020-05-10].




Figure 1: Number of months elapsed from publication to the first Wikipedia citation (mean and median binned by year) of COVID-19-related research. In 2020, the average number of months from (official) publication to the first citation from Wikipedia has gone to zero, likely due to the effect of early releases by some journals. Since this figure shows censored data, it should only be taken as illustrative of the fact that Wikipedia editors are citing very recent or even unpublished research.

following the same inclusion criteria adopted before and in general?

We approach the first question by clustering COVID-19-related publications using text and citation data, and comparing Wikipedia’s coverage of different clusters before and during the pandemic. The second question is instead approached using regression analysis. In particular, we model whether an article is cited from Wikipedia or not, and how many citations it receives from Wikipedia. We then again compare results for articles cited before and during the pandemic.

Our main finding is that Wikipedia contents rely on representative and high-impact COVID-19-related research. (RQ1) During the past few months, Wikipedia editors have successfully integrated COVID-19 and coronavirus research, keeping apace with the rapid growth of related literature by including a representative sample of each of the topics it contains. (RQ2) The inclusion criteria used by Wikipedia editors to integrate COVID-19-related research during the pandemic are consistent with those from before, and appear reasonable in terms of source reliability. Specifically, editors prefer articles from specialized journals or mega journals over pre-prints, and focus on highly cited and/or highly socially visible literature. Altmetrics such as Twitter shares, mentions in news and blogs, the number of Mendeley readers are complementing citation counts from the scientific literature as an indicator of impact positively correlated with citations from Wikipedia. After controlling for these article-

level impact indicators, and for publication venue, time and size-effects, there is no indication that the topic of research matters with respect to receiving citations from Wikipedia. This indicates that Wikipedia is currently not over nor under-relying on any specific COVID-19-related scientific topic.

2 Related work

Wikipedia articles are created, improved and maintained by the efforts of the community of volunteer editors [Priedhorsky et al., 2007; Chen and Roth, 2012], and they are used in a variety of ways by a wide user base [Singer et al., 2017; Lemmerich et al., 2019; Piccardi et al., 2020]. The information Wikipedia contains is generally considered to be of high-quality and up-to-date [Priedhorsky et al., 2007; Keegan et al., 2011; Geiger and Halfaker, 2013; Kumar et al., 2016; Piscopo and Simperl, 2019; Adams et al., 2020; Smith, 2020], notwithstanding margins for improvement and the need for constant knowledge maintenance [Chen and Roth, 2012; Lewoniewski et al., 2017; Forte et al., 2018].

Following Wikipedia’s editorial guidelines, the community of editors creates contents often relying on scientific and scholarly literature [Nielsen et al., 2017; Halfaker et al., 2018; Arroyo-Machado et al., 2020], and therefore Wikipedia can be considered a mainstream gateway to scientific information [Laurent and Vickers, 2009; Heilman et al., 2011; Lewoniewski et al., 2017; Shafee et al., 2017; Maggio et al., 2019; Piccardi et al., 2020]. Unfortunately, few studies have considered the *representativeness and reliability* of Wikipedia’s scientific sources. The evidence on what scientific and scholarly literature is cited in Wikipedia is slim. Early studies point to a relative low overall coverage, indicating that between 1% and 5% of all published journal articles are cited in Wikipedia [Priem et al., 2012; Shuai et al., 2013; Zahedi et al., 2014]. Previous studies have shown that the subset of scientific literature cited from Wikipedia is more likely on average to be published on popular, high-impact-factor journals, and to be available in open access [Nielsen, 2007; Teplitskiy et al., 2017; Arroyo-Machado et al., 2020].

Wikipedia is particularly relevant as a means to access medical information online [Laurent and Vickers, 2009; Heilman et al., 2011; Smith, 2020; Swire-Thompson and Lazer, 2020]. Wikipedia medical contents are of very high quality on average [Adams et al., 2020] and are primarily written by a core group of medical professionals part of the nonprofit Wikipedia Medicine [Shafee et al., 2017]. Articles part of the WikiProject Medicine “are longer, possess a greater density of external links, and are visited more often than other articles on Wikipedia” [Maggio et al., 2020]. Perhaps not surprisingly, the fields of research that receive most citations from Wikipedia are “Medicine (32.58%)” and “Biochemistry, Genetics and Molecular Biology (31.5%)” [Arroyo-Machado et al., 2020]; Wikipedia medical pages also contain more citations to scientific literature than the average Wikipedia page [Maggio et al., 2019]. Margins for improvement remain, as for example the readability of medical content in Wikipedia remains difficult for the non-expert [Brezar and Heilman, 2019].

Given Wikipedia’s medical contents high quality and high visibility, our work is concerned with understanding whether the Wikipedia editor community has been able to maintain the same standards for COVID-19-related research.

3 Data and Methods

3.1 COVID-19-related research

COVID-19-related research is not trivial to delimit [Colavizza et al., 2020]. Our approach is to consider two public and regularly-updated lists of publications:

- The Dimensions COVID-19 Publications list [Dimensions, 2020].
- The COVID-19 Open Research Dataset (CORD-19): a collection of COVID-19 and coronavirus related research, including publications from PubMed Central, Medline, arXiv, bioRxiv and medRxiv [Wang et al., 2020]. CORD-19 also includes publications from the World Health Organization COVID-19 Database [World Health Organization (WHO), 2020b].




Figure 2: COVID-19-related literature over time, binned by publication year.

Publications from these three lists are merged, and duplicates removed using publications identifiers, including DOI, PMID, PMCID, Dimensions ID. Publications without at least one identifier among these are discarded. As of July 1, 2020, the resulting list of publications contains 160,656 entries with a valid identifier, of which 72,795 have been released in 2020, as it can be seen from Figure 2. The research on coronaviruses, and therefore the accumulation of this corpus over time, has been clearly influenced by the SARS (2003+), MERS (2012+) and COVID-19 outbreaks. We use this list of publications to represent COVID-19 and coronavirus research in what follows. More details are given in the online repositories.

3.2 Auxiliary data sources

In order to study Wikipedia’s coverage of this list of COVID-19-related publications, we use data from Altmetric [Robinson-García et al., 2014; Ortega, 2018]. Altmetric provides Wikipedia citation data relying on known identifiers.⁶ Despite this limitation, Altmetric data have been previously used to map Wikipedia’s use of scientific articles [Zahedi et al., 2014; Torres-Salinas et al., 2019; Arroyo-Machado et al., 2020], especially since citations from Wikipedia are considered a possible measure of impact [Sugimoto et al., 2017; Kousha and Thelwall, 2017]. Publications from the full list above are queried using the Altmetric API by DOI or PMID. In this way, 101,662 publications could be retrieved. After merging for duplicates by summing Altmetric indicators, we have a final set of 94,600 distinct COVID-19-related publications with an Altmetric entry.

Furthermore, we use data from Dimensions [Herzog et al., 2020; Martín-Martín et al., 2020] in order to get citation counts for COVID-19-related publications. The Dimensions API is also queried by DOI and PMID, resulting in 141,783 matches. All auxiliary data sources have been queried on July 1, 2020 too.

3.3 Methods

We approach our two research questions with the following methods:

1. RQ1: to assess whether the literature cited from Wikipedia is representative of the broader topics discussed in COVID-19-related research, we first cluster COVID-19 literature using text and citation data. Clusters of related literature allow us to identify broad distributions over topics within our COVID-19 corpus. We then assess to what extent the literature cited from Wikipedia follows the same distribution over topics of the entire corpus.
2. RQ2: to ascertain the inclusion criteria of Wikipedia editors, we use linear regression to model whether an article is cited from Wikipedia or not (logistic regression) and the number of Wikipedia citations it receives (linear regression).

In this section, we detail the experimental choices made for clustering analysis using publication text and citation data. Details on regression analyses are, instead, given in the corresponding section.

Text-based clustering of publications was performed in two ways: topic modelling and k-means relying on SPECTER embeddings. Both methods made use of the titles and abstracts of available publications, by concatenating them into

⁶The identifiers considered by Altmetric in order to establish a citation from Wikipedia to an article currently include: DOI, URI from a domain white list, PMID, PMCID, arXiv ID. <https://help.altmetric.com/support/solutions/articles/6000060980-how-does-altmetric-track-mentions-on-wikipedia> [accessed 2020-04-27].

a single string. We detected 152,247 articles in English, out of 160,656 total articles (-8409 over total). Of these, 33,301 have no abstract, thus we only used their title since results did not change significantly excluding articles without an abstract. Before performing topic modelling, we applied a pre-processing pipeline using scispaCy’s `en_core_sci_md` model [Neumann et al., 2019] to convert each document into a bag-of-words representation, which includes the following steps: entity detection and inclusion in the bag-of-words for entities strictly longer than one token; lemmatisation; removal of isolated punctuation, stopwords and tokens composed of a single character; inclusion of frequent bigrams. SPECTER embeddings were instead retrieved from the API without any pre-processing.⁷

Topic modelling is a family of methods to learn statistical patterns of keywords frequently occurring together in the same documents. Formally, a topic is defined as a probability distribution over a vocabulary. Multiple topics can be learned from a corpus of documents and then used to cluster it [Blei, 2012]. While topic models are useful given that they require no annotated data, they also provide but a way to look at a certain corpus of documents. As such, they have been previously used for bibliometric analysis [Yau et al., 2014; Leydesdorff and Nerghes, 2017]. We trained and compared topic models using Latent Dirichlet Allocation (LDA) [Blei et al., 2003], Correlated Topic Models (CTM) [Blei and Lafferty, 2007], Hierarchical Dirichlet Process (HDP) [Teh et al., 2006] and a range of topics between 5 and 50. We found similar results in terms of topic contents and in terms of their Wikipedia coverage (see Section 4) across models and over multiple runs, and a reasonable value of the number of topics to be between 15 and 25 from a topic coherence analysis [Mimno et al., 2011]. Therefore, in what follows we discuss an LDA model with 15 topics.⁸ The top words for each topic of this model are given in the SI, while topic intensities over time are plotted as a heat map in Figure 8. SPECTER is a novel method to generate document-level embeddings of scientific documents based on a transformer language model and the network of citations [Cohan et al., 2020]. SPECTER does not require citation information at inference time, and performs well without any further training on a variety of tasks. We embed every paper and cluster them using k-means with $k = 20$. The number of clusters was established using the elbow and the silhouette methods; different values of k could well be chosen, we again decided to pick the smallest reasonable value of k .

We then turned our attention to citation network clustering. We constructed a bibliographic coupling citation network [Kessler, 1963] based all publications with references provided by Dimensions; these amount to 118,214. Edges were weighted using fractional counting [Perianes-Rodriguez et al., 2016], hence dividing the number of references in common between any two publications by the length of the union of their reference lists (thus, the max possible weight is 1.0). We only used the giant weakly connected component, which amounts to 114,829 nodes (-3385 over total) and 70,091,752 edges with a median weight of

⁷<https://github.com/allenai/paper-embedding-public-apis> [accessed 2020-04-25].


⁸We used `gensim`’s implementation for LDA [Řehůřek and Sojka, 2010] and `tomotopy` for CTM and HTM, <https://bab2min.github.io/tomotopy> [version 0.7.0]. The reader can find more results and the code to replicate all experiments in the accompanying repository.

0.0217. We clustered the citation network using the Leiden algorithm [Traag et al., 2019] with a resolution parameter of 0.05 and the Constant Potts Model (CPM) quality function [Traag et al., 2011]. With this configuration, we found that the largest 43 clusters account for half the nodes in the network, and the largest cluster is composed of 15,749 nodes.


These three methods differ in which data they use and how, and thus provide for complementary results. While topic models focus on word co-occurrences and are easier to interpret, bibliographic coupling networks rely on the explicit citation links among publications. Finally, SPECTER combines both kinds of data and modern deep learning techniques.

4 Results

Intense editorial work was carried out over the early weeks of 2020 in order to include scientific information on COVID-19 and coronaviruses into Wikipedia [Jung et al., 2020]. From Figure 3a, we can appreciate the surge in new citations added from Wikipedia to COVID-19 research. Importantly, these citations were not only added to cope with the growing amount of new literature, but also to fill gaps by including literature published before 2020, as shown in Figure 3b. The total fraction of COVID-19-related articles that are cited at least once from Wikipedia over the total is 1.9%. Yet, this number is uneven over languages and over time. Articles in English have a 2.0% chance of being cited from Wikipedia, while articles in other languages only a 0.24% chance. To be sure, the whole corpus is English dominated, as we discussed above. This might be an artefact of the coverage of the data sources, as well as the way the corpus was assembled. The coverage of articles over time is instead given in Figure 4, starting from 2003 when the first surge of publications happens due to SARS. We can appreciate that the coverage seems to be uneven, and less pronounced for the past few years (2017-2020), yet this needs to be considered in view of the high growth of publications in 2020. Hence, while 2020 is a relatively low-coverage year (1.2%), it is already the year with the most publications cited from Wikipedia in absolute number (Figure 3b).



(a) Number of citations from Wikipedia to COVID-19 literature, per month from January 2018 included.



(b) Publication year of COVID-19 articles cited from Wikipedia, distinguishing between citations added before 2020 and in 2020.

Figure 3: Timing of new citations from Wikipedia, and publication years of the articles they refer to. See Figure 7 for the full timeline.

Citation distributions are skewed in Wikipedia as they are in science more generally. Some articles receive a high number of citations from Wikipedia and some Wikipedia articles make a high number of citations to COVID-19-related literature. Table 2 lists the top 20 Wikipedia articles by number of citations to COVID-19-related research. These articles, largely in English, primarily focus on the recent pandemic and coronaviruses/viruses from a virology perspective, as already highlighted in a study by the Wikimedia Foundation [Jung et al., 2020]. Table 3 reports instead the top 20 journal articles cited from Wikipedia. These also follow a similar pattern: articles published before 2020 focus on virology and are made of a high proportion of review articles. Articles published in 2020, instead, have a focus on the ongoing pandemic, its origins, as well as its epidemiological and public health aspects. As we see next, this strongly aligns

with the general trends of COVID-19-related research over time.




Figure 4: Fraction of COVID-19-related articles cited from Wikipedia per year, from 2003 included.

In order to discuss research trends in our COVID-19-related corpus at a higher level of granularity, we grouped the 15 topics from the LDA topic model into five *general topics* and labelled them as follows:

- **Coronaviruses:** topics 5, 8; this general topic includes research explicitly on coronaviruses (COVID-19, SARS, MERS) from a variety of perspectives (virology, epidemiology, intensive care, historical unfolding of outbreaks).
- **Epidemics:** topics 9, 11, 12; research on epidemiology, including modelling the transmission and spread of pathogens.
- **Public health:** topics 0, 1, 10; research on global health issues, health-care.
- **Molecular biology and immunology:** topics 2, 4, 6; research on the genetics and biology of viruses, vaccines, drugs, therapies.
- **Clinical medicine:** topics 3, 7, 13, 14; research on intensive care, hospitalization and clinical trials.


The grouping is informed by agglomerative clustering based on the Jensen-Shannon distance between topic-word distributions (Figure 11). To be sure, the labelling is a simplification of the actual publication contents. It is also worth considering that topics overlap substantially. The COVID-19 research corpus is dominated by literature on coronaviruses, public health and epidemics, largely

due to 2020 publications. COVID-19-related research did not accumulate uniformly over time. We plot the relative (yearly mean, Figure 9a) and absolute (yearly sum, Figure 9b) general topic intensity. From these plots, we confirm the periodisation of COVID-19-related research as connected to known outbreaks. Outbreaks generate a shift in the attention of the research community, which is apparent when we consider the relative general topic intensity over time in Figure 9a. The 2003 SARS outbreak generated a shift associated with a raise of publications on coronaviruses and on the management of epidemic outbreaks (public health, epidemiology). A similar shift is again happening, at a much larger scale, during the current COVID-19 pandemic. When we consider the absolute general topic intensity, which can be interpreted as the number of articles on a given topic (Figure 9b), we can appreciate how scientists are mostly focusing on topics related to public health, epidemics and coronaviruses (COVID-19) during these first months of the current pandemic.


4.1 RQ1: Wikipedia coverage of COVID-19-related research

We address here our first research question: *Is the literature cited from Wikipedia representative of the broader topics discussed in COVID-19-related research?* We start by comparing the general topic coverage of articles cited from Wikipedia with those which are not. In Figure 5, three plots are provided: the general topic intensity of articles published before 2020 (Figure 5a), in 2020 (Figure 5b) and overall (Figure 5c). The general topic intensity is averaged and 95% confidence intervals are provided. From Figure 5c we can see that Wikipedia seems to cover COVID-19-related research well. The general topics on immunology, molecular biology and epidemics seem slightly over represented, where clinical medicine and public health are slightly under represented. A comparison between publications from 2020 and from before highlights further trends. In particular, in 2020 Wikipedia editors have focused more on recent literature on coronaviruses, thus directly related to COVID-19 and the current pandemic, and proportionally less on literature on public health, which is also dominating 2020 publications. The traditional slight over representation of immunology and molecular biology literature persists. Detailed Kruskal–Wallis H test statistics for significant differences [Kruskal and Wallis, 1952] and Cohen’s d for their effect sizes [Cohen, 1988] are provided in the SI (Figure 12 and Tables 4, 5, 6). While distributions are significantly different for most general topics and periodisations, the effect sizes are often small. The coverage of COVID-19-related literature from Wikipedia appears therefore to be reasonably balanced from this first analysis, and to remain so in 2020. The topical differences we found, especially around coronaviruses and the current COVID-19 outbreak, might in part be explained by the criterion of notability which led to the creation or expansion of Wikipedia articles on the ongoing pandemic.⁹


⁹<https://en.wikipedia.org/wiki/Wikipedia:Notability> [accessed 2020-05-10].



(a) Published before 2020. Note: this plot also considers as cited from Wikipedia those publications published before 2020 and cited for the first time in 2020.



(b) Published in 2020.



(c) All publications.

Figure 5: Average general topic intensity of COVID-19-related publications cited in Wikipedia (green) or not (blue). 95% bootstrapped confidence intervals are given. See Figure 12 and Tables 4, 5, 6 for significance tests and effect sizes.

A complementary way to address the same research question is to investigate Wikipedia’s coverage of publication clusters. We consider here both SPECTER k-means clusters and bibliographic network clusters. While we use all 20 SPECTER clusters, we limit ourselves to the top-n network clusters which are necessary in order to cover at least 50% of the nodes in the network. In this way, we consider 41 clusters for the citation network, all of size above 300. In Figure 6 we plot the % of articles cited from Wikipedia per cluster, and the clusters size in number of publications they contain. There is no apparent size effect in either of the two clustering solutions.

When we characterise clusters using general topic intensities, some clear patterns emerge. Starting with SPECTER k-means clusters, the most cited clusters are number 6 and 8 (main macrotopics: molecular biology) and 5 (main macrotopics: coronaviruses and public health, especially focusing on COVID-19 characteristics, detection and treatment). The least cited clusters include number 18 (containing pre-prints) and 13 (focused on the social sciences, and especially economics, e.g., from SSRN journals). Considering citation network clusters, the largest but not most cited are number 0 (containing 2020 research on COVID-19) and 1 (with publications on molecular biology and immunology). The other clusters are smaller and hence more specialized. The reader can explore all clusters using the accompanying repository.




Figure 6: Proportion of articles cited from Wikipedia (y axis) per cluster size (number of articles in the cluster, x axis).

We have seen so far that Wikipedia relies on a reasonably representative sample of COVID-19-related literature, when assessed using topic models. During 2020, the main effort of editors has focused on catching-up with abundant new research (and some backlog) on the ongoing pandemic and, to a lower extent, on public health and epidemiology literature. When assessing coverage

using different clustering methods, we do not find a size effect by which larger clusters are proportionally more cited from Wikipedia. Yet we also find that, in particular with citation network clusters, smaller clusters can be either highly or lowly cited from Wikipedia on average. Lastly, we find an under representation of pre-print and social science research. Despite this overall encouraging result, differences in coverage persist. In the next section, we further assess whether these differences can be explained away by considering article-level measures of impact.

4.2 RQ2: Predictors of citations from Wikipedia

In this section, we address our second research question: *Is Wikipedia citing COVID-19-related research during the pandemic following the same criteria adopted before and in general?* We use regression analysis in two forms: a logistic regression to model if a paper is cited from Wikipedia or not, and a linear regression to model the number of citations a paper receives from Wikipedia. While the former model captures the suitability of an article to provide encyclopedic evidence, the latter captures its relevance to multiple Wikipedia articles.

Dependent variables. *Wikipedia citation counts* for each article are taken from Altmetric. If this count is of 1 or more, an article is considered as cited from Wikipedia. We consider citation counts from Altmetric at the time of the data collection for this study. We focus on the articles with a match from Dimensions, and consider an article to have zero citations from Wikipedia if it is not found in the Altmetric database.

Independent variables. We focus our study on three groups of independent variables at the article level capturing impact, topic and timing respectively. Previous studies have shown how literature cited from Wikipedia tends to be published in prestigious journals and available in open access [Nielsen, 2007; Teplitskiy et al., 2017; Arroyo-Machado et al., 2020]. We are interested to assess some of these known patterns for COVID-19-related research, to complement them by considering citation counts and the topics discussed in the literature, and eventually to understand whether there has been any change in 2020.

Article-level variables include citation counts from Dimensions and a variety of altmetric indicators [Robinson-García et al., 2014] which have been found to correlate with later citation impact of COVID-19 research [Kousha and Thelwall, 2020]. Altmetrics include the number of: Mendeley readers, Twitter interactions (unique users), Facebook shares, mentions in news and blog posts (summed due to their high correlation), mentions in policy documents; the expert ratio in user engagement¹⁰. We also include the top-20 publication venues by number of articles in the corpus using dummy coding, taking as reference

¹⁰Calculated using Altmetric data which distinguishes among the number of researchers (r), experts (e), practitioners (p) and members of the public (m) engaging with an article. The expert ratio is defined as $\frac{r+e+p}{r+e+p+m}$.

level a generic category ‘other’ which includes articles from all other venues. It is worth clarifying that article-level variables were also calculated at the time of the data collection for this study. This might seem counter-intuitive, especially for the classification task, as one might prefer to calculate variables at the time when an article was first cited from Wikipedia. We argue that this is not the case, since Wikipedia can always be edited and citations removed as easily as added. As a consequence, a citation from Wikipedia (or its absence) is a continued rather than a discrete action, justifying calculating all counts at the same time for all articles in the corpus.

Topic-level variables capture the topics discussed in the articles, as well as their relative importance in terms of size (size-effects). They include the macrotopic intensities for each article, the size of the SPECTER cluster an article belongs to, and the size of its bibliographic coupling network cluster (for the 41 largest clusters with more than 300 articles each, setting it to zero for articles belonging to other clusters. In this way, the variable accounts for both size and thresholding effects). Cluster identities for both SPECTRE and citation network clusters were also tested but did not contribute significantly to the models. Several other measures were considered, such as the semantic centrality of an article to its cluster centroid (SPECTER k-means) and network centralities, but since these all strongly correlate to size indicators, they were discarded to avoid multicollinearity.

Lastly, we include the year of publication using dummy coding and 2020 as reference level. Several other variables were tested. The proposed selection removes highly correlated variables while preserving the information required by the research question. The Pearson’s correlations for the selected transformed variables are shown in Figure 10. More details, along with a full profiling of variables, are provided in the accompanying repository.

Model. We consider two models: a Logistic model on being cited from Wikipedia (1) or not (0) and an Ordinary Least Squares (OLS) model on citation counts from Wikipedia. Both models use the same set of independent variables and transformations described in Table 1.

All count variables are transformed by adding one and taking the natural logarithm, while the remaining variables are either indicators or range between 0 and 1 (such as general topic intensities, beginning with a *tm_* prefix; e.g., *tm_ph* is ‘public health’). OLS models including log transform and the addition of 1 for count variables such as citation counts, have been found to perform well in practice when compared to more involved alternatives [Thelwall and Wilson, 2014; Thelwall, 2016]. Furthermore, all missing values were set to zero, except for the publication year, venue (journal) and general topic intensities since removing rows with missing values yielded comparable results.

Discussion. We discuss results for three models: two Logistic regression models one on articles published and first cited up to and including in 2020, and one on articles published and first cited up to and including 2019. The 2019 model

Table 1: Regression variables, their description, typology and transformations. $\ln(x + 1)$ means one is added to the value and then the natural logarithm is taken.

Variable	Description	Type	Transformations
<i>in_wikipedia</i>	Whether an article is cited from Wikipedia (1) or not (0)	Indicator	
<i>n_cit_w</i>	Number of citations from Wikipedia	Numeric	$\ln(x+1)$
<i>publication_year</i>	Publication year of the article	Categorical	
<i>times_cited</i>	Number of citations (Dimensions)	Numeric	$\ln(x+1)$
<i>counts_mendeley</i>	Number of Mendeley readers (Altmetric)	Numeric	$\ln(x+1)$
<i>counts_policy</i>	Number of mentions from policy documents (Altmetric)	Numeric	$\ln(x+1)$
<i>counts_twitter_unique</i>	Number of engagements from unique Twitter users (Altmetric)	Numeric	$\ln(x+1)$
<i>counts_blogs_news</i>	Number of mentions in news and blogs (Altmetric)	Numeric	$\ln(x+1)$
<i>counts_facebook</i>	Number of mentions in Facebook (Altmetric)	Numeric	$\ln(x+1)$
<i>expert_ratio</i>	Ratio of engagements from experts (Altmetric)	Numeric (0 to 1)	
<i>top_journal</i>	Journal	Categorical	
<i>tm_coronaviruses</i>	Topic intensity: Coronaviruses	Numeric (0 to 1)	
<i>tm_epidemics</i>	Topic intensity: Epidemics	Numeric (0 to 1)	
<i>tm_ph</i>	Topic intensity: Public health	Numeric (0 to 1)	
<i>tm_mbi</i>	Topic intensity: Molecular biology and immunology	Numeric (0 to 1)	
<i>tm_clinical_medicine</i>	Topic intensity: Clinical medicine	Numeric (0 to 1)	
<i>spectre_cluster_size</i>	Size of SPECTRE cluster the article belongs to	Numeric	$\ln(x+1)$
<i>network_cluster_size</i>	Size of bib. coupling cluster the article belongs to	Numeric	$\ln(x+1)$

only considers articles published in 2019 or earlier and cited for the first time from Wikipedia in 2019 or earlier, or articles never cited from Wikipedia, discarding articles published in 2020 or cited from Wikipedia in 2020 irrespective of their publication time. We also discuss an OLS model predicting (the log of) citation counts including all data up to and including 2020. We do not discuss a 2019 OLS model since it would require Wikipedia citation counts calculated at the end of 2019, which were not available to us. Regression tables for these three models are provided in the SI, Section 5, while Figure 13 shows the distribution of some variables distinguishing between articles cited from Wikipedia or not. Logistic regression tables provide marginal effects, while the OLS table provides the usual coefficients. The actual number of datapoints used to fit each model, after removing those which contained any null value, is given in the regression tables.

Considering the Logistic models first, we can show some significant effects.¹¹ First of all, the year of publication is mostly negatively correlated with being cited from Wikipedia, compared with the reference category 2020. This seems largely due to publication size-effects, since the fraction of 2020 articles cited from Wikipedia is quite low (see Figure 4). The 2019 model indeed shows positive correlations for all years when compared to the reference category 2019,

¹¹Marginal effect coefficients should be interpreted as follows. For binary discrete variables (0/1), they represent the discrete rate of change in the probability of the outcome, everything else kept fix; therefore, a change from 0 to 1 with a significant coefficient of 0.01 entails an increase in the probability of the outcome of 1%. For categorical variables with more than two outcomes, they represent the difference in the predicted probabilities of any one category relative to the reference category. For continuous variables, they represent the instantaneous rate of change. It might be the case that this can also be interpreted linearly (e.g., a significant change of 1 in the variable entails a change proportional to the marginal effect coefficient in the probability of the outcome). Yet, this rests on the assumption that the relationship between independent and dependent variables is linear irrespective of the orders of magnitude under consideration. This might not be the case in practice.

and indeed 2019 is the year with lowest coverage since 2000. Secondly, some of the most popular venues are positively correlated with citations from Wikipedia, when compared to an ‘other’ category (which includes all venues except the top 20). In the 2020 model, these venues include mega-journals (Nature, Science) and specialized journals (The Lancet, BMJ). Negative correlations occur for pre-print servers (medRxiv and bioRxiv in particular).

When we consider indicators of impact, we see a significant positive effect for citation counts, Mendeley readers, Twitter, news and blogs mentions; we see instead no effect for policy document mentions and Facebook engagements. This is consistent in the 2019 model, except for Facebook having a positive effect and Twitter a lack of correlation. This result, on the one hand, highlights the importance of academic indicators of impact such as citations, and on the other hand suggests the possible complementarity of altmetrics in this respect. Since certain altmetrics can accumulate more rapidly than citations [Fang and Costas, 2020], they could complement them effectively when needed [Kousha and Thelwall, 2020]. Furthermore, the expert ratio in altmetrics engagement is negatively correlated with being cited from Wikipedia in 2020. This might be due to the high altmetrics engagement with COVID-19 research in 2020, but it could also hint at the possibility that social media impact need not be driven by experts in order to be correlated with scientific impact. We can further see how cluster size-effects are not or very marginally correlated with being cited from Wikipedia.

Lastly, *general topic intensities are never correlated with being cited from Wikipedia in either model*, underlining that Wikipedia appears to be proportionally representing all COVID-19-related research and that residual topical differences in coverage are due to article-level effects.

The 2020 OLS model largely confirms these results, except that mentions in policy documents and Facebook engagements become positively correlated with the number of citations from Wikipedia. It is important to underline that, for all these results, there is no attempt to establish causality. For example, the positive correlation between the number of Wikipedia articles citing a scientific article and the number of policy documents mentioning it, might be due to policy document editors using Wikipedia, Wikipedia editors using policy documents, both or neither. The fact is, more simply, that some articles are picked up by both.

5 Conclusion

The results of this study provide some reassuring evidence. It appears that Wikipedia’s editors are well-able to keep track of COVID-19-related research. Of 141,783 articles in our corpus, 3083 ($\sim 2\%$) are cited from Wikipedia: a share comparable to what found in previous studies. Wikipedia editors are relying on scientific results representative of the several topics included in a large corpus of COVID-19-related research. They have been effectively able to cope with new, rapidly-growing literature. The minor discrepancies in coverage that persist,

with slightly more Wikipedia-cited articles on topics such as molecular biology and immunology and slightly fewer on clinical medicine and public health, are fully explained away by article-level effects. Wikipedia editors rely on impactful and visible research, as evidenced by largely positive citation and altmetrics correlations. Importantly, Wikipedia editors also appear to be following the same inclusion standards in 2020 as before: in general, they rely on specialized and highly-cited results from reputed journals, avoiding e.g., pre-prints.

The main limitation of this study is that it is purely observational, and thus does not explain why some articles are cited from Wikipedia or not. While in order to assess the coverage of COVID-19-related research from Wikipedia this is of secondary importance, it remains relevant when attempting to predict and explain it. A second limitation is that this study is based on citations from Wikipedia to scientific publications, and no Wikipedia content analysis is performed. Citations to scientific literature, while informative, do not completely address the interrelated questions of Wikipedia’s knowledge representativeness and reliability. Therefore, some directions for future work include comparing Wikipedia coverage with expert COVID-19 review articles, as well as studying Wikipedia edit and discussion history in order to assess editor motivations. Another interesting direction for future work is the assessment of all Wikipedia citations to any source from COVID-19 Wikipedia pages, since here we only focused on the fraction directed at COVID-19-related scientific articles. Lastly, future work can address the engagement of Wikipedia users with cited COVID-19-related sources.

Wikipedia is a fundamental source of free knowledge, open to all. The capacity of its editor community to quickly respond to a crisis and provide high-quality contents is, therefore, critical. Our results here are encouraging in this respect.

Data and code availability

All the analyses can be replicated using code and following the instructions given in the accompanying repository: https://github.com/Giovanni1085/covid-19_wikipedia. The preparation of the data follows the steps detailed in this repository instead: https://github.com/CWTSLeiden/cwts_covid [Colavizza et al., 2020]. Analyses based on Altmetric and Dimensions data require access to these services.

Acknowledgements

Digital Science kindly provided access to Altmetric and Dimensions data.

References

C. E. Adams, A. A. Montgomery, T. Aburrow, S. Bloomfield, P. M. Briley, E. Carew, S. Chatterjee-Woolman, G. Feddah, J. Friedel, J. Gibbard,

- E. Haynes, M. Hussein, M. Jayaram, S. Naylor, L. Perry, L. Schmidt, U. Siddique, A. S. Tabaksert, D. Taylor, A. Velani, D. White, and J. Xia. Adding evidence of the effects of treatments into relevant Wikipedia pages: A randomised trial. *BMJ Open*, 10(2):e033655, Feb. 2020. ISSN 2044-6055, 2044-6055. doi: 10.1136/bmjopen-2019-033655. URL <http://bmjopen.bmj.com/lookup/doi/10.1136/bmjopen-2019-033655>.
- W. Arroyo-Machado, D. Torres-Salinas, E. Herrera-Viedma, and E. Romero-Frías. Science through Wikipedia: A novel representation of open knowledge through co-citation networks. *PLOS ONE*, 15(2):e0228713, Feb. 2020. ISSN 1932-6203. doi: 10.1371/journal.pone.0228713. URL <https://dx.plos.org/10.1371/journal.pone.0228713>.
- D. M. Blei. Probabilistic topic models. *Communications of the ACM*, 55(4): 77–84, 2012. URL <http://dl.acm.org/citation.cfm?id=2133826>.
- D. M. Blei and J. D. Lafferty. A correlated topic model of Science. *Annals of Applied Statistics*, 1(1):17–35, 2007. ISSN 1932-6157. doi: 10.1214/07-AOAS114. URL <http://projecteuclid.org/euclid.aoas/1183143727>.
- D. M. Blei, A. Y. Ng, and M. I. Jordan. Latent Dirichlet allocation. *Journal of Machine Learning Research*, 3:993–1022, 2003. URL <http://dl.acm.org/citation.cfm?id=944937>.
- A. Brezar and J. Heilman. Readability of English Wikipedia’s health information over time. *WikiJournal of Medicine*, 6(1): 7, 2019. ISSN 20024436. doi: 10.15347/wjm/2019.007. URL https://en.wikiversity.org/wiki/WikiJournal_of_Medicine/Readability_of_English_Wikipedia’s_health_information_over_time.
- C.-C. Chen and C. Roth. {{citation needed}}: the dynamics of referencing in Wikipedia. In *Proceedings of the Eighth Annual International Symposium on Wikis and Open Collaboration*, Linz, Austria, 2012. ACM Press. ISBN 978-1-4503-1605-7. doi: 10.1145/2462932.2462943. URL <http://dl.acm.org/citation.cfm?doid=2462932.2462943>.
- M. Cinelli, W. Quattrociocchi, A. Galeazzi, C. M. Valensise, E. Brugnoli, A. L. Schmidt, P. Zola, F. Zollo, and A. Scala. The COVID-19 social media infodemic. *arXiv:2003.05004 [nlin, physics:physics]*, Mar. 2020. URL <http://arxiv.org/abs/2003.05004>. arXiv: 2003.05004.
- A. Cohan, S. Feldman, I. Beltagy, D. Downey, and D. S. Weld. SPECTER: Document-level Representation Learning using Citation-informed Transformers. *arXiv:2004.07180 [cs]*, Apr. 2020. URL <http://arxiv.org/abs/2004.07180>. arXiv: 2004.07180.
- J. Cohen. *Statistical Power Analysis for the Behavioral Sciences*. Routledge, 1988. ISBN 978-1-134-74270-7 978-0-8058-0283-2. OCLC: 868313521.

- G. Colavizza, R. Costas, V. A. Traag, N. J. van Eck, T. van Leeuwen, and L. Waltman. A scientometric overview of CORD-19. *bioRxiv*, Apr. 2020. doi: 10.1101/2020.04.20.046144. URL <https://www.biorxiv.org/content/10.1101/2020.04.20.046144v1>.
- Dimensions. Dimensions COVID-19 Publications, 2020. URL <https://docs.google.com/spreadsheets/d/1-kTZJZ1GAhJ2m4GA1hw1Zdlg046JpvX0ZQa232VWRmw/edit#gid=2034285255>.
- European Commission. Fighting Disinformation - Official Sources on COVID-19 - Consilium, 2020. URL <https://www.consilium.europa.eu/en/policies/covid-19-coronavirus-outbreak/fighting-disinformation>.
- Z. Fang and R. Costas. Studying the accumulation velocity of altmetric data tracked by Altmetric.com. *Scientometrics*, Mar. 2020. ISSN 0138-9130, 1588-2861. doi: 10.1007/s11192-020-03405-9. URL <http://link.springer.com/10.1007/s11192-020-03405-9>.
- A. Forte, N. Andalibi, T. Gorichanaz, M. C. Kim, T. Park, and A. Halfaker. Information Fortification: An Online Citation Behavior. In *Proceedings of the 2018 ACM Conference on Supporting Groupwork - GROUP '18*, pages 83–92, Sanibel Island, Florida, USA, 2018. ACM Press. ISBN 978-1-4503-5562-9. doi: 10.1145/3148330.3148347. URL <http://dl.acm.org/citation.cfm?doid=3148330.3148347>.
- R. S. Geiger and A. Halfaker. When the levee breaks: without bots, what happens to Wikipedia’s quality control processes? In *Proceedings of the 9th International Symposium on Open Collaboration*, pages 1–6, Hong Kong, China, 2013. ACM Press. ISBN 978-1-4503-1852-5. doi: 10.1145/2491055.2491061. URL <http://dl.acm.org/citation.cfm?doid=2491055.2491061>.
- A. Halfaker, B. Mansurov, M. Redi, and D. Taraborelli. Citations with identifiers in Wikipedia, 2018. URL https://figshare.com/articles/Citations_with_identifiers_in_Wikipedia/1299540/1.
- J. M. Heilman, E. Kemmann, M. Bonert, A. Chatterjee, B. Ragar, G. M. Beards, D. J. Iberri, M. Harvey, B. Thomas, W. Stomp, M. F. Martone, D. J. Lodge, A. Vondracek, J. F. de Wolff, C. Liber, S. C. Grover, T. J. Vickers, B. Meskó, and M. R. Laurent. Wikipedia: A Key Tool for Global Public Health Promotion. *Journal of Medical Internet Research*, 13(1):e14, 2011. ISSN 1438-8871. doi: 10.2196/jmir.1589. URL <http://www.jmir.org/2011/1/e14/>.
- C. Herzog, D. Hook, and S. Konkiel. Dimensions: Bringing down barriers between scientometricians and data. *Quantitative Science Studies*, 1(1):387–395, Feb. 2020. ISSN 2641-3337. doi: 10.1162/qss_a.00020. URL https://www.mitpressjournals.org/doi/abs/10.1162/qss_a.00020.

- J. P. Ioannidis. Coronavirus disease 2019: The harms of exaggerated information and non-evidence-based measures. *European Journal of Clinical Investigation*, page e13222, Mar. 2020. ISSN 00142972. doi: 10.1111/eci.13222. URL <http://doi.wiley.com/10.1111/eci.13222>.
- C. Jung, S. Geng, M. Cha, I. Hong, and D. Sáez-Trumper. Open data and COVID-19: Wikipedia as an informational resource during the pandemic, 2020. URL <https://medium.com/@diegosaeztrumper/open-data-and-covid-19-wikipedia-as-an-informational-resource-during-the-pandemic-dcca6a>.
- B. Keegan, D. Gergle, and N. Contractor. Hot off the wiki: dynamics, practices, and structures in Wikipedia’s coverage of the Tōhoku catastrophes. In *Proceedings of the 7th International Symposium on Wikis and Open Collaboration - WikiSym ’11*, Mountain View, California, 2011. ACM Press. ISBN 978-1-4503-0909-7. doi: 10.1145/2038558.2038577. URL <http://dl.acm.org/citation.cfm?doid=2038558.2038577>.
- M. M. Kessler. Bibliographic coupling between scientific papers. *American Documentation*, 14(1):10–25, Jan. 1963. ISSN 0096946X, 19366108. doi: 10.1002/asi.5090140103. URL <http://doi.wiley.com/10.1002/asi.5090140103>.
- K. Kousha and M. Thelwall. Are wikipedia citations important evidence of the impact of scholarly articles and books? *Journal of the Association for Information Science and Technology*, 68(3):762–779, 2017. ISSN 23301635. doi: 10.1002/asi.23694. URL <http://doi.wiley.com/10.1002/asi.23694>.
- K. Kousha and M. Thelwall. COVID-19 publications: Database coverage, citations, readers, tweets, news, Facebook walls, Reddit posts. *arXiv:2004.10400 [cs]*, 2020. URL <https://arxiv.org/abs/2004.10400>.
- W. H. Kruskal and W. A. Wallis. Use of Ranks in One-Criterion Variance Analysis. *Journal of the American Statistical Association*, 47(260): 583–621, Dec. 1952. ISSN 0162-1459, 1537-274X. doi: 10.1080/01621459.1952.10483441. URL <http://www.tandfonline.com/doi/abs/10.1080/01621459.1952.10483441>.
- S. Kumar, R. West, and J. Leskovec. Disinformation on the Web: Impact, Characteristics, and Detection of Wikipedia Hoaxes. In *Proceedings of the 25th International Conference on World Wide Web*, pages 591–602, Montré#233;al, Qu#233;bec, Canada, 2016. ACM Press. ISBN 978-1-4503-4143-1. doi: 10.1145/2872427.2883085. URL <http://dl.acm.org/citation.cfm?doid=2872427.2883085>.
- M. R. Laurent and T. J. Vickers. Seeking Health Information Online: Does Wikipedia Matter? *Journal of the American Medical Informatics Association*, 16(4):471–479, July 2009. ISSN 1067-5027, 1527-974X. doi: 10.1197/jamia.M3059. URL <https://academic.oup.com/jamia/article-lookup/doi/10.1197/jamia.M3059>.

- F. Lemmerich, D. Sáez-Trumper, R. West, and L. Zia. Why the World Reads Wikipedia: Beyond English Speakers. In *Proceedings of the Twelfth ACM International Conference on Web Search and Data Mining*. ACM Press, 2019. doi: 10.1145/3289600.3291021. URL <http://arxiv.org/abs/1812.00474>.
- W. Lewoniewski, K. Węcel, and W. Abramowicz. Analysis of References Across Wikipedia Languages. In R. Damaševičius and V. Mikašytė, editors, *Information and Software Technologies*, volume 756, pages 561–573. Springer International Publishing, Cham, 2017. ISBN 978-3-319-67641-8 978-3-319-67642-5. doi: 10.1007/978-3-319-67642-5_47.
- L. Leydesdorff and A. Nerges. Co-word maps and topic modeling: A comparison using small and medium-sized corpora ($N < 1,000$). *Journal of the Association for Information Science and Technology*, 68(4):1024–1035, 2017. ISSN 23301635. doi: 10.1002/asi.23740. URL <http://doi.wiley.com/10.1002/asi.23740>.
- L. A. Maggio, J. M. Willinsky, R. M. Steinberg, D. Mietchen, J. L. Wass, and T. Dong. Wikipedia as a gateway to biomedical research: The relative distribution and use of citations in the English Wikipedia. *PLOS ONE*, 12(12):e0190046, 2019.
- L. A. Maggio, R. M. Steinberg, T. Piccardi, and J. M. Willinsky. Reader engagement with medical content on Wikipedia. *eLife*, 9:e52426, Mar. 2020. ISSN 2050-084X. doi: 10.7554/eLife.52426. URL <https://elifesciences.org/articles/52426>.
- A. Martín-Martín, M. Thelwall, and E. D. López-Cózar. Google Scholar, Microsoft Academic, Scopus, Dimensions, Web of Science, and OpenCitations’ COCI: a multidisciplinary comparison of coverage via citations. 2020. URL <https://arxiv.org/abs/2004.14329>.
- M. Mesgari, C. Okoli, M. Mehdi, F. A. Nielsen, and A. Lanamäki. “The sum of all human knowledge”: A systematic review of scholarly research on the content of Wikipedia. *Journal of the Association for Information Science and Technology*, 66(2):219–245, 2015. ISSN 23301635. doi: 10.1002/asi.23172. URL <http://doi.wiley.com/10.1002/asi.23172>.
- D. Mimno, H. Wallach, E. Talley, M. Leenders, and A. McCallum. Optimizing semantic coherence in topic models. In *Proceedings of the 2011 Conference on Empirical Methods in Natural Language Processing*, pages 262–272, Edinburgh, UK, 2011. ACM.
- M. Neumann, D. King, I. Beltagy, and W. Ammar. ScispaCy: Fast and robust models for biomedical natural language processing. 2019.
- F. A. Nielsen. Scientific Citations in Wikipedia. *First Monday*, 12, 2007.

- F. A. Nielsen, D. Mietchen, and E. Willighagen. Scholia, Scientometrics and Wikidata. In E. Blomqvist, K. Hose, H. Paulheim, A. Lawrynowicz, F. Ciravegna, and O. Hartig, editors, *The Semantic Web: ESWC 2017 Satellite Events*, volume 10577, pages 237–259. Springer International Publishing, Cham, 2017. ISBN 978-3-319-70406-7 978-3-319-70407-4. doi: 10.1007/978-3-319-70407-4_36. URL http://link.springer.com/10.1007/978-3-319-70407-4_36.
- J. L. Ortega. Reliability and accuracy of altmetric providers: A comparison among Altmetric.com, PlumX and Crossref Event Data. *Scientometrics*, 116(3):2123–2138, Sept. 2018. ISSN 0138-9130, 1588-2861. doi: 10.1007/s11192-018-2838-z. URL <http://link.springer.com/10.1007/s11192-018-2838-z>.
- L. Paakkari and O. Okan. COVID-19: health literacy is an underestimated problem. *The Lancet Public Health*, 5(5):e249–e250, May 2020. ISSN 24682667. doi: 10.1016/S2468-2667(20)30086-4. URL <https://linkinghub.elsevier.com/retrieve/pii/S2468266720300864>.
- A. Perianes-Rodriguez, L. Waltman, and N. J. van Eck. Constructing bibliometric networks: A comparison between full and fractional counting. *Journal of Informetrics*, 10(4):1178–1195, Nov. 2016. ISSN 17511577. doi: 10.1016/j.joi.2016.10.006. URL <http://linkinghub.elsevier.com/retrieve/pii/S1751157716302036>.
- T. Piccardi, M. Redi, G. Colavizza, and R. West. Quantifying Engagement with Citations on Wikipedia. In *Proceedings of The Web Conference 2020*, pages 2365–2376, Taipei Taiwan, Apr. 2020. ACM. ISBN 978-1-4503-7023-3. doi: 10.1145/3366423.3380300. URL <https://dl.acm.org/doi/10.1145/3366423.3380300>.
- A. Piscopo and E. Simperl. What we talk about when we talk about Wikidata quality: a literature survey. In *Proceedings of the 15th International Symposium on Open Collaboration*, Skövde, Sweden, 2019. ACM Press. doi: 10.1145/3306446.3340822.
- R. Priedhorsky, J. Chen, S. T. K. Lam, K. Panciera, L. Terveen, and J. Riedl. Creating, destroying, and restoring value in wikipedia. In *Proceedings of the 2007 international ACM conference on Conference on supporting group work*, Sanibel Island, Florida, USA, 2007. ACM Press. ISBN 978-1-59593-845-9. doi: 10.1145/1316624.1316663. URL <http://portal.acm.org/citation.cfm?doid=1316624.1316663>.
- J. Priem, H. A. Piwowar, and B. M. Hemminger. Altmetrics in the Wild: Using Social Media to Explore Scholarly Impact, 2012. URL <https://arxiv.org/html/1203.4745>.
- R. Řehůřek and P. Sojka. Software framework for topic modelling with large corpora. In *Proceedings of the LREC 2010 Workshop on New Challenges for*

- NLP Frameworks*, pages 45–50, Valletta, Malta, May 2010. ELRA. <http://is.muni.cz/publication/884893/en>.
- N. Robinson-García, D. Torres-Salinas, Z. Zahedi, and R. Costas. New data, new possibilities: Exploring the insides of Altmetric.com. *El Profesional de la Informacion*, 23(4):359–366, May 2014. ISSN 1386-6710. doi: 10.3145/epi.2014.jul.03. URL <https://recyt.fecyt.es/index.php/EPI/article/view/epi.2014.jul.03>.
- T. Shafee, G. Masukume, L. Kipersztok, D. Das, M. Häggström, and J. Heilman. Evolution of Wikipedia’s medical content: past, present and future. *Journal of Epidemiology and Community Health*, pages jech-2016–208601, Aug. 2017. ISSN 0143-005X, 1470-2738. doi: 10.1136/jech-2016-208601. URL <http://jech.bmj.com/lookup/doi/10.1136/jech-2016-208601>.
- X. Shuai, Z. Jiang, X. Liu, and J. Bollen. A comparative study of academic and Wikipedia ranking. In *Proceedings of the 13th ACM/IEEE-CS joint conference on Digital libraries - JCDL '13*, Indianapolis, Indiana, USA, 2013. ACM Press. ISBN 978-1-4503-2077-1. doi: 10.1145/2467696.2467746. URL <http://dl.acm.org/citation.cfm?doid=2467696.2467746>.
- P. Singer, F. Lemmerich, R. West, L. Zia, E. Wulczyn, M. Strohmaier, and J. Leskovec. Why We Read Wikipedia. In *Proceedings of the 26th International Conference on World Wide Web*, pages 1591–1600, Perth, Australia, 2017. ACM Press. ISBN 978-1-4503-4913-0. doi: 10.1145/3038912.3052716. URL <http://dl.acm.org/citation.cfm?doid=3038912.3052716>.
- D. A. Smith. Situating Wikipedia as a health information resource in various contexts: A scoping review. *PLOS ONE*, 15(2):e0228786, Feb. 2020. ISSN 1932-6203. doi: 10.1371/journal.pone.0228786. URL <https://dx.plos.org/10.1371/journal.pone.0228786>.
- C. R. Sugimoto, S. Work, V. Larivière, and S. Haustein. Scholarly use of social media and altmetrics: A review of the literature. *Journal of the Association for Information Science and Technology*, 68(9):2037–2062, 2017. ISSN 23301635. doi: 10.1002/asi.23833. URL <http://doi.wiley.com/10.1002/asi.23833>.
- B. Swire-Thompson and D. Lazer. Public Health and Online Misinformation: Challenges and Recommendations. *Annual Review of Public Health*, 41(1):433–451, Apr. 2020. ISSN 0163-7525, 1545-2093. doi: 10.1146/annurev-publhealth-040119-094127. URL <https://www.annualreviews.org/doi/10.1146/annurev-publhealth-040119-094127>.
- Y. W. Teh, M. I. Jordan, M. J. Beal, and D. M. Blei. Hierarchical Dirichlet Processes. *Journal of the American Statistical Association*, 101(476):1566–1581, Dec. 2006. ISSN 0162-1459, 1537-274X. doi: 10.1198/016214506000000302. URL <http://www.tandfonline.com/doi/abs/10.1198/016214506000000302>.

- M. Teplitskiy, G. Lu, and E. Duede. Amplifying the impact of open access: Wikipedia and the diffusion of science. *Journal of the Association for Information Science and Technology*, 68(9):2116–2127, 2017. ISSN 23301635. doi: 10.1002/asi.23687. URL <http://doi.wiley.com/10.1002/asi.23687>.
- M. Thelwall. The discretised lognormal and hooked power law distributions for complete citation data: Best options for modelling and regression. *Journal of Informetrics*, 10(2):336–346, 2016. doi: 10.1016/j.joi.2015.12.007.
- M. Thelwall and P. Wilson. Regression for citation data: An evaluation of different methods. *Journal of Informetrics*, 8(4):963–971, 2014. doi: 10.1016/j.joi.2014.09.011.
- D. Torres-Salinas, E. Romero-Frías, and W. Arroyo-Machado. Mapping the backbone of the Humanities through the eyes of Wikipedia. *Journal of Informetrics*, 13(3):793–803, 2019. ISSN 17511577. doi: 10.1016/j.joi.2019.07.002. URL <https://linkinghub.elsevier.com/retrieve/pii/S1751157718302955>.
- V. A. Traag, P. Van Dooren, and Y. Nesterov. Narrow scope for resolution-limit-free community detection. *Physical Review E*, 84(1):016114, 2011. URL <http://journals.aps.org/pre/abstract/10.1103/PhysRevE.84.016114>.
- V. A. Traag, L. Waltman, and N. J. van Eck. From Louvain to Leiden: Guaranteeing well-connected communities. *Scientific Reports*, 9(1):5233, Dec. 2019. ISSN 2045-2322. doi: 10.1038/s41598-019-41695-z. URL <http://www.nature.com/articles/s41598-019-41695-z>.
- L. L. Wang, K. Lo, Y. Chandrasekhar, R. Reas, J. Yang, D. Eide, K. Funk, R. Kinney, Z. Liu, W. Merrill, P. Mooney, D. Murdick, D. Rishi, J. Sheehan, Z. Shen, B. Stilson, A. D. Wade, K. Wang, C. Wilhelm, B. Xie, D. Raymond, D. S. Weld, O. Etzioni, and S. Kohlmeier. CORD-19: The Covid-19 Open Research Dataset. *arXiv:2004.10706 [cs]*, Apr. 2020. URL <http://arxiv.org/abs/2004.10706>. arXiv: 2004.10706.
- Wikimedia Foundation. Responding to COVID-19. How we can help in this time of uncertainty, 2020. URL <https://wikimediafoundation.org/covid19>.
- World Health Organization (WHO). EPI-WIN: WHO Information Network for Epidemics, 2020a. URL <https://www.who.int/teams/risk-communication>.
- World Health Organization (WHO). WHO COVID-19 Database, 2020b. URL <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/global-research-on-novel-coronavirus-2019-ncov>.
- B. Xie, D. He, T. Mercer, Y. Wang, D. Wu, K. R. Fleischmann, Y. Zhang, L. H. Yoder, K. K. Stephens, M. Mackert, and M. K. Lee. Global health

- crises are also information crises: A call to action. *Journal of the Association for Information Science and Technology*, Mar. 2020. ISSN 2330-1635, 2330-1643. doi: 10.1002/asi.24357. URL <https://onlinelibrary.wiley.com/doi/abs/10.1002/asi.24357>.
- C.-K. Yau, A. Porter, N. Newman, and A. Suominen. Clustering scientific documents with topic modeling. *Scientometrics*, 100(3):767–786, 2014. ISSN 0138-9130, 1588-2861. doi: 10.1007/s11192-014-1321-8. URL <http://link.springer.com/10.1007/s11192-014-1321-8>.
- Z. Zahedi, R. Costas, and P. Wouters. How well developed are altmetrics? A cross-disciplinary analysis of the presence of ‘alternative metrics’ in scientific publications. *Scientometrics*, 101(2):1491–1513, 2014. ISSN 0138-9130, 1588-2861. doi: 10.1007/s11192-014-1264-0. URL <http://link.springer.com/10.1007/s11192-014-1264-0>.
- J. Zarocostas. How to fight an infodemic. *Lancet*, 395(10225), Feb. 2020. ISSN 01406736. doi: 10.1016/S0140-6736(20)30461-X. URL <https://linkinghub.elsevier.com/retrieve/pii/S014067362030461X>.

SI

Topics

Refer to Figures 8 and 9 for topic intensities over time. See Figure 11 for the topic clustering. The topic label is given next to the topic number, for reference.

- **Topic #0, Public health:** “method”, “system”, “use”, “drug”, “application”, “approach”, “image”, “design”, “test”, “develop”, “technology”, “provide”, “technique”, “new”, “tool”, “potential”, “base”, “device”, “allow”, “result”.
- **Topic #1, Public health:** “health”, “pandemic”, “covid-19”, “COVID-19”, “public”, “country”, “outbreak”, “social”, “care”, “covid-19_pandemic”, “measure”, “policy”, “people”, “public_health”, “Health”, “impact”, “response”, “risk”, “medical”, “need”.
- **Topic #2, Molecular biology and immunology:** “cell”, “infection”, “response”, “mouse”, “immune”, “expression”, “lung”, “induce”, “disease”, “cat”, “role”, “tissue”, “system”, “increase”, “level”, “receptor”, “study”, “gene”, “cytokine”, “human”.
- **Topic #3, Clinical medicine:** “group”, “patient”, “day”, “study”, “year”, “result”, “rate”, “age”, “method”, “compare”, “conclusion”, “total”, “time”, “period”, “mean”, “respectively”, “high”, “month”, “significantly”.
- **Topic #4, Molecular biology and immunology:** “protein”, “virus”, “cell”, “rna”, “viral”, “coronavirus”, “activity”, “replication”, “gene”, “antiviral”, “study”, “human”, “membrane”, “domain”, “binding”, “structure”, “sequence”, “target”, “infection”, “inhibitor”.
- **Topic #5, Coronaviruses:** “respiratory”, “infection”, “acute”, “virus”, “syndrome”, “SARS”, “severe”, “respiratory_syndrome”, “severe_acute”, “influenza”, “child”, “case”, “patient”, “viral”, “acute respiratory syndrome”, “cause”, “coronavirus”, “clinical”, “sars”, “pneumonia”.
- **Topic #6, Molecular biology and immunology:** “virus”, “antibody”, “strain”, “sample”, “detect”, “sequence”, “assay”, “isolate”, “coronavirus”, “detection”, “test”, “gene”, “calf”, “result”, “serum”, “positive”, “analysis”, “study”, “bovine”, “ibv”.
- **Topic #7, Clinical medicine:** “patient”, “surgery”, “laparoscopic”, “surgical”, “procedure”, “cancer”, “complication”, “perform”, “technique”, “undergo”, “postoperative”, “case”, “tumor”, “result”, “method”, “repair”, “time”, “patient_undergo”, “resection”, “hernia”.
- **Topic #8, Coronaviruses:** “covid-19”, “COVID-19”, “sars-cov-2”, “coronavirus”, “case”, “disease”, “patient”, “2019”, “2020”, “infection”, “severe”, “clinical”, “China”, “novel”, “confirm”, “coronavirus_disease”, “report”, “symptom”, “novel_coronavirus”, “Wuhan”.

- **Topic #9, Epidemics:** “model”, “datum”, “number”, “analysis”, “epidemic”, “case”, “time”, “network”, “study”, “different”, “result”, “rate”, “dynamic”, “base”, “paper”, “estimate”, “propose”, “population”, “spread”, “individual”.
- **Topic #10, Public health:** “study”, “review”, “trial”, “include”, “clinical”, “treatment”, “search”, “evidence”, “literature”, “result”, “datum”, “intervention”, “quality”, “report”, “systematic”, “use”, “outcome”, “method”, “research”, “article”.
- **Topic #11, Epidemics:** “disease”, “vaccine”, “infectious”, “human”, “review”, “virus”, “new”, “infectious_disease”, “emerge”, “development”, “animal”, “infection”, “pathogen”, “recent”, “potential”, “cause”, “vaccination”, “infectious diseases”, “outbreak”, “include”.
- **Topic #12, Epidemics:** “risk”, “factor”, “associate”, “associated with”, “mortality”, “high”, “analysis”, “increase”, “study”, “95_ci”, “risk_factor”, “death”, “age”, “patient”, “rate”, “ratio”, “outcome”, “regression”.
- **Topic #13, Clinical medicine:** “effect”, “increase”, “group”, “study”, “level”, “concentration”, “control”, “blood”, “change”, “pressure”, “result”, “high”, “low”, “decrease”, “compare”, “measure”, “temperature”, “significantly”, “weight”, “reduce”.
- **Topic #14, Clinical medicine:** “patient”, “treatment”, “clinical”, “acute”, “lung”, “therapy”, “chest”, “aneurysm”, “outcome”, “treat”, “ventilation”, “care”, “case”, “artery”, “stroke”, “failure”, “lesion”, “pulmonary”, “diagnosis”.

Extra tables and figures

Table 2: Top-20 citing Wikipedia articles.

# citations	Wikipedia id	Wikipedia article title	Lang
62	201983	Coronavirus	en
59	62786585	Severe acute respiratory syndrome coronavirus 2	en
53	62750956	2019–20 Wuhan coronavirus outbreak	en
49	63030231	Coronavirus disease 2019	en
39	63676463	2019–20 coronavirus pandemic	en
36	63430824	COVID-19 drug repurposing research	en
33	63895130	Paediatric multisystem inflammatory syndrome	en
32	211547	Severe acute respiratory syndrome-related coro...	en
31	63319438	COVID-19 vaccine	en
30	63435931	COVID-19 drug development	en
34	39532251	Middle East respiratory syndrome	en
28	19572217	Influenza	en
25	63204759	COVID-19 testing	en
23	2717089	Angiotensin-converting enzyme 2	en
24	22693252	Feline coronavirus	en
22	64144585	Management of COVID-19	en
22	4354646	Emergent virus	en
21	10849236	Antibody-dependent enhancement	en
20	196741	Severe acute respiratory syndrome	en
20	64144627	Prognosis of COVID-19	en

Table 3: Top-20 cited journal articles. The first column gives the number of distinct citing Wikipedia articles, while the last one gives the number of citations to these articles from the scientific literature (data from Dimensions).

# citations	DOI	Title	Publication year	Journal	Times cited
67	10.3390/info11050263	Modeling Popularity and Reliability of Sources ...	2020	Information	1
18	10.1007/s00705-012-1299-6	Ratification vote on taxonomic proposals to ...	2012	Archives of Virology	210
15	10.1007/978-1-4939-2438-7_1	Coronaviruses: An Overview of Their Replication ...	2015	Methods in Molecular Biology	395
15	10.3390/v2081803	Coronavirus Genomics and Bioinformatics Analysis	2010	Viruses	143
13	10.1016/s0140-6736(20)30183-5	Clinical features of patients infected with 20...	2020	The Lancet	5508
12	10.3390/su12104295	An Integrated Planning Framework for Sustainability ...	2020	Sustainability	1
12	10.1002/mcd.20081	The regulation of HIV-1 transcription ...	2006	Medical Research Reviews	93
11	10.1056/nejmoa2001316	Early Transmission Dynamics in Wuhan, China, ...	2020	New England Journal of Medicine	2399
11	10.3390/v11020174	Global Epidemiology of Bat Coronaviruses	2019	Viruses	39
11	10.1056/nejmoa2001191	Pex19 Binds Multiple Peroxisomal Membrane Proteins, Is Predominantly Cytoplasmic ...	2020	New England Journal of Medicine	1127
10	10.1087/jcb.148.5.931	A pneumonia outbreak associated with a new coronavirus ...	2020	Journal of Cell Biology	2115
10	10.1038/s41586-020-2012-7	Camabimols for the treatment of mental disorders ...	2019	Nature	37
9	10.1016/s2215-0366(19)30401-8	Discovery of seven novel Mammalian and avian ...	2012	The Lancet Psychiatry	453
9	10.1126/jvi.06540-11	The proximal origin of SARS-CoV-2	2020	Journal of virology	411
9	10.1038/s41591-020-0820-9	Prevalence of Depression, Depressive Symptoms, ...	2016	Nature Medicine	398
8	10.1001/jama.2016.17324	Hydroxychloroquine or chloroquine with or with ...	2020	JAMA	84
8	10.1016/s0140-6736(20)31180-6	Human brain evolution and the "Neuroevolutionary ...	2006	The Lancet	63
8	10.1016/j.pnpbp.2006.01.008	How will country-based mitigation measures ...	2020	Progress in Neuro-Psychopharmacology & Biological Psychiatry	303
8	10.1016/s0140-6736(20)30567-5	Infectious Diseases Society of America/America ...	2007	The Lancet	3967
8	10.1086/511159			Clinical Infectious Diseases	

Table 4: Test statistics for general topic intensities of articles cited in Wikipedia or not, limited to articles *published before 2020*. In W: cited in Wikipedia; Not in W: not cited in Wikipedia; KWH: Kruskal–Wallis H test.


General topic	In W		Not in W		Test	p-value	Effect size
	Mean	SD	Mean	SD	KWH	KWH	Cohen’s d
Coronaviruses	0.092	0.156	0.094	0.165	0.06	0.807	0.015
Epidemics	0.225	0.197	0.161	0.186	357.84	0.0	0.341
Public health	0.195	0.222	0.172	0.215	35.158	0.0	0.107
Molecular biology and immunology	0.349	0.313	0.294	0.324	102.917	0.0	0.17
Clinical medicine	0.129	0.198	0.266	0.307	475.092	0.0	0.45

Table 5: Test statistics for general topic intensities of articles cited in Wikipedia or not, limited to articles *published in 2020*. In W: cited in Wikipedia; Not in W: not cited in Wikipedia; KWH: Kruskal–Wallis H test.

General topic	In W		Not in W		Test	p-value	Effect size
	Mean	SD	Mean	SD	KWH	KWH	Cohen’s d
Coronaviruses	0.239	0.193	0.157	0.183	171.205	0.0	0.448
Epidemics	0.171	0.166	0.182	0.19	0.041	0.84	0.055
Public health	0.312	0.271	0.387	0.286	46.889	0.0	0.261
Molecular biology and immunology	0.132	0.199	0.103	0.185	15.078	0.0	0.159
Clinical medicine	0.121	0.165	0.147	0.187	19.711	0.0	0.139

Table 6: Test statistics for general topic intensities of articles cited in Wikipedia or not; *all publications*. In W: cited in Wikipedia; Not in W: not cited in Wikipedia; KWH: Kruskal–Wallis H test.

General topic	In W		Not in W		Test	p-value	Effect size
	Mean	SD	Mean	SD	KWH	KWH	Cohen’s d
Coronaviruses	0.127	0.177	0.122	0.176	0.173	0.678	0.025
Epidemics	0.212	0.191	0.17	0.188	224.428	0.0	0.221
Public health	0.223	0.24	0.268	0.271	53.051	0.0	0.167
Molecular biology and immunology	0.297	0.305	0.209	0.287	343.365	0.0	0.309
Clinical medicine	0.127	0.191	0.213	0.267	331.354	0.0	0.323



(a) Number of citations from Wikipedia to COVID-19 literature, per year, overall. (b) Publication year of the articles cited from Wikipedia, overall.

Figure 7: Timing of new citations from Wikipedia, and publication years of the articles they refer to.






Figure 8: Heatmap of topic intensities over time.



(a) Average aggregate; this can be interpreted as the average topic intensity.



(b) Cumulative aggregate; this can be interpreted as the number of papers per topic.

Figure 9: General topic intensities over time.




Figure 10: Heatmap of regression variables correlations (Pearson's), after transformations.




Figure 11: Agglomerative clustering dendrogram over topics, based on Jensen-Shannon distances. Considering a cut at 1.1, the left-most cluster (topics 3,12,13) focuses on viral epidemics and clinical medicine; next is a cluster on COVID-19 and its treatment in intensive care (topics 7,8,14); next is a cluster COVID-19, public health, epidemics and immunology (topics 0,1,9,10,11); lastly, on the right, is a cluster on molecular biology and immunology/vaccines (topics 2,4,5,6).




Figure 12: Cohen's d effect statistic for general topic intensity differences between articles cited in Wikipedia and not. Publications published before 2020, in 2020, and overall are considered. See Table 4, 5 and 6. Effect sizes are considered very small when below 0.2, small when below 0.5 and medium when below 0.8.




Figure 13: Some variables used for regression analyses. The plots distinguish variable values for articles cited from Wikipedia (green) or not (blue).

Regression tables

Model:	Logistic regression 2020					
Method:	Marginal effects (Logistic regression)					
No. Observations:	130,864					
Pseudo R-squ.:	0.2790					
variable	dx/dy coef	std err	z	P> z	[0.025	0.975]
C(publication_year, Treatment(2020))[T.2000.0]	-0.0035	0.008	-0.457	0.648	-0.019	0.012
C(publication_year, Treatment(2020))[T.2001.0]	-0.0164	0.010	-1.644	0.100	-0.036	0.003
C(publication_year, Treatment(2020))[T.2002.0]	-0.0018	0.006	-0.317	0.751	-0.013	0.009
C(publication_year, Treatment(2020))[T.2003.0]	-0.0030	0.004	-0.763	0.445	-0.011	0.005
C(publication_year, Treatment(2020))[T.2004.0]	0.0004	0.003	0.127	0.899	-0.005	0.006
C(publication_year, Treatment(2020))[T.2005.0]	0.0050	0.003	1.755	0.079	-0.001	0.011
C(publication_year, Treatment(2020))[T.2006.0]	0.0036	0.003	1.303	0.192	-0.002	0.009
C(publication_year, Treatment(2020))[T.2007.0]	0.0023	0.003	0.792	0.428	-0.003	0.008
C(publication_year, Treatment(2020))[T.2008.0]	0.0034	0.002	1.357	0.175	-0.002	0.008
C(publication_year, Treatment(2020))[T.2009.0]	-0.0010	0.003	-0.388	0.698	-0.006	0.004
C(publication_year, Treatment(2020))[T.2010.0]	0.0010	0.002	0.392	0.695	-0.004	0.006
C(publication_year, Treatment(2020))[T.2011.0]	-0.0031	0.002	-1.260	0.208	-0.008	0.002
C(publication_year, Treatment(2020))[T.2012.0]	-0.0032	0.002	-1.375	0.169	-0.008	0.001
C(publication_year, Treatment(2020))[T.2013.0]	-0.0080	0.002	-3.458	0.001	-0.012	-0.003
C(publication_year, Treatment(2020))[T.2014.0]	-0.0085	0.002	-3.842	0.000	-0.013	-0.004
C(publication_year, Treatment(2020))[T.2015.0]	-0.0123	0.002	-5.528	0.000	-0.017	-0.008
C(publication_year, Treatment(2020))[T.2016.0]	-0.0119	0.002	-5.321	0.000	-0.016	-0.008
C(publication_year, Treatment(2020))[T.2017.0]	-0.0116	0.002	-5.191	0.000	-0.016	-0.007
C(publication_year, Treatment(2020))[T.2018.0]	-0.0112	0.002	-5.001	0.000	-0.016	-0.007
C(publication_year, Treatment(2020))[T.2019.0]	-0.0067	0.002	-2.919	0.004	-0.011	-0.002
C(top_j, Treatment('OTHER'))[T.Arch_Virol]	0.0031	0.006	0.528	0.598	-0.008	0.015
C(top_j, Treatment('OTHER'))[T.ChemRxiv]	-0.0010	0.011	-0.089	0.929	-0.023	0.021
C(top_j, Treatment('OTHER'))[T.Emerg_Infect_Dis]	-0.0001	0.003	-0.051	0.960	-0.006	0.005
C(top_j, Treatment('OTHER'))[T.JAMA]	-0.0222	0.004	-5.200	0.000	-0.031	-0.014
C(top_j, Treatment('OTHER'))[T.JMIR_Preprints]	-0.2486	10.693	-0.023	0.981	-21.207	20.710
C(top_j, Treatment('OTHER'))[T.Journal_of_virology]	-0.0013	0.003	-0.422	0.673	-0.007	0.005
C(top_j, Treatment('OTHER'))[T.Nature]	0.0105	0.003	3.614	0.000	0.005	0.016
C(top_j, Treatment('OTHER'))[T.PLoS_One]	-0.0034	0.003	-1.255	0.210	-0.009	0.002
C(top_j, Treatment('OTHER'))[T.Research_Square]	-0.3905	235.195	-0.002	0.999	-461.365	460.584
C(top_j, Treatment('OTHER'))[T.SSRN_Electronic_Journal]	-0.0173	0.008	-2.208	0.027	-0.033	-0.002
C(top_j, Treatment('OTHER'))[T.Sci_Rep]	-0.0071	0.005	-1.375	0.169	-0.017	0.003
C(top_j, Treatment('OTHER'))[T.Science]	0.0083	0.004	2.202	0.028	0.001	0.016
C(top_j, Treatment('OTHER'))[T.Surgical_Endoscopy]	-0.0003	0.007	-0.039	0.969	-0.014	0.013
C(top_j, Treatment('OTHER'))[T.The_BMJ]	0.0126	0.004	3.267	0.001	0.005	0.020
C(top_j, Treatment('OTHER'))[T.The_Lancet]	0.0129	0.003	4.645	0.000	0.007	0.018
C(top_j, Treatment('OTHER'))[T.Vaccine]	-0.0118	0.006	-1.909	0.056	-0.024	0.000
C(top_j, Treatment('OTHER'))[T.Virology]	-0.0013	0.004	-0.308	0.758	-0.010	0.007
C(top_j, Treatment('OTHER'))[T.Viruses]	0.0091	0.003	2.639	0.008	0.002	0.016
C(top_j, Treatment('OTHER'))[T.bioRxiv]	-0.0073	0.004	-1.824	0.068	-0.015	0.001
C(top_j, Treatment('OTHER'))[T.medRxiv]	-0.0489	0.008	-6.260	0.000	-0.064	-0.034
times_cited	0.0078	0.000	19.909	0.000	0.007	0.009
counts_mendeley	0.0066	0.000	20.967	0.000	0.006	0.007
counts_policy	-0.0013	0.001	-1.319	0.187	-0.003	0.001
counts_twitter_unique	0.0050	0.000	13.822	0.000	0.004	0.006
counts_blogs_news	0.0051	0.000	11.343	0.000	0.004	0.006
counts_facebook	0.0008	0.001	1.115	0.265	-0.001	0.002
expert_ratio	-0.0067	0.002	-3.679	0.000	-0.010	-0.003
tm_coronaviruses	0.0138	0.018	0.760	0.447	-0.022	0.050
tm_epidemics	0.0241	0.018	1.343	0.179	-0.011	0.059
tm_ph	0.0197	0.018	1.086	0.278	-0.016	0.055
tm_mbi	0.0219	0.018	1.226	0.220	-0.013	0.057
tm_clinical_medicine	-0.0064	0.018	-0.362	0.717	-0.041	0.028
spectre_cluster_size	0.0022	0.001	1.483	0.138	-0.001	0.005
network_cluster_size	-2.14e-05	0.000	-0.132	0.895	-0.000	0.000

Model: Logistic regression 2019
Method: Marginal effects (Logistic regression)
No. Observations: 69,444
Pseudo R-squ.: 0.2670

variable	dx/dy coef	std err	z	P> z	[0.025	0.975]
C(publication_year, Treatment(2019))[T.2000.0]	0.0326	0.010	3.389	0.001	0.014	0.051
C(publication_year, Treatment(2019))[T.2001.0]	0.0190	0.012	1.615	0.106	-0.004	0.042
C(publication_year, Treatment(2019))[T.2002.0]	0.0359	0.008	4.728	0.000	0.021	0.051
C(publication_year, Treatment(2019))[T.2003.0]	0.0322	0.006	5.487	0.000	0.021	0.044
C(publication_year, Treatment(2019))[T.2004.0]	0.0335	0.005	6.812	0.000	0.024	0.043
C(publication_year, Treatment(2019))[T.2005.0]	0.0415	0.005	8.825	0.000	0.032	0.051
C(publication_year, Treatment(2019))[T.2006.0]	0.0365	0.005	7.797	0.000	0.027	0.046
C(publication_year, Treatment(2019))[T.2007.0]	0.0371	0.005	7.913	0.000	0.028	0.046
C(publication_year, Treatment(2019))[T.2008.0]	0.0356	0.004	8.032	0.000	0.027	0.044
C(publication_year, Treatment(2019))[T.2009.0]	0.0297	0.004	6.776	0.000	0.021	0.038
C(publication_year, Treatment(2019))[T.2010.0]	0.0290	0.004	6.644	0.000	0.020	0.038
C(publication_year, Treatment(2019))[T.2011.0]	0.0247	0.004	5.730	0.000	0.016	0.033
C(publication_year, Treatment(2019))[T.2012.0]	0.0262	0.004	6.337	0.000	0.018	0.034
C(publication_year, Treatment(2019))[T.2013.0]	0.0201	0.004	4.874	0.000	0.012	0.028
C(publication_year, Treatment(2019))[T.2014.0]	0.0195	0.004	4.813	0.000	0.012	0.027
C(publication_year, Treatment(2019))[T.2015.0]	0.0129	0.004	3.189	0.001	0.005	0.021
C(publication_year, Treatment(2019))[T.2016.0]	0.0100	0.004	2.418	0.016	0.002	0.018
C(publication_year, Treatment(2019))[T.2017.0]	0.0110	0.004	2.668	0.008	0.003	0.019
C(publication_year, Treatment(2019))[T.2018.0]	0.0085	0.004	2.005	0.045	0.000	0.017
C(top_j, Treatment('OTHER'))[T.Arch_Virol]	0.0043	0.008	0.549	0.583	-0.011	0.020
C(top_j, Treatment('OTHER'))[T.Emerg_Infect_Dis]	0.0022	0.004	0.574	0.566	-0.005	0.010
C(top_j, Treatment('OTHER'))[T.JAMA]	0.0067	0.007	1.029	0.303	-0.006	0.020
C(top_j, Treatment('OTHER'))[T.Journal_of_virology]	-0.0006	0.004	-0.153	0.879	-0.008	0.007
C(top_j, Treatment('OTHER'))[T.Nature]	0.0148	0.005	2.861	0.004	0.005	0.025
C(top_j, Treatment('OTHER'))[T.PLoS_One]	-0.0070	0.004	-1.926	0.054	-0.014	0.000
C(top_j, Treatment('OTHER'))[T.Sci_Rep]	0.0002	0.007	0.027	0.978	-0.013	0.013
C(top_j, Treatment('OTHER'))[T.Science]	-0.0008	0.009	-0.096	0.923	-0.018	0.016
C(top_j, Treatment('OTHER'))[T.Surgical_endoscopy]	0.0037	0.008	0.477	0.633	-0.011	0.019
C(top_j, Treatment('OTHER'))[T.The_Lancet]	0.0109	0.005	2.136	0.033	0.001	0.021
C(top_j, Treatment('OTHER'))[T.Vaccine]	-0.0220	0.010	-2.291	0.022	-0.041	-0.003
C(top_j, Treatment('OTHER'))[T.Virology]	-0.0048	0.006	-0.826	0.409	-0.016	0.007
C(top_j, Treatment('OTHER'))[T.Viruses]	0.0078	0.005	1.562	0.118	-0.002	0.018
C(top_j, Treatment('OTHER'))[T.bioRxiv]	-0.9986	4.64e+08	-2.15e-09	1.000	-9.1e+08	9.1e+08
times_cited	0.0027	0.001	4.136	0.000	0.001	0.004
counts_mendeley	0.0164	0.001	22.952	0.000	0.015	0.018
counts_policy	-0.0020	0.001	-1.377	0.168	-0.005	0.001
counts_twitter_unique	0.0006	0.001	0.915	0.360	-0.001	0.002
counts_blogs_news	0.0051	0.001	6.915	0.000	0.004	0.007
counts_facebook	0.0044	0.001	3.950	0.000	0.002	0.007
expert_ratio	-0.0010	0.002	-0.408	0.683	-0.006	0.004
tm_coronaviruses	-0.0251	0.034	-0.729	0.466	-0.093	0.042
tm_epidemics	-0.0172	0.034	-0.505	0.613	-0.084	0.049
tm_ph	-0.0118	0.034	-0.346	0.729	-0.079	0.055
tm_mbi	-0.0091	0.034	-0.267	0.789	-0.076	0.057
tm_clinical_medicine	-0.0356	0.034	-1.056	0.291	-0.102	0.031
spectre_cluster_size	0.0041	0.002	1.947	0.052	-2.79e-05	0.008
network_cluster_size	-0.0009	0.000	-3.371	0.001	-0.001	-0.000

Model: OLS regression 2020
Method: OLS
No. Observations: 130,809
R-squ.: 0.115

variable	coef	std err	t	P> t	[0.025	0.975]
Intercept	-0.0056	0.017	-0.326	0.745	-0.039	0.028
C(publication_year, Treatment(2020))[T.2000.0]	-0.0201	0.009	-2.312	0.021	-0.037	-0.003
C(publication_year, Treatment(2020))[T.2001.0]	-0.0262	0.008	-3.206	0.001	-0.042	-0.010
C(publication_year, Treatment(2020))[T.2002.0]	-0.0105	0.005	-2.078	0.038	-0.020	-0.001
C(publication_year, Treatment(2020))[T.2003.0]	-0.0117	0.004	-3.003	0.003	-0.019	-0.004
C(publication_year, Treatment(2020))[T.2004.0]	-0.0058	0.003	-1.775	0.076	-0.012	0.001
C(publication_year, Treatment(2020))[T.2005.0]	-0.0017	0.003	-0.532	0.594	-0.008	0.005
C(publication_year, Treatment(2020))[T.2006.0]	-0.0043	0.003	-1.361	0.173	-0.010	0.002
C(publication_year, Treatment(2020))[T.2007.0]	-0.0041	0.003	-1.296	0.195	-0.010	0.002
C(publication_year, Treatment(2020))[T.2008.0]	-0.0044	0.003	-1.655	0.098	-0.010	0.001
C(publication_year, Treatment(2020))[T.2009.0]	-0.0112	0.002	-4.486	0.000	-0.016	-0.006
C(publication_year, Treatment(2020))[T.2010.0]	-0.0110	0.003	-4.380	0.000	-0.016	-0.006
C(publication_year, Treatment(2020))[T.2011.0]	-0.0155	0.002	-6.441	0.000	-0.020	-0.011
C(publication_year, Treatment(2020))[T.2012.0]	-0.0134	0.002	-5.809	0.000	-0.018	-0.009
C(publication_year, Treatment(2020))[T.2013.0]	-0.0220	0.002	-10.165	0.000	-0.026	-0.018
C(publication_year, Treatment(2020))[T.2014.0]	-0.0252	0.002	-12.212	0.000	-0.029	-0.021
C(publication_year, Treatment(2020))[T.2015.0]	-0.0287	0.002	-14.416	0.000	-0.033	-0.025
C(publication_year, Treatment(2020))[T.2016.0]	-0.0279	0.002	-14.181	0.000	-0.032	-0.024
C(publication_year, Treatment(2020))[T.2017.0]	-0.0262	0.002	-13.631	0.000	-0.030	-0.022
C(publication_year, Treatment(2020))[T.2018.0]	-0.0228	0.002	-11.885	0.000	-0.027	-0.019
C(publication_year, Treatment(2020))[T.2019.0]	-0.0124	0.002	-6.694	0.000	-0.016	-0.009
C(top_j, Treatment('OTHER'))[T.Arch.Virol]	0.0082	0.006	1.266	0.206	-0.004	0.021
C(top_j, Treatment('OTHER'))[T.ChemRxiv]	0.0018	0.005	0.347	0.729	-0.009	0.012
C(top_j, Treatment('OTHER'))[T.Emerg.Infect.Dis]	-0.0087	0.005	-1.808	0.071	-0.018	0.001
C(top_j, Treatment('OTHER'))[T.JAMA]	-0.0297	0.006	-4.730	0.000	-0.042	-0.017
C(top_j, Treatment('OTHER'))[T.JMIR_Preprints]	0.0040	0.006	0.708	0.479	-0.007	0.015
C(top_j, Treatment('OTHER'))[T.Journal_of_virology]	0.0050	0.005	1.067	0.286	-0.004	0.014
C(top_j, Treatment('OTHER'))[T.Nature]	0.0403	0.005	7.789	0.000	0.030	0.050
C(top_j, Treatment('OTHER'))[T.PLoS_One]	-0.0151	0.003	-4.651	0.000	-0.021	-0.009
C(top_j, Treatment('OTHER'))[T.Research_Square]	0.0031	0.003	0.983	0.326	-0.003	0.009
C(top_j, Treatment('OTHER'))[T.SSRN_Electronic_Journal]	-0.0009	0.003	-0.340	0.734	-0.006	0.004
C(top_j, Treatment('OTHER'))[T.Sci_Rep]	-0.0106	0.005	-2.079	0.038	-0.021	-0.001
C(top_j, Treatment('OTHER'))[T.Science]	0.0236	0.005	4.481	0.000	0.013	0.034
C(top_j, Treatment('OTHER'))[T.Surgical_endoscopy]	-0.0055	0.004	-1.249	0.212	-0.014	0.003
C(top_j, Treatment('OTHER'))[T.The_BMJ]	0.0019	0.005	0.375	0.707	-0.008	0.012
C(top_j, Treatment('OTHER'))[T.The_Lancet]	0.0825	0.006	13.939	0.000	0.071	0.094
C(top_j, Treatment('OTHER'))[T.Vaccine]	-0.0183	0.006	-3.204	0.001	-0.029	-0.007
C(top_j, Treatment('OTHER'))[T.Virology]	-0.0051	0.005	-0.945	0.345	-0.016	0.006
C(top_j, Treatment('OTHER'))[T.Viruses]	0.0235	0.005	4.710	0.000	0.014	0.033
C(top_j, Treatment('OTHER'))[T.bioRxiv]	-0.0053	0.003	-1.602	0.109	-0.012	0.001
C(top_j, Treatment('OTHER'))[T.medRxiv]	-0.0183	0.002	-8.482	0.000	-0.022	-0.014
times_cited	0.0099	0.000	25.497	0.000	0.009	0.011
counts_mendeley	0.0096	0.000	31.320	0.000	0.009	0.010
counts_policy	0.0612	0.002	29.233	0.000	0.057	0.065
counts_twitter_unique	0.0006	0.000	1.504	0.133	-0.000	0.001
counts_blogs_news	0.0298	0.001	42.103	0.000	0.028	0.031
counts_facebook	0.0232	0.001	19.815	0.000	0.021	0.026
expert_ratio	-0.0145	0.002	-8.933	0.000	-0.018	-0.011
tm_coronaviruses	-0.0055	0.014	-0.399	0.690	-0.032	0.021
tm_epidemics	0.0111	0.013	0.833	0.405	-0.015	0.037
tm_ph	-0.0025	0.014	-0.183	0.855	-0.029	0.024
tm_mbi	0.0048	0.013	0.362	0.717	-0.021	0.031
tm_clinical_medicine	-0.0145	0.013	-1.089	0.276	-0.041	0.012
spectre_cluster_size	0.0006	0.001	0.428	0.669	-0.002	0.003
network_cluster_size	-0.0005	0.000	-3.816	0.000	-0.001	-0.000