

Technotsav 2023-2024

BLIND SCRIPTING

C++ Code:

```
#include <iostream>
using namespace std;
int main()
{
    int n, i, m=0, flag=0;
    cout<<"Enter the Number to check Prime: ";
    cin>>n;
    m=n/2;
    for(i = 2; i <= m; i++)
    {
        if(n % i == 0)
        {
            cout<<"Number is not Prime."<<endl;
            flag = 1;
            break;
        }
    }
    if (flag == 0)
        cout<<"Number is Prime."<<endl;
    return 0;
}
```

Technotsav 2023-2024

BLIND SCRIPTING

PYTHON Code (Please remember to give indentations in your code!!):

```
nterms = int(input("How many terms? "))
```

```
n1, n2 = 0, 1
```

```
count = 0
```

```
if nterms <= 0:
```

```
    print("Please enter a positive integer")
```

```
elif nterms == 1:
```

```
    print("Fibonacci sequence upto",nterms,":")
```

```
    print(n1)
```

```
else:
```

```
    print("Fibonacci sequence:")
```

```
    while count < nterms:
```

```
        print(n1)
```

```
        nth = n1 + n2
```

```
        n1 = n2
```

```
        n2 = nth
```

```
        count += 1
```

Technotsav 2023-2024

BLIND SCRIPTING

JAVA Code:

```
import java.util.Arrays;
import java.util.List;
import java.util.Scanner;
import java.util.stream.Collectors;

public class GreatestOfThree {
    public static void main(String[] args) {
        System.out.print("Please enter three integer values separated by comma: ");
        Scanner sc = new Scanner(System.in);
        String s = sc.next();

        List<Integer> inputdata = Arrays.stream(s.split(",")).map(Integer::parseInt).collect(Collectors.toList());
        int a = inputdata.get(0);
        int b = inputdata.get(1);
        int c = inputdata.get(2);

        if (a>b && a>c){
            System.out.println(a+" is the greatest");
        }
        else if (b>a && b>c){
            System.out.println(b+" is the greatest");
        }
        else
            System.out.println(c+" is the greatest")
        sc.close();
    }
}
```