Configure ETL Pipelines With Llama 3.1 For Data Cleansing

Scribe

Learn how to integrate the Llama 3.1 8B model into your ETL pipeline for efficient batch inferencing and data cleansing. This guide demonstrates how to switch from default models, execute full table refreshes, and monitor data quality through expectation flows.

1 Click "Jobs & Pipelines"



2 Click "ETL pipeline"



3 Type "02-data-transformation"

4 Click "workspace"



5 Click "iitb"



6 Click "Select schema"



7 Click "bharat_bricks"



8 Click "Add existing assets"



9 Click "loading"



10 Click "bharatbricksiitb"



11 Click "02-data-transformation"



12 Click "Select"



13 Click here.



14 Click "transformations"



15 Click "Select"



16 Click "Add"



17 Click this icon.



18 Click "silver_posts.sql"



19 Click "silver_comments.sql"



20 Click "Genie Code"



21 Click here.



22 Type "i want to use llama 3.1 8b for batch inferencing for cleansing raw data instead of gpt-5 as gpt-5 may not be available in the free edition **Enter**"

23 Click "Ask every time"



24 Click "Always allow in current thread"



25 Click "Accept all"



26 Click this icon.



27 Click "Run pipeline with full table refresh"



28 Click "Start full refresh"



29 Click this icon.



30 Click "gold_posts"



31 Click this icon.



32

Click "ExpectationsFlowsWritten74.8% (923)Dropped25.2% (311)ExpectationsAllFailures onlyNameActionFail %Failed recordsis_clean_contentDROP25.2%311"



33

Click "1 expectation"



34 Click "5.7K"



35 Click "ExpectationsFlowsWritten61.4% (9,013)Dropped38.6% (5,678)ExpectationsAllFailures onlyNameActionFail %Failed recordsis_clean_contentDROP38.6%5678"



36 Click here.



37 Click "Sample Data"



38 Click "gold_comments"



39 Click "Sample Data"