


How To Connect A GitHub Repository To Your Workspace




Learn how to generate a personal access token on GitHub and link it to your workspace effectively. This guide provides a clear walkthrough for authenticating your repositories to ensure seamless integration and access.

1


Navigate to <https://github.com/settings/tokens>




2 Click this image.



3 Click "Settings"




4 Click "Developer settings"




The screenshot shows the GitHub Developer Settings page. On the left sidebar, under the 'Archives' section, 'Developer settings' is highlighted with an orange circle. The main content area is divided into sections: 'Security' (with 'Code security' selected), 'Integrations' (with 'Applications' selected), 'Archives' (with 'Security log' and 'Sponsorship log' selected), and 'Developer settings' (which is the active section). The 'Developer settings' section includes a 'Location' input field, a checkbox for 'Display current local time' (unchecked), an 'ORCID ID' section with a 'Connect your ORCID ID' button, and a 'Contributions & activity' section with checkboxes for 'Make profile private and hide activity' (unchecked) and 'Include private contributions on my profile' (checked). There are also 'Update profile' and 'Update preferences' buttons. A 'Profile settings' section is partially visible at the bottom.

5 Click "Personal access tokens"




The screenshot shows the GitHub Personal Access Tokens page. The top navigation bar includes the GitHub logo, 'Settings / Developer Settings', a search bar, and various utility icons. A blue banner at the top contains a message about GitHub Copilot. The left sidebar shows 'GitHub Apps', 'OAuth Apps', and 'Personal access tokens' (highlighted with an orange circle). The main content area is titled 'GitHub Apps' and features a 'No GitHub Apps' message: 'Want to build something that integrates with and extends GitHub? Register a new GitHub App to get started developing on the GitHub API.' Below this message is a 'New GitHub App' button and a 'View documentation' link. The footer contains the GitHub logo, copyright information, and links for Terms, Privacy, Security, Status, Community, Docs, Contact, Manage cookies, and Do not share my personal information.


6 Click "Tokens (classic)"



7 Click "Generate new token"



8 Click "For general use"



9 Type "vishesh-db"

10 Click the "repo"

GitHub Apps

OAuth Apps

Personal access tokens

Fine-grained tokens

Tokens (classic)

New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

Note

What's this token for?

Expiration

30 days (May 10, 2026)

The token will expire on the selected date

Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes.](#)

☐ repo	Full control of private repositories
☐ repo:status	Access commit status
☐ repo_deployment	Access deployment status
☐ public_repo	Access public repositories
☐ repo:invite	Access repository invitations
☐ security_events	Read and write security events
☐ workflow	Update GitHub Action workflows
☐ write:packages	Upload packages to GitHub Package Registry
☐ read:packages	Download packages from GitHub Package Registry
☐ delete:packages	Delete packages from GitHub Package Registry
☐ admin:org	Full control of orgs and teams, read and write org projects

11 Click the "project"

☐ read:discussion	Read team discussions
☐ admin:enterprise	Full control of enterprises
☐ manage_runners:enterprise	Manage enterprise runners and runner groups
☐ manage_billing:enterprise	Read and write enterprise billing data
☐ read:enterprise	Read enterprise profile data
☐ scim:enterprise	Provisioning of users and groups via SCIM
☐ audit_log	Full control of audit log
☐ read:audit_log	Read access of audit log
☐ codespace	Full control of codespaces
☐ codespace:secrets	Ability to create, read, update, and delete codespace secrets
☐ copilot	Full control of GitHub Copilot settings and seat assignments
☐ manage_billing:copilot	View and edit Copilot Business seat assignments
☐ write:network_configurations	Write org hosted compute network configurations
☐ read:network_configurations	Read org hosted compute network configurations
☐ project	Full control of projects
☐ read:project	Read access of projects
☐ admin:gpg_key	Full control of public user GPG keys
☐ write:gpg_key	Write public user GPG keys
☐ read:gpg_key	Read public user GPG keys
☐ admin:ssh_signing_key	Full control of public user SSH signing keys
☐ write:ssh_signing_key	Write public user SSH signing keys
☐ read:ssh_signing_key	Read public user SSH signing keys

Generate token

Cancel

12 Click "Generate token"

☐ read:enterprise	Read enterprise profile data
☐ scim:enterprise	Provisioning of users and groups via SCIM
☐ audit_log	Full control of audit log
☐ read:audit_log	Read access of audit log
☐ codespace	Full control of codespaces
☐ codespace:secrets	Ability to create, read, update, and delete codespace secrets
☐ copilot	Full control of GitHub Copilot settings and seat assignments
☐ manage_billing:copilot	View and edit Copilot Business seat assignments
☐ write:network_configurations	Write org hosted compute network configurations
☐ read:network_configurations	Read org hosted compute network configurations
☒ project	Full control of projects
☒ read:project	Read access of projects
☐ admin:gpg_key	Full control of public user GPG keys
☐ write:gpg_key	Write public user GPG keys
☐ read:gpg_key	Read public user GPG keys
☐ admin:ssh_signing_key	Full control of public user SSH signing keys
☐ write:ssh_signing_key	Write public user SSH signing keys
☐ read:ssh_signing_key	Read public user SSH signing keys

[Generate token](#) [Cancel](#)

© 2026 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Community](#) [Docs](#) [Contact](#) [Manage cookies](#) [Do not share my personal information](#)

13 Click "Settings"

databricks

Search data, notebooks, recents, and more...

workspace

New

Home

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Data Ingestion

AI/ML

Disagreement

Workspace > Users >

visheshh.arya87@gmail.com

Search

Type

Owner

Last

Name	Type	Owner
Drafts	Folder	user_s
bakehouse	Folder	user_s
secrets	File	user_s

user_9501cd52

visheshh.arya87@gmail.com

workspace

Workspace ID: 1046116582832117


Settings

Privacy policy


Send feedback

Log out


14 Click "Linked accounts"




15 Click "Add Git credential"



16 Click "Personal access token"



17 Click the "Git provider email" field.



18 Type "visheshh.arya87@gmail.com"

The screenshot shows the 'Add Git credential' dialog box in a web application. The dialog has a sidebar on the left with navigation links: Home, Workspace, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), Marketplace, SQL, SQL Editor, Queries, Dashboards, Genie, Alerts, Query History, SQL Warehouses, Data Engineering, Runs, Data Ingestion, AI/ML, Playground, AI Gateway (Beta), Experiments, and Features. The main content area is titled 'Add Git credential' and contains the following fields and options:


- Git provider**: A dropdown menu with 'GitHub' selected.
- Nickname**: A text field containing 'GitHub 2026-04-10 14:03:09'.
- Link Git account**: A radio button option with the text 'Simple setup in a few clicks to link your GitHub account. [Learn more](#)'.
- Personal access token**: A radio button option with the text 'Use an existing personal access token to authenticate Git requests.' (This option is selected).
- Git provider email**: A text field containing 'visheshh.arya87@gmail.com'.
- (optional) Git provider username**: An empty text field.
- Token**: A text field containing 'Token with repo read/write permissions'.

At the bottom right of the dialog are 'Cancel' and 'Save' buttons. The 'Git provider email' field is highlighted with a blue border.


19 Click the "Token" field.

This screenshot is identical to the previous one, showing the 'Add Git credential' dialog box. In this step, the 'Token' field, which contains the text 'Token with repo read/write permissions', is highlighted with an orange circle.


20 Double-click the "Nickname" field.



21 Click "Save"




22 Click "Workspace"




The screenshot shows the Databricks user interface. On the left sidebar, the 'Workspace' option is highlighted with an orange circle. The main content area displays the 'Settings' page, specifically the 'Linked accounts' section under 'Git integration'. A notification at the top right states 'Credentials update Successfully saved.' The sidebar also lists various other options like Home, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), Marketplace, SQL, SQL Editor, Queries, Dashboards, Genie, Alerts, Query History, SQL Warehouses, Data Engineering, Runs, Data Ingestion, AI/ML, and Databricks.

23 Click "Git folder"




The screenshot shows the Databricks user interface. On the left sidebar, the 'Workspace' option is highlighted with an orange circle. The main content area displays the 'Workspace' page for the user 'visheshh.arya87@gmail.com'. A context menu is open over the 'Workspace' folder, and the 'Git folder' option is highlighted with an orange circle. The context menu also includes options like Folder, Notebook, File, Query, Dashboard, Genie space, Markdown, ETL Pipeline, Legacy Alert, Alert Preview, and MLflow experiment. The sidebar also lists various other options like Home, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), Marketplace, SQL, SQL Editor, Queries, Dashboards, Genie, Alerts, Query History, SQL Warehouses, Data Engineering, Runs, Data Ingestion, AI/ML, and Databricks.

24 Click the "Git repository URL" field.



25 Press **cmd + v**



26 Click "Create Git folder"

