

Configure Data Quality And Security Policies For Catalog Assets

Learn how to manage data permissions, monitor quality, and implement security policies within your catalog. This guide helps you automate data classification and apply masking rules to protect sensitive information across your schema.

1 Click "gold_posts"

The screenshot shows the Scribe Catalog Explorer interface. On the left, a sidebar contains navigation options like Home, Workspace, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), Marketplace, SQL, SQL Editor, Queries, Dashboards, Genie, Alerts, Query History, SQL Warehouses, Data Engineering, Runs, Data Ingestion, AI/ML, Playground, and Metadata. The 'Catalog' section is expanded, showing a tree view of assets. Under 'My organization' > 'workspace' > 'system' > 'iitb' > 'bharat_bricks', the 'Tables (7)' folder is expanded, and 'gold_posts' is highlighted with an orange circle. The main panel shows the 'bharat_bricks' schema details, including a table list with columns: Name, Owner, Created at, Popularity, and Comment. The 'gold_posts' table is listed with the owner 'visheshh.arya87@g...' and created at 'Apr 10, 2026, 08:53 ...'. Below the table list, there is a section 'About this schema' with the owner 'user_9501cd52' and a 'Tags' section with an 'Add tags' button.

Name	Owner	Created at	Popularity	Comment
comments	visheshh.arya87@g...	Apr 10, 2026, 08:14 ...		Reddit comments fr...
gold_comments	visheshh.arya87@g...	Apr 10, 2026, 08:53 ...		Clean r/iitbombay co...
gold_posts	visheshh.arya87@g...	Apr 10, 2026, 08:53 ...		Clean r/iitbombay po...
gold_posts_chunked	visheshh.arya87@g...	Apr 10, 2026, 08:53 ...		Chunked r/iitbombay...
posts	visheshh.arya87@g...	Apr 10, 2026, 08:13 ...		Reddit posts from r/i...
silver_comments	visheshh.arya87@g...	Apr 10, 2026, 08:53 ...		
silver_posts	visheshh.arya87@g...	Apr 10, 2026, 08:53 ...		


2 Click "Details"

The screenshot shows the Databricks Catalog Explorer interface. On the left, the 'Catalog' sidebar is visible, showing a tree structure of the workspace. The 'gold_posts' table is selected. The main panel shows the 'Details' tab for the 'gold_posts' table, which is highlighted with an orange circle. The 'Permissions' tab is also visible. The table's details include a list of columns and a 'No permissions granted yet.' message.


3 Click "Permissions"

The screenshot shows the Databricks Catalog Explorer interface. On the left, the 'Catalog' sidebar is visible, showing a tree structure of the workspace. The 'gold_posts' table is selected. The main panel shows the 'Permissions' tab for the 'gold_posts' table, which is highlighted with an orange circle. The 'Details' tab is also visible. The table's details include a list of columns and a 'No permissions granted yet.' message.


4 Click "Grant"




5 Click "Subject Select"




6 Click "All account users"




7 Click "ALL PRIVILEGES"



8 Click "Confirm"



9 Click "Lineage"




10 Click "See lineage graph"


The screenshot shows the Databricks Catalog Explorer interface. On the left, the 'Catalog' sidebar is visible, showing the hierarchy: My organization > workspace > system > iitb > bharat_bricks > Tables (7) > gold_posts. The main panel displays the 'gold_posts' table details, including a table of lineage information. The 'See lineage graph' button is circled in orange. A tooltip is visible over the button, stating: 'Use this type selector to switch between entity types to explore additional lineage' with a 'Got it!' button.

Name	Direction	Entity Type	Last activity
gold_posts_chunked	Downstream	Materialized view	13 minutes ago
02-data-transformation	Downstream	Pipeline	13 minutes ago
silver_posts	Upstream	Streaming table	15 minutes ago
02-data-transformation	Upstream	Pipeline	15 minutes ago
2 masked dashboards	Downstream	Dashboard	N/A
1 masked notebook	Downstream	Notebook	N/A
1 masked genie space	Downstream	Genie Space	N/A


11 Click "string"



12 Click here.



13 Click "Insights"




14 Click "Quality"

The screenshot shows the Databricks Catalog Explorer interface. On the left, the 'Catalog' sidebar is expanded, showing the hierarchy: workspace > system > iitb > bharat_bricks > Tables (7). The 'gold_posts' table is selected. The main panel displays the 'Quality' tab for 'gold_posts'. It features a 'Table usage in the last 30 days' bar chart showing a single bar on Mar 29. Below the chart, there are sections for 'Frequent users', 'Frequent dashboards', 'Frequent notebooks', and 'Frequent joined tables'. The 'Frequent queries' section shows a clock icon and the message 'No queries were made against this table in the last 30 days'. The 'Quality' tab is highlighted with an orange circle.


15 Click "Enable"

The screenshot shows the Databricks Catalog Explorer interface, similar to the previous one, but with the 'Quality' tab selected. A modal dialog is displayed in the center, titled 'Enable Data Quality Monitoring for iitb.bharat_bricks.gold_posts'. The dialog contains the text 'Start monitoring the data quality of this table and receive actionable insights on any anomalies.' and a 'Learn more' link. An 'Enable' button is highlighted with an orange circle.

16 Click "Configure for schema"



17 Click "Save"



18 Click "AI generate"

Workspace

Recent

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Data Ingestion

AI/ML

Playground

AI Gateway Beta

Experiments

Features

Model

Type search...

For you All

My organization

workspace

system

iitb

bharat_bricks

Tables (7)

comments

gold_comments

gold_posts

gold_posts_chunked

posts

silver_comments

silver_posts

Volumes (1)

default

information_schema

vishesh

Delta Shares Received

samples

dbdemos_vishesh

Overview

Sample Data

Details

Permissions

Policies

History

Lineage

Insights

Quality

Description

Clean r/iitbmbombay comments — filtered for deleted users, removed content, profanity, and slurs language. Ready for dashboards, Genie, and RAG.

Definition

SQL

CREATE MATERIALIZED VIEW `iitb`.`bharat\_bricks`.`gold\_comments` (
comment_id STRING COMMENT 'Unique Reddit comment identifier (e.g. m8iwigz1). Primary key.',
post_id STRING
COMMENT 'ID of the parent post this comment belongs to. Foreign key referencing posts.post_id.',
parent_id STRING
... 43 more lines

AI can help suggest comments for columns without comments

AI generate

Filter columns...

Column

Type

Comment

Tags

Column masking

comment_id

string

Unique Reddit comment identifier (e.g. m8iwigz1). Primary key.

post_id

string

ID of the parent post this comment belongs to. Foreign key referencing posts.post_id.

parent_id

string

Reddit thing-ID of the direct parent. Prefix t3_ means reply to the post itself (top-level comment); t1_ means

19 Click "Save all"

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Data Ingestion

AI/ML

Playground

AI Gateway Beta

Experiments

Features

created_at

timestamp

score

bigint

depth

int

is_submitter

boolean

edited

string

distinguished

string

permalink

string

gilded

int

total_awards_received

int

content_moderation...

string

comments.

Timestamp (UTC) when the comment was posted. Converted from Unix epoch.

Net vote score (upvotes minus downvotes). Unlike posts, comment scores can go negative. Reddit fuzzes values to deter manipulation.

Nesting level in the comment thread. 0 = top-level reply to the post, 1 = reply to a top-level comment, and so on. Higher depth indicates deeper conversation threads.

True if the commenter is the original poster (OP) of the parent post. Highlighted with special flair in Reddit UI.

String false if never edited. Contains the Unix timestamp (as string) of the last edit when the comment was modified after posting.

Set to moderator when the comment is an official mod action (e.g. content removal notices from iitbomby-ModTeam). Null for all regular user comments.

Relative URL path to the specific comment on Reddit. Prepend `https://www.reddit.com` to get the full URL. Includes both the post path and comment ID.

Number of times the comment received Reddit Gold awards.

Total number of Reddit awards (Gold, Silver, community awards) received by this comment.

Field reserved for content moderation labels, currently unspecified.

1 comment unsaved

Save all

Save all comments (including those on other pages)

20 Click "Policies"

The screenshot shows the Databricks Catalog Explorer interface. On the left, the 'Catalog' sidebar is visible, showing a tree structure of the workspace. The 'gold_posts' table is selected under the 'bharat_bricks' schema. The main panel displays the 'Policies' tab for this table. The 'Description' section states: 'Clean r/itbombay posts — filtered for deleted users, NSFW, profanity, and slurs content. Ready for dashboards, Genie, and RAG.' The 'Definition' section shows the SQL code for the materialized view. The 'Columns' section lists the columns: 'post_id' (string), 'title' (string), and 'body' (string).

Definition SQL

```
1 CREATE MATERIALIZED VIEW `iitb`.`bharat_bricks`.`gold_posts` (  
2   post_id STRING COMMENT 'Unique Reddit post identifier (e.g. 11d41gh). Primary key.',  
3   title STRING COMMENT 'Title/headline of the Reddit post as written by the author.',  
4   body STRING  
5   COMMENT 'Optional text body of the post (selftext in Reddit API). Non-empty for all text/self posts  
... 70 more lines
```

Columns

Column	Type	Comment	Tags	Column masking
post_id	string	Unique Reddit post identifier (e.g. 11d41gh). Primary key.		
title	string	Title/headline of the Reddit post as written by the author.		
body	string	Optional text body of		

21 Click "New policy"

The screenshot shows the Databricks Catalog Explorer interface, specifically the 'Policies' tab for the 'gold_posts' table. The 'New policy' button is highlighted with an orange circle. The 'Filter policies by name' field is empty. The 'Type' dropdown is set to 'Include inherited'. The table below shows no policies found for this table.

Filter policies by name **Type** **Include inherited** **New policy**

Name	Type	Target	To Principals	Except Principals	Inheritance
No policies found for this Table: iitb.bharat_bricks.gold_posts.					

22 Click here.

General

Configure which users and tables are governed by this policy.

Excluded users will remain unaffected and will still be able to use operations that requires full table access, such as cloning, Delta Sharing, and time travel.

Name*

Enter a name for this policy

Description

Enter a description for this policy

Applied to...*

Search principals

Except for...

Search principals

Scope*

iitb bha... gol...

iitb.bharat_bricks.gold_posts

☐ Apply to tables that have specific tags

Purpose

What should this policy do?

☐ Mask column data
Columns must have all selected tags to be masked.

☐ Hide table rows
Restrict access to individual rows in a table based on their content.

Create policy Cancel < > Hide code

You can use the code below to build your own policies or copy to use in automation tools.

Copy code

```
CREATE OR REPLACE POLICY `{policy_name}`  
ON TABLE iitb.bharat_bricks.gold_posts
```

23 Click "Create"

General

Configure which users and tables are governed by this policy.

Excluded users will remain unaffected and will still be able to use operations that requires full table access, such as cloning, Delta Sharing, and time travel.

Name*

Enter a name for this policy

Description

Enter a description for this policy

Applied to...*

Search principals

Except for...

Search principals

Scope*

iitb bh... go...

iitb.bharat_bricks.gold_posts

☐ Apply to tables that have specific tags

Purpose

What should this policy do?

☐ Mask column data
Columns must have all selected tags to be masked.

☒ Hide table rows
Restrict access to individual rows in a table based on their content.

Conditions

Configure how the policy filters tables.

The function should return TRUE (keep row) or FALSE (hide row) for each record. You can use parameters within the function to control filtering behavior. In the next step, you'll define how columns map to those parameters.

Select existing Create

Serverless Starter Warehouse

Select function

Create policy Cancel < > Hide code

You can use the code below to build your own policies or copy to use in automation tools.

Copy code

```
CREATE OR REPLACE POLICY `{policy_name}`  
ON TABLE iitb.bharat_bricks.gold_posts  
ROW FILTER {row filter function}  
TO `{applied_to_principals}`  
FOR TABLES
```


24 Click "Filter by business hours"

Purpose
What should this policy do?

☐ Mask column data
Columns must have all selected tags to be masked.

☒ Hide table rows
Restrict access to individual rows in a table based on their content.

Conditions
Configure how the policy filters tables.

The function should return TRUE (keep row) or FALSE (hide row) for each record. You can use parameters within the function to control filtering behavior. In the next step, you'll define how columns map to those parameters.

Select existing [Create](#)

Serverless Starter Warehouse

[Filter by current user](#)
[Filter by business hours](#)
[Hide all rows](#)

```
1 CREATE FUNCTION  
  iitb.bharat_bricks.filter_by_user(u:  
    STRING)  
  RETURNS BOOLEAN  
  DETERMINISTIC  
  COMMENT 'ABAC utility: Show rows  
    only for the current user'  
  RETURN user_id = current_user()
```

Policy code (SQL)
You can use the code below to build your own policies or copy to use in automation tools.

[Copy code](#)

```
CREATE OR REPLACE POLICY `{policy_name}`  
ON TABLE iitb.bharat_bricks.gold_posts  
ROW FILTER {row filter function}  
TO `{applied_to_principals}`  
FOR TABLES
```

25 Click "Mask column data"

access, such as cloning, Delta Sharing, and time travel.

Enter a description for this policy

Applied to...*
Search principals

Except for...
Search principals

Scope*
iitb | bh... | go...
iitb.bharat_bricks.gold_posts

☐ Apply to tables that have specific tags

Purpose
What should this policy do?

☐ Mask column data
Columns must have all selected tags to be masked.

☒ Hide table rows
Restrict access to individual rows in a table based on their content.

Conditions
Configure how the policy filters tables.

The function should return TRUE (keep row) or FALSE (hide row) for each record. You can use parameters within the function to control filtering behavior. In the next step, you'll define how columns map to those parameters.

Select existing [Create](#)

Serverless Starter Warehouse

[Filter by current user](#)
[Filter by business hours](#)
[Hide all rows](#)

[Create policy](#) [Cancel](#) [Hide code](#)

Policy code (SQL)
You can use the code below to build your own policies or copy to use in automation tools.

[Copy code](#)

```
CREATE OR REPLACE POLICY `{policy_name}`  
ON TABLE iitb.bharat_bricks.gold_posts  
ROW FILTER {row filter function}  
TO `{applied_to_principals}`  
FOR TABLES
```

26 Click "class.us_bank_numberKey only"

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover **Beta**

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Data Ingestion

AI/ML

Playground

AI Gateway **Beta**

Experiments

Features

Models

Applied to...*

Search principals

Except for...

Search principals

Scope*

iiib bh... go...

iiib.bharat_bricks.gold_posts

☐ Apply to tables that have specific tags

Purpose

What should this policy do?

☒ Mask column data
Columns must have all selected tags to be masked.

☐ Hide table rows
Restrict access to individual rows in a table based on their content.

Conditions

Configure how the policy should mask tables

The function uses the column you selected in the prior step as input and transforms it based on the logic you define.

You can add optional parameter columns to guide the masking behavior. You'll pick those in the next step.

☒ Mask column if it has specific tag
Columns with any of these tags will be masked.

Select tags

☒ class.us_bank_number Key only

☐ class.us_driver_license Key only

Create policy Cancel

You can use the code below to build your own policies or copy to use in automation tools.

Copy code

```
CREATE OR REPLACE POLICY `{policy_name}`  
ON TABLE iiib.bharat_bricks.gold_posts  
COLUMN MASK {column mask function}  
TO `{applied_to_principals}`
```

27 Click "Create"

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover **Beta**

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Data Ingestion

AI/ML

Playground

AI Gateway **Beta**

Experiments

Features

Models

Scope*

iiib bh... go...

iiib.bharat_bricks.gold_posts

☐ Apply to tables that have specific tags

Purpose

What should this policy do?

☒ Mask column data
Columns must have all selected tags to be masked.

☐ Hide table rows
Restrict access to individual rows in a table based on their content.

Conditions

Configure how the policy should mask tables

The function uses the column you selected in the prior step as input and transforms it based on the logic you define.

You can add optional parameter columns to guide the masking behavior. You'll pick those in the next step.

☒ Mask column if it has specific tag
Columns with any of these tags will be masked.

class.us_bank_number X

Condition: hasTag('class.us_bank_number')

☐ Custom condition

Select existing Create

Serverless Starter Warehouse

Select function

Create policy Cancel

< > Hide code

You can use the code below to build your own policies or copy to use in automation tools.

Copy code

```
CREATE OR REPLACE POLICY `{policy_name}`  
ON TABLE iiib.bharat_bricks.gold_posts  
COLUMN MASK {column mask function}  
TO `{applied_to_principals}`
```

28 Click "Mask with asterisks"

The screenshot shows the Databricks interface with the 'Conditions' section on the left. The 'Mask column if it has specific tag' condition is selected. The 'Mask with asterisks' option is highlighted with an orange circle. The 'Policy code (SQL)' section on the right shows the SQL code for creating a policy.

Conditions

Configure how the policy should mask tables

The function uses the column you selected in the prior step as input and transforms it based on the logic you define.

You can add optional parameter columns to guide the masking behavior. You'll pick those in the next step.

Mask column if it has specific tag

Columns with any of these tags will be masked.

☒ Mask column if it has specific tag

Condition: `hasTag('class.us_bank_number')`

☐ Custom condition

Select existing

Serverless Starter Warehouse

Mask with asterisks

Policy code (SQL)

You can use the code below to build your own policies or copy to use in automation tools.

```
CREATE OR REPLACE POLICY '{policy_name}'
ON TABLE iitb.bharat_bricks.gold_posts
COLUMN MASK {column mask function}
TO '{applied_to_principals}'
```

```
1 CREATE FUNCTION
  iitb.bharat_bricks.mask_value(value
  STRING)
  RETURNS STRING
  DETERMINISTIC
  COMMENT 'ABAC utility: Completely
  mask string values with asterisks'
  RETURN CASE WHEN value IS NULL
  THEN NULL ELSE '***' END
```

29 Click "All account users"

The screenshot shows the Databricks interface with the 'New policy' section on the left. The 'All account users' option is highlighted with an orange circle. The 'Policy code (SQL)' section on the right shows the SQL code for creating a policy.

New policy

General

Configure which users and tables are governed by this policy.

Excluded users will remain unaffected and will still be able to use operations that requires full table access, such as cloning, Delta Sharing, and time travel.

Name*

Enter a name for this policy

Description

Enter a description for this policy

Applied to...*

Search principals

Suggested choices

☒ All account users

Scope*

☒ iitb ☒ bh... ☒ go...

iitb.bharat_bricks.gold_posts

☐ Apply to tables that have specific tags

Purpose

What should this policy do?

Mask column data

Columns must have all selected tags to be masked.

☐ Hide table rows

Restrict access to individual rows in a table based on their content.

Conditions

Mask column if it has specific tag

Policy code (SQL)

You can use the code below to build your own policies or copy to use in automation tools.

```
CREATE OR REPLACE POLICY '{policy_name}'
ON TABLE iitb.bharat_bricks.gold_posts
COLUMN MASK {column mask function}
TO '{applied_to_principals}'
```

30 Click "Subject Select"

New policy

General

Configure which users and tables are governed by this policy.

Excluded users will remain unaffected and will still be able to use operations that requires full table access, such as cloning, Delta Sharing, and time travel.

Name*

Enter a name for this policy

Description

Enter a description for this policy

Applied to...*

All account users X

Except for...

Search principals

Scope*

iitb X bh... X go... X

iitb.bharat_bricks.gold_posts

☐ Apply to tables that have specific tags

Purpose

What should this policy do?

☒ **Mask column data**
Columns must have all selected tags to be masked.

☐ **Hide table rows**
Restrict access to individual rows in a table based on their content.

Conditions

Policy code (SQL)

You can use the code below to build your own policies or copy to use in automation tools.

Copy code

```
CREATE OR REPLACE POLICY '{policy_name}'  
ON TABLE iitb.bharat_bricks.gold_posts  
COLUMN MASK {column mask function}  
TO 'account users'
```

31 Click "Cancel"

New policy

General

Configure which users and tables are governed by this policy.

Excluded users will remain unaffected and will still be able to use operations that requires full table access, such as cloning, Delta Sharing, and time travel.

Name*

Enter a name for this policy

Description

Enter a description for this policy

Applied to...*

All account users X

Except for...

user_9501cd52 X

Scope*

iitb X bh... X go... X

iitb.bharat_bricks.gold_posts

☐ Apply to tables that have specific tags

Purpose

What should this policy do?

☒ **Mask column data**
Columns must have all selected tags to be masked.

☐ **Hide table rows**
Restrict access to individual rows in a table based on their content.

Conditions

☒ **Mask column if it has specific tag**

Create policy Cancel

Policy code (SQL)

You can use the code below to build your own policies or copy to use in automation tools.

Copy code

```
CREATE OR REPLACE POLICY '{policy_name}'  
ON TABLE iitb.bharat_bricks.gold_posts  
COLUMN MASK {column mask function}  
TO 'account users'  
EXCEPT 'visheshh.arya87@gmail.com'
```

32 Click "iitb"

The screenshot shows the Databricks Catalog Explorer interface. On the left sidebar, the 'Catalog' section is expanded, and the 'iitb' workspace is highlighted with an orange circle. The main panel displays the 'gold_posts' table under the 'iitb' workspace. The 'Quality' tab is selected, showing 'Data Quality Monitoring' with 'Anomaly detection' in 'Training' status. The 'Data profiling' is disabled.

33 Click "Details"

The screenshot shows the Databricks Catalog Explorer interface. On the left sidebar, the 'Catalog' section is expanded, and the 'iitb' workspace is highlighted. The main panel displays the 'iitb' workspace details. The 'Details' tab is selected, showing the 'Description' section with 'AI generate' and 'Add' buttons. Below the description, there is a table of schemas.

Name	Owner	Created at
bharat_bricks	visheshh.arya87@gmail.com	Apr 10, 2026, 05:45 PM
default	visheshh.arya87@gmail.com	Apr 10, 2026, 05:45 PM
information_schema	System user	Apr 10, 2026, 05:45 PM

Below the table, there is a section 'About this catalog' with the owner 'user_9501cd52'. There is also a 'Tags' section with an 'Add tags' button and a 'Policies' section with a 'New policy' button.

34

Click "Data ClassificationDisabledAutomatically scan tables in the catalog and tag columns that contain sensitive data. Learn moreEnablePredictive Opti..."

The screenshot shows the Databricks Catalog Explorer interface. On the left, the 'Catalog' sidebar is visible with a search bar and a list of items. The 'gold_comments' table is selected, and its properties are displayed on the right. The 'Data Classification' property is highlighted with an orange circle and is currently 'Disabled'. The 'Predictive Optimization' property is 'Enabled (Inherited)' and the 'Encryption Settings' property is 'Disabled'.

Property	Value	Action
Browse only	false	
Catalog ID	98a63a36-839f-4c6e-b595-d75d3bc8fa68	
Created at	Apr 10, 2026, 05:45 PM	
Created by	visheshh.arya87@gmail.com	
Storage location	Default Storage	
Storage root	Default Storage	
Type	MANAGED_CATALOG	
Updated at	Apr 10, 2026, 05:45 PM	
Updated by	visheshh.arya87@gmail.com	

Property	Value	Action
Data Classification	Disabled Automatically scan tables in the catalog and tag columns that contain sensitive data. Learn more	Enable
Predictive Optimization	Enabled (Inherited) Learn more	
Encryption Settings	Disabled Customer-managed keys (CMK) for Unity Catalog let you protect data managed by Databricks with your own encryption keys. Learn more	Enable


35

Click "bharat_bricks"

The screenshot shows the Databricks Catalog Explorer interface. On the left, the 'Catalog' sidebar is visible with a search bar and a list of items. The 'bharat_bricks' table is selected, and its properties are displayed on the right. The 'Data Quality Monitoring' section shows 'Anomaly detection' as 'Training' and 'Data profiling' as 'Disabled'.

Property	Value	Action
Data Classification	Disabled Automatically scan tables in the catalog and tag columns that contain sensitive data. Learn more	Enable
Predictive Optimization	Enabled (Inherited) Learn more	
Encryption Settings	Disabled Customer-managed keys (CMK) for Unity Catalog let you protect data managed by Databricks with your own encryption keys. Learn more	Enable


36 Click "Details"



The screenshot shows the Databricks Catalog Explorer interface. The 'Details' tab is selected and highlighted with an orange circle. The interface displays the 'bharat_bricks' schema, which contains 7 tables. The 'About this schema' section shows the owner as 'user_9501cd52'. The 'Tags' section shows 'Add tags'.

Name	Owner	Created at	Popularity	Comment
comments	visheshh.arya87@g...	Apr 10, 2026, 08:14 ...		Reddit comments fr...
gold_comments	visheshh.arya87@g...	Apr 10, 2026, 08:53 ...		Clean r/itbombay co...
gold_posts	visheshh.arya87@g...	Apr 10, 2026, 08:53 ...		Clean r/itbombay po...
gold_posts_chunked	visheshh.arya87@g...	Apr 10, 2026, 08:53 ...		Chunked r/itbombay...
posts	visheshh.arya87@g...	Apr 10, 2026, 08:13 ...		Reddit posts from r/i...
silver_comments	visheshh.arya87@g...	Apr 10, 2026, 08:53 ...		
silver_posts	visheshh.arya87@g...	Apr 10, 2026, 08:53 ...		

37 Click "View results"



The screenshot shows the Databricks Catalog Explorer interface. The 'Details' tab is selected. The 'About this schema' section shows the schema ID '648fdb4-968f-4172-97e7-1bd3bc4fc709'. The 'Properties' section shows the collation 'UTF8_BINARY'. The 'Advanced' section shows 'Data Quality Monitoring' and 'Predictive Optimization' both enabled. The 'View results' button is highlighted with an orange circle.

About this schema	
Browse only	false
Catalog type	MANAGED_CATALOG
Created at	Apr 10, 2026, 05:45 PM
Created by	visheshh.arya87@gmail.com
Schema ID	648fdb4-968f-4172-97e7-1bd3bc4fc709
Updated at	Apr 10, 2026, 05:45 PM
Updated by	visheshh.arya87@gmail.com

Properties	
Properties	collation: UTF8_BINARY

Advanced	
Data Quality Monitoring	Enabled Learn more
Predictive Optimization	Enabled (Inherited) Learn more

38

Click "Catalog Explorer Data Quality MonitoringSend feedbackCreate alert
BetaServerless Starter WarehouseCatalog:iitbSchema:bharat_bricksData
Quality10..."

Data Quality 100% healthy

7 tables healthy 0 tables unhealthy

Tables Monitored 7

100% of all tables

All Monitored Tables
The most critical tables appear first, based on downstream usage.

Unhealthy 0 Healthy 7 Error 0

Schema	Table	Status	Last Scanned	Impact	Scan Frequency	Results
bharat_bricks	gold_comments	Training	17 minutes ago	Medium	Every 1 week	Review
bharat_bricks	gold_posts	Training	17 minutes ago	Medium	Every 1 week	Review
bharat_bricks	silver_comments	Training	17 minutes ago	Medium	Every 1 week	Review
bharat_bricks	silver_posts	Training	17 minutes ago	Medium	Every 1 week	Review
bharat_bricks	comments	Training	17 minutes ago	Low	Every 1 week	Review
bharat_bricks	gold_posts_chunked	Training	17 minutes ago	Low	Every 1 week	Review
bharat_bricks	posts	Training	17 minutes ago	Low	Every 1 week	Review