

Setting Up and Configuring a Databricks Genie Space

This guide walks you through initializing a new Genie space within Databricks and configuring its permissions for effective team collaboration. You will learn how to navigate the interface, establish access controls, and share your workspace with authorized users.

1 Click this icon.

The screenshot shows the Databricks workspace interface. On the left, the 'Workspace' sidebar is visible, showing a tree view of the workspace structure. The '05-iitb-junta-analytics-genie' folder is expanded, and the 'deploy' notebook is selected. The main area displays the notebook content, which includes a title 'Deploy IITB Junta Analytics Genie Space', a description 'This notebook deploys the exported Genie Space to your Databricks workspace.', and a 'Prerequisites' section. The prerequisites are: 'Run python setup.py --catalog YOUR_CATALOG from the project root to configure catalog references' and 'Have a SQL warehouse available in your workspace'. The notebook code is shown in two cells. Cell 2 contains code to create widgets for parameterization: `1 # Create widgets for parameterization` and `2 dbutils.widgets.text("warehouse_id", "", "SQL Warehouse ID")`. Cell 3 contains code to get widget values and validate required parameters: `1 # Get widget values`, `2 warehouse_id = dbutils.widgets.get("warehouse_id")`, `3`, `4 # Validate required parameters`, `5 if not warehouse_id:`, and `6 raise ValueError("warehouse_id is required. Please set it in the widget above.")`. A red circle highlights the 'workspace' dropdown menu in the top right corner of the interface.

Deploy IITB Junta Analytics Genie Space

This notebook deploys the exported Genie Space to your Databricks workspace.

Prerequisites:

- Run `python setup.py --catalog YOUR_CATALOG` from the project root to configure catalog references
- Have a SQL warehouse available in your workspace

```
1 # Create widgets for parameterization
2 dbutils.widgets.text("warehouse_id", "", "SQL Warehouse ID")

3

4 # Get widget values
5 warehouse_id = dbutils.widgets.get("warehouse_id")
6
7 # Validate required parameters
8 if not warehouse_id:
9     raise ValueError("warehouse_id is required. Please set it in the widget above.")
```

2 Click this button.

The screenshot shows the Databricks workspace interface. On the left, the 'Workspace' sidebar is open, showing a tree view of the workspace. The '05-iitb-junta-analytics-genie' folder is expanded, and the 'deploy' notebook is selected. The main area displays the notebook content, which includes a title 'Deploy IITB Junta Analytics Genie Space', a description, prerequisites, and a code cell. The right sidebar shows the 'Genie Code' interface, which includes a 'run the cells' button highlighted by an orange circle. The notebook content includes a title 'Deploy IITB Junta Analytics Genie Space', a description 'This notebook deploys the exported Genie Space to your Databricks workspace.', prerequisites, and a code cell with the following code:

```
1 # Create widgets for parameterization
2 dbutils.widgets.text("warehouse_id", "", "SQL Warehouse ID")
```

The right sidebar also shows the 'Genie Code' interface, which includes a 'run the cells' button highlighted by an orange circle. The notebook content includes a title 'Deploy IITB Junta Analytics Genie Space', a description 'This notebook deploys the exported Genie Space to your Databricks workspace.', prerequisites, and a code cell with the following code:

```
1 # Create widgets for parameterization
2 dbutils.widgets.text("warehouse_id", "", "SQL Warehouse ID")
```

3 Type "let's find the warehouse id and create this genie space **Enter**"

4 Click "Ask every time"

Deploy IITB Junta Analytics Genie Space

This notebook deploys the exported Genie Space to your Databricks workspace.

Prerequisites:

- Run `python setup.py --catalog YOUR_CATALOG` from the project root to configure catalog references
- Have a SQL warehouse available in your workspace

Code Cell 2:

```
1 # Create widgets for parameterization
2 dbutils.widgets.text("warehouse_id", "", "SQL Warehouse ID")
```

Code Cell 3:

```
1 # Get widget values
2 warehouse_id = dbutils.widgets.get("warehouse_id")
3
4 # Validate required parameters
5 if not warehouse_id:
```

Thoughts: The user wants to find the war...

I'll help you find a SQL warehouse and deploy the Genie space. Let me first discover available SQL warehouses in your workspace.

List available SQL warehouses

```
from databricks.sdk import WorkspaceClient
w = WorkspaceClient()

# List all SQL warehouses
warehouses = w.warehouses.list()

print("Available SQL Warehouses:")
print("-" * 80)
for wh in warehouses:
    print(f"Name: {wh.name}")
    print(f"ID: {wh.id}")
    print(f"State: {wh.state}")
    print(f"Cluster Size: {wh.cluster_size}")
    print()
```

Ask every time

Send follow-up messages to guide Genie ...

Agent

Always review the accuracy of responses.

5 Click "Always allow"

Deploy IITB Junta Analytics Genie Space

This notebook deploys the exported Genie Space to your Databricks workspace.

Prerequisites:

- Run `python setup.py --catalog YOUR_CATALOG` from the project root to configure catalog references
- Have a SQL warehouse available in your workspace

Code Cell 2:

```
1 # Create widgets for parameterization
2 dbutils.widgets.text("warehouse_id", "", "SQL Warehouse ID")
```

Code Cell 3:

```
1 # Get widget values
2 warehouse_id = dbutils.widgets.get("warehouse_id")
3
4 # Validate required parameters
5 if not warehouse_id:
```

Thoughts: The user wants to find the war...

I'll help you find a SQL warehouse and deploy the Genie space. Let me first discover available SQL warehouses in your workspace.

List available SQL warehouses

```
from databricks.sdk import WorkspaceClient
w = WorkspaceClient()

# List all SQL warehouses
warehouses = w.warehouses.list()

print("Available SQL Warehouses:")
print("-" * 80)
for wh in warehouses:
    print(f"Name: {wh.name}")
    print(f"ID: {wh.id}")
    print(f"State: {wh.state}")
    print(f"Cluster Size: {wh.cluster_size}")
    print()
```

Ask every time


✓ Ask every time
Always allow in current thread
Always allow

Send follow-up messages to guide Genie ...

Agent

Always review the accuracy of responses.

6 Click "Accept" ⌘ + "'



Deploy IITB Junta Analytics Genie Space

This notebook deploys the exported Genie Space to your Databricks workspace.

Prerequisites:

- Run `python setup.py --catalog YOUR_CATALOG` from the project root to configure catalog references
- Have a SQL warehouse available in your workspace

```
1 # Create widgets
2 dbutils.widgets.text("warehouse_id", "d3754c233dd0e522", "SQL Warehouse ID")
3
4 # Get widget values
5 warehouse_id = dbutils.widgets.get("warehouse_id")
6
7 # Validate required parameters
8 if not warehouse_id:
```

Available SQL Warehouses:

Name	ID	State	Cluster Size
Serverless Starter Warehouse	d3754c233dd0e522	STOPPED	2X-Small

Thoughts: Great! I found a SQL warehouse...

Perfect! I found the **Serverless Starter Warehouse** with ID `d3754c233dd0e522`. Now I'll set this warehouse ID and run the deployment cells.

Failed to change parameter value of ware... ✖

Thoughts: The widget doesn't exist yet a...

Edited `deploy`, updated 1 cell

Thoughts: Good! Now I've updated the w...

1 asset

`deploy` +1 -1 ✖ ✓


Cell 2 +1 -1 ✖ ✓

Send follow-up messages to guide Genie ...

Agent

Always review the accuracy of responses.

7 Click "Allow"



Deploy IITB Junta Analytics Genie Space

This notebook deploys the exported Genie Space to your Databricks workspace.

Prerequisites:

- Run `python setup.py --catalog YOUR_CATALOG` from the project root to configure catalog references
- Have a SQL warehouse available in your workspace

```
1 # Create widgets for parameterization
2 dbutils.widgets.text("warehouse_id", "d3754c233dd0e522", "SQL Warehouse ID")
3
4 # Get widget values
5 warehouse_id = dbutils.widgets.get("warehouse_id")
6
7 # Validate required parameters
8 if not warehouse_id:
```

Available SQL Warehouses:

Name	ID	State	Cluster Size
Serverless Starter Warehouse	d3754c233dd0e522	STOPPED	2X-Small

Thoughts: Great! I found a SQL warehouse...

Perfect! I found the **Serverless Starter Warehouse** with ID `d3754c233dd0e522`. Now I'll set this warehouse ID and run the deployment cells.

Failed to change parameter value of ware... ✖

Thoughts: The widget doesn't exist yet a...

Edited `deploy`, updated 1 cell

Thoughts: Good! Now I've updated the w...

Running 5 cells

Cell 2

Cell 3

Cell 4

Cell 5

Cell 6

Ask every time

Stop Allow

1 asset

`deploy` +1 -1 ✖ ✓

Send follow-up messages to guide Genie ...

Agent

Always review the accuracy of responses.

8 Click "Ask every time"

The screenshot shows the Databricks workspace interface. On the left is a sidebar with navigation options like 'Catalog', 'Jobs & Pipelines', 'Compute', 'Discover', 'Marketplace', 'SQL', 'Data Engineering', 'Runs', and 'Data Ingestion'. The main area displays a file explorer on the left with a search bar and a list of files and folders. The central pane shows a code editor with a Python script that prints the space ID and URL, and a 'Run suggested' button. The right pane shows a 'Run suggested' button and a 'Running 2 cells' dropdown menu. The dropdown menu is open, showing 'Ask every time' selected, with 'Skip' and 'Allow' buttons. Below the dropdown is a table showing the status of the cells: 'Cell 5' and 'Cell 6'. The 'Ask every time' option is highlighted with an orange circle.

9 Click "Always allow in current thread"

The screenshot shows the Databricks workspace interface, similar to the previous one. The 'Running 2 cells' dropdown menu is open, and the 'Always allow in current thread' option is selected, highlighted with an orange circle. The 'Ask every time' option is also visible. The table below the dropdown shows the status of the cells: 'Cell 5' and 'Cell 6'. The 'Always allow in current thread' option is highlighted with an orange circle.

10 Click "Accept all"

The screenshot shows the Databricks workspace interface. On the left, the sidebar contains navigation options like 'Catalog', 'Jobs & Pipelines', 'Compute', 'Discover', 'Marketplace', 'SQL', 'SQL Editor', 'Queries', 'Dashboards', 'Genie', 'Alerts', 'Query History', 'SQL Warehouses', 'Data Engineering', 'Runs', 'Data Ingestion', 'AI/ML', 'Playground', 'AI Gateway', 'Experiments', 'Features', 'Models', and 'Serving'. The main panel displays the '05-iitb-junta-analytics-genie' workspace, showing a 'deploy' folder with files like 'serialized_space.json' and 'space_metadata.json'. The 'SQL Warehouse ID' is 'd3754c233dd0e522'. A message states: 'Creating Genie Space: 05 IITB Junta Analytics Warehouse: d3754c233dd0e522' and 'Genie Space created successfully! Space ID: 01f12a7143981e3aa6afa6c2f2fe8597 URL: https://dbc-d3bdf797-f90e.cloud.databricks.com/genie/rooms/01f12a7143981e3aa6afa6c2f2fe8597'. Below this, a code cell shows a script to display a clickable link to the Genie Space. The command palette is open, showing the 'Open Genie Space: 05 IITB Junta Analytics' command. The 'Accept all' button is highlighted with an orange circle.

SQL Warehouse ID
warehouse_id
d3754c233dd0e522

Creating Genie Space: 05 IITB Junta Analytics
Warehouse: d3754c233dd0e522

Genie Space created successfully!
Space ID: 01f12a7143981e3aa6afa6c2f2fe8597
URL: https://dbc-d3bdf797-f90e.cloud.databricks.com/genie/rooms/01f12a7143981e3aa6afa6c2f2fe8597

Just now ... 6: Cell 6

```
1 # Display clickable link to the Genie Space
2 genie_url = f"{w.config.host}/genie/rooms/{space_id}"
3 displayHTML(f"<a href='{genie_url}' target='_blank'>Open Genie Space: {metadata['title']}</a>")
```

Open Genie Space: 05 IITB Junta Analytics

[Shift+Enter] to run and move to next cell
[Cmd+Shift+P] to open the command palette
[Esc H] to see all keyboard shortcuts

1 asset
deploy +26 -12
Cell 4 +26 -12

Accept all

11 Click "Open Genie Space: 05 IITB Junta Analytics"

[l Ana](#)

12 Click "Data"

The screenshot shows the Databricks workspace interface. On the left is a sidebar with navigation options like Home, Workspace, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), and Marketplace. The main area displays the '05 IITB Junta Analytics' workspace. A panel on the right, titled 'About', has tabs for 'About', 'Data', and 'Instructions'. The 'Data' tab is selected and highlighted with an orange circle. Below the tabs, the 'About this workspace' section shows details: Name (05 IITB Junta Analytics), Owner (user_9501cd52), Space ID (01f12a7143981e3aa6afa6c2f2fe8597), and Warehouse (Serverless Starter Warehouse). The 'Description' section contains a paragraph about exploring IITB Junta on Reddit. The 'Common questions' section is also visible. On the far right, the 'Genie Code' panel shows a Python script for listing files in a workspace directory.

13 Click "Instructions"

The screenshot shows the Databricks workspace interface, similar to the previous one. The 'Data' tab in the 'About' panel is selected. The 'Data' section displays a table of data assets. The 'Instructions' tab is selected and highlighted with an orange circle. Below the tabs, the 'Data' section shows a table with columns 'Name' and 'Type'. The table lists three assets: 'gold_comments' (Table), 'gold_posts' (Table), and 'iitb_subreddit_metrics' (Metric View). The 'Genie Code' panel on the right shows the same Python script as before, but the 'Thoughts' section at the bottom now displays the output of the script: 'I see - the notebook is running...'. The 'Ask every time' dropdown is also visible.

Name	Type
gold_comments iitb.bharat_bricks	Table
gold_posts iitb.bharat_bricks	Table
iitb_subreddit_metrics iitb.bharat_bricks	Metric View

14 Click "Joins"

The screenshot shows the Databricks Genie interface. On the left is a sidebar with navigation options like Home, Workspace, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), Marketplace, SQL, SQL Editor, Queries, Dashboards, Genie (selected), Alerts, Query History, SQL Warehouses, Data Engineering, Runs, Data Ingestion, AI/ML, and Playground. The main area is titled '05 IITB Junta Analytics'. The 'Instructions' panel on the right has tabs for 'About', 'Data', and 'Instructions'. The 'Joins' tab is selected and highlighted with an orange circle. Below the tabs, the 'General Instructions' section contains 'DATA CONTEXT', 'ANALYTICS TERMINOLOGY', 'QUERY GUIDANCE', and 'RESPONSE STYLE'. The 'Genie Code' panel on the far right shows a Python script for listing files in a workspace directory.

15 Click "SQL Expressions"

The screenshot shows the Databricks Genie interface with the 'SQL Expressions' tab selected in the 'Instructions' panel, highlighted with an orange circle. The 'Joins' section below the tabs is visible, showing a table with columns 'Left table', 'Right table', and 'Condition'. The 'Genie Code' panel on the right remains the same as in the previous screenshot.

16 Click "SQL Queries"

The screenshot shows the Databricks workspace interface. On the left is a sidebar with navigation options like Home, Workspace, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), and Marketplace. The main area is titled '05 IITB Junta Analytics'. In the center, the 'Instructions' panel is open, showing tabs for 'About', 'Data', and 'Instructions'. The 'Instructions' tab is active, and the 'SQL Que...' button is highlighted with an orange circle. Below this, the 'Common SQL Expressions' section is visible, with a table header showing 'Type', 'Name', 'Tables', and 'Code'. The right sidebar shows the 'Genie Code' editor with a Python script for listing files in a directory.

17 Click "Benchmarks"

The screenshot shows the Databricks workspace interface. On the left is a sidebar with navigation options like Home, Workspace, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), and Marketplace. The main area is titled '05 IITB Junta Analytics'. In the center, the 'Instructions' panel is open, showing tabs for 'About', 'Data', and 'Instructions'. The 'Instructions' tab is active, and the 'Benchmarks' button is highlighted with an orange circle. Below this, the 'SQL queries & functions' section is visible, with a table header showing 'Name' and 'Type'. The right sidebar shows the 'Genie Code' editor with a Python script for listing files in a directory.

18 Click "Questions (7)"

The screenshot shows the Databricks Genie interface. On the left is a sidebar with navigation options like Home, Workspace, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), Marketplace, SQL, SQL Editor, Queries, Dashboards, Genie (selected), Alerts, Query History, SQL Warehouses, Data Engineering, Runs, Data Ingestion, AI/ML, and Databricks. The main panel is titled '05 IITB Junta Analytics' and has tabs for 'Configure', 'Benchmarks', and 'Monitoring'. The 'Benchmarks' tab is active, showing a 'Run all benchmarks' button and a 'Questions (7)' link. Below this, a message states 'No evaluation runs found' with instructions to create benchmarks. On the right, the 'Instructions' panel lists SQL queries and functions, including 'What are the top posts by engagement', 'Show posting trends by academic term', 'What is the flair distribution?', and 'Who are the most active authors?'. The 'Genie Code' panel on the far right shows a Python script for file iteration and a notebook path.

19 Click "Monitoring"

The screenshot shows the Databricks Genie interface with the 'Monitoring' tab highlighted in the 'Evaluations' section. The 'Questions (7)' link is also visible. The 'Monitoring' tab displays a table with columns 'Question' and 'Ground truth SQL...'. The 'Question' column contains the text 'How do posting trends and average post scores vary by academic term?'. The 'Ground truth SQL...' column contains a SQL query:

```
SELECT 'Academic Term', MEASURE('Total Posts') as posts, MEASURE('Avg Post Score') as avg_score FROM iitb.bharta_bricks.iitb_subreddit_metrics GROUP BY 'Academic Term'
```

. The 'Instructions' panel on the right remains the same, listing SQL queries and functions. The 'Genie Code' panel on the far right also remains the same, showing a Python script and notebook path.


20 Click "Share"

The screenshot shows the Databricks Genie interface. On the left is a sidebar with navigation options like Home, Workspace, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), Marketplace, SQL, SQL Editor, Queries, Dashboards, Genie (selected), Alerts, Query History, SQL Warehouses, Data Engineering, Runs, Data Ingestion, AI/ML, and Databricks. The main area is titled '05 IITB Junta Analytics' and has tabs for 'Monitoring' and 'Share'. The 'Monitoring' tab is active, showing a 'History of the activities within your space' section with filters for 'Last 30 days', 'Rating', 'Request', 'User', and 'Status'. Below this is a table with columns 'Name' and 'Type' under the heading 'SQL queries & functions'. The table lists four queries: 'What are the top posts by engagem...', 'Show posting trends by academic te...', 'What is the flair distribution?', and 'Who are the most active authors?'. The 'Share' button is highlighted with an orange circle. On the right, the 'Genie Code' section shows a Python script for listing files in a directory.


21 Click "Subject Select"

The screenshot shows the Databricks Genie interface with a 'Sharing: 05 IITB Junta Analytics' dialog box open. The dialog box has a title bar and a close button. It contains a text input field with the placeholder 'Type to add multiple users, groups or service principals'. Below this is a section titled 'People with access' which lists two users: 'user_9501cd52' and 'Admins', both with the role 'Can Manage (inherited)'. At the bottom of the dialog is a 'Copy link' button. The background shows the same Databricks Genie interface as in the previous screenshot, with the 'Share' button highlighted in the 'Monitoring' tab.


22 Click "All workspace users"



23 Click "Can Manage"



24 Click "Can View"



25 Click "Add"

