


How to Integrate a Git Repository with Databricks


Learn how to connect your external Git repository to Databricks by generating and adding a personal access token. This guide simplifies the authentication process to help you manage your workspace folders and version control efficiently.

1


Navigate to <https://dbc-d3bdf797-f90e.cloud.databricks.com/browse/folders/2200248489050570?o=1946116582832117>




2 Click "u"




3 Click "Settings"



4 Click "Linked accounts"




5 Click "Add Git credential"




6

Click "Personal access token" Use an existing personal access token to authenticate Git requests."



7

Click this image.



8 Click "Settings"

The screenshot shows the GitHub profile page for Vishesh Arya (Vishesh8). The profile includes a pinned repository 'ice_breaker', a contribution graph showing 243 contributions in the last year, and a list of achievements. A dropdown menu is open on the right side of the profile, displaying various settings options. The 'Settings' option is highlighted with an orange circle.

Overview Repositories 9 Projects Packages Stars

On April 24 we'll start using GitHub Copilot interaction data for AI model training unless you opt out. [Review this update](#) and manage your preferences in your settings.

Vishesh Arya
Vishesh8

Edit profile

visheshh.arya87@gmail.com

Achievements

Pinned

`ice_breaker` Public
Forked from emarco177/langchain-course
Python

243 contributions in the last year

Contribution graph showing activity from March 2026 to February 2027.

Contribution activity

March 2026

Created 13 commits in 2 repositories

- [Vishesh8/vishesh-exp](#) 9 commits
- [Vishesh8/bharatbricksiitb](#) 4 commits

Settings

- Set status
- Profile
- Repositories
- Stars
- Gists
- Organizations
- Enterprises
- Sponsors
- Settings**
- Copilot settings
- Feature preview
- Appearance
- Accessibility
- Try Enterprise (Free)
- Sign out

9 Click "Developer settings"

The screenshot shows the GitHub Developer settings page. The left sidebar contains a list of settings categories, with 'Developer settings' highlighted by an orange circle. The main content area displays various developer settings, including a location field, a checkbox for 'Display current local time', an ORCID iD section, and a section for 'Contributions & activity' with checkboxes for 'Make profile private and hide activity' and 'Include private contributions on my profile'.

← Saved replies

Security

- Code security

Integrations

- Applications
- Scheduled reminders

Archives

- Security log
- Sponsorship log
- Developer settings**

You can @mention your company's GitHub organization to link it.

Location

☐ Display current local time
Other users will see the time difference from their local time.

ORCID iD

ORCID provides a persistent identifier - an ORCID iD - that distinguishes you from other researchers. Learn more at [ORCID.org](#).

[Connect your ORCID iD](#)

All of the fields on this page are optional and can be deleted at any time, and by filling them out, you're giving us consent to share this data wherever your user profile appears. Please see our [privacy statement](#) to learn more about how we use this information.

[Update profile](#)


Contributions & activity

☐ Make profile private and hide activity
Enabling this will hide your contributions and activity from your GitHub profile and from social features like followers, stars, feeds, leaderboards and releases.


☒ Include private contributions on my profile
Your contribution graph, achievements, and activity overview will show your private contributions without revealing any repository or organization information. [Read more.](#)

[Update preferences](#)


10 Click "Personal access tokens"




11 Click "Tokens (classic)"



12 Click "Generate new token"



13 Click "Workspace"



14 Click "bharatbricksiitb"


The screenshot shows the Databricks workspace interface. On the left is a sidebar with navigation options like Home, Workspace, Recents, Catalog, Jobs & Pipelines, Compute, Discover (Beta), Marketplace, SQL, SQL Editor, Queries, Dashboards, Genie, Alerts, Query History, SQL Warehouses, Data Engineering, Runs, Data Ingestion, AI/ML, and Databricks. The main area is titled 'Workspace' and shows a breadcrumb 'Workspace > Users > visheshh.arya87@gmail.com'. Below this is a search bar and a table of items. The table has columns: Name, Type, Owner, and Created at. The items listed are 'Drafts' (Folder), 'bakehouse' (Folder), 'bharatbricksiitb' (Folder), and 'secrets' (File). The 'bharatbricksiitb' folder is highlighted with an orange circle. The 'Owner' for all items is 'user_9501cd52'.

Name	Type	Owner	Created at
Drafts	Folder	user_9501cd52	Mar 28, 2026, 0...
bakehouse	Folder	user_9501cd52	Sep 04, 2025, 10...
bharatbricksiitb	Folder	user_9501cd52	Mar 28, 2026, 0...
secrets	File	user_9501cd52	Oct 24, 2025, 08...


15 Click "Create"

The screenshot shows the Databricks workspace interface, similar to the previous one, but now the breadcrumb is 'Workspace > Users > visheshh.arya87@gmail.com > bharatbricksiitb'. The main area shows a folder icon and the text 'This folder is empty'. The 'Create' button in the top right corner is highlighted with an orange circle.


16 Click "Git folder"



17 Click the "Git repository URL" field.



18 Press **cmd + v**



19 Click "Create Git folder"

