

Provenance Tutorials

Qualtrics Setup Tutorial

Qualtrics Verification Tutorial

LLM Provenance Tutorial

LLM Verification Tutorial

Tutorial for LLM Provenance

Single Prompt

Batch Processing

Why Batch Processing Exists

OpenRouter has no native batch API. Batch Processing instead runs many requests as real-time calls under the hood, but binds the whole set together under one signature.

Use this mode when you have many prompts (for example, one prompt per paper across a folder of PDFs) and want a single signed bundle covering all of them, instead of running and publishing each request separately.

Step 1: Switch to Batch Processing

In the Workflow Mode dropdown, select Batch Processing (JSONL).

WORKFLOW MODE

Choose a workflow

Batch Processing (JSONL)



Step 2: Fill In the Configuration Fields

Enter your Researcher ID and OpenRouter API Key, same as in the Single Prompt workflow.

Enter a default Model, Temperature, and Max Tokens. These apply to every line in your batch unless a specific line overrides them.

CONFIGURATION

Researcher ID

testing_researcher

Your identifier for grouping logs. Stored in your browser; never sent to anyone except this local server.

OpenRouter API Key

.....

Your key is never stored. It is used only for this request and stays in your browser.

Model [Browse all OpenRouter models ↗](#)

anthropic/claude-opus-4.8

Enter any [OpenRouter model ID](#). In batch mode this is the default (each JSONL line may override it).

Temperature

0.7

0 = deterministic, 2 = most creative

Max Tokens

(model default)

Leave blank to use the model's default

Step 3: Name Your Batch (Optional)

Enter a Batch Name. This is just a label so you can find this batch later under My Jobs or Check a Job. It is not required.

BATCH PROCESSING

Run many requests in one submission. OpenRouter has no batch API, so each request runs as its own real-time call — but the whole batch is bound by **one signature** (over all inputs and outputs together). Defaults (model, temperature, max tokens) come from **Configuration** above.

Batch name (optional)

test-batch-2

A label to find this batch later in *My Jobs* and *Check a Job*.

Step 4: Choose How to Provide Your Requests

Choose Upload a JSONL file if you already have a file with one request per line.

Choose Same prompt for every file if you want to run one shared prompt across several uploaded files (for example, the same review prompt across many PDFs).

How do you want to provide your requests?

☒ Upload a JSONL file ☐ Same prompt for every file

Step 5a: Upload a JSONL File

If you chose Upload a JSONL file, click the upload zone and select your .jsonl file.

Each line of the file must be a JSON object with at least a prompt field. You may also include custom_id, model, model_params, and files (a list of filenames referenced by that line).

JSONL file

Drag & drop a .jsonl file here, or **click to upload**

Selected: batch.jsonl

Step 5b: Or Use a Shared Prompt

If you chose Same prompt for every file, type the shared prompt into the Shared Prompt box. One request will be generated per uploaded file, all using this same prompt.

How do you want to provide your requests?

☐ Upload a JSONL file ☒ Same prompt for every file

Upload your files below and write one shared prompt. We build the JSONL for you — one request per file (the prompt is sent with each file attached).

Shared prompt (applied to every file)

Write a review of this paper

Step 6: Upload Any Referenced Files

Upload any files your JSONL lines reference by name, or, in shared prompt mode, the files you want one request generated per file for.

Files

PDFs, images, or text files. In *JSONL* mode these are the files your lines refer to by name; in *Same prompt* mode one request is created per file.

Drag & drop files here, or **click to upload**

2606.17847v1.pdf ✕

2606.17851v1.pdf ✕

2606.17856v1.pdf ✕

2606.17867v1.pdf ✕

Step 7: Review the Batch Summary

Check the summary line showing how many requests and files will be submitted before continuing.

Default model: **anthropic/claude-opus-4.8** · Files: **4** · Requests: **4 (one per file)**

Step 8: Submit the Batch

Click Submit Batch. A Job ID is displayed immediately in the same way it is for a single prompt request.

Files

PDFs, images, or text files. In *JSONL* mode these are the files your lines refer to by name; in *Same prompt* mode one request is created per file.

Drag & drop files here, or [click to upload](#)

2606.17847v1.pdf ✕

2606.17851v1.pdf ✕

2606.17856v1.pdf ✕

2606.17867v1.pdf ✕

Default model: **anthropic/claude-opus-4.8** · Files: **4** · Requests: **4 (one per file)**

Submit Batch

Step 9: Track Progress

The Job ID banner lets you copy the Job ID and shows polling status while the batch runs in the background.

Your request is running in the background. This page will update automatically when the result is ready — you do not need to stay here. If you close this tab, paste your Job ID into the *Check a Job* section below to retrieve your result later. (Jobs are stored in the server's memory and will be lost if the server restarts.)

Job ID: Copy

Checking... (3s elapsed)

Step 10: View Batch Results and Cancel

The Batch Results panel shows progress across all items, including how many have completed and how many have failed. While the batch is still running, a Cancel batch

button is shown here too. In-flight calls finish, but no new ones are started.

If some items fail once the batch finishes, this same panel instead shows a Retry failed button (with a PDF handling method selector for the retry) and a Sign & Save button, so you can retry the failures before finalizing.

BATCH RESULTS — TEST-BATCH-2

Running... 1/4 done.

Cancel batch

Step 11: Download the Batch

If every item succeeds, the batch is signed and saved automatically as soon as it finishes, no extra click required. The panel then shows Download record + receipt (ZIP) directly.

Click it to get a zip file containing batch_record.json and batch_receipt.json. These two files together are the entire publishable bundle.

BATCH RESULTS — TEST-BATCH-2

Done — signed batch **af82bd2b** of **4** item(s).

[Download record + receipt \(ZIP\)](#)

Step 12: Inspect Individual Items

Scroll through the item list to see the per-item status, model, and a snippet of the output for every line in the batch.

MY JOBS

Enter a Researcher ID to list every job under it — running batches, ones awaiting finalize, and finished batches still on disk. Click any job to open it.

Researcher ID

testing_researcher

List My Jobs

done 5.4-mini-v1 · 50/50 done · openai/gpt-5.4-mini · batch 9fea12a5 80e943c8-f902-47e4-9ab0-0b636397fef9 · 19/06/2026, 13:43:43	Open
done Batch 471af1f7 · 50/50 done · openai/gpt-5.4-nano fafd7764-51c1-4f23-9685-d47552bb87d7 · 18/06/2026, 01:21:27	Open
done Batch c1050921 · 50/50 done · openai/gpt-5.4-nano 5b13434a-e116-4b88-a35e-ddc15341fdc6 · 18/06/2026, 01:12:14	Open
done Batch 8b0864f3 · 50/50 done · openai/gpt-5.4-nano 5b575699-8663-4238-be91-6008cfcbbca3 · 18/06/2026, 00:42:17	Open
done Batch 254fa7c7 · 50/50 done · openai/gpt-5.4-nano 4f15da8c-34a2-450e-9618-69202a78383a · 17/06/2026, 22:16:00	Open
done Batch efb01ec8 · 50/50 done · openai/gpt-5.4-nano no job id (pre-restart batch) · 17/06/2026, 21:42:25	Open