

```

package Currency;
import java.util.*;
import java.text.DecimalFormat;
class CurrencyConvertor
{
double rupee,dollar,euro,yen;
Scanner sc=new Scanner(System.in);
DecimalFormat f=new DecimalFormat("##.###");
public void convertInrtoEuro()
{
System.out.println("Enter amount in rupees");
rupee=sc.nextFloat();
euro=rupee/80;
System.out.println("Euro:"+f.format(euro));
}
public void convertEurotoInr()
{
System.out.println("Enter amount in Euro");
euro=sc.nextFloat();
rupee=euro*80;
System.out.println("Rupees:"+f.format(rupee));
}
public void convertInrToDollar()
{
System.out.println("Enter amount in rupees");
rupee= sc.nextFloat();
dollar=rupee/66;
System.out.println("Dollar:"+f.format(dollar));
}
public void convertDollarToInr()
{
System.out.println("Enter amount in Dollar");
dollar=sc.nextFloat();
rupee=dollar*66;
System.out.println("Rupees:"+f.format(rupee));
}
public void convertInrToYen()
{
System.out.println("Enter amount in rupees");
rupee=sc.nextFloat();
yen=rupee/0.61;
System.out.println("Yen:"+f.format(yen));
}
public void convertYenToInr()

```

```

{
System.out.println("Enter amount in Yen");
yen=sc.nextFloat();
rupee=yen*0.61;
System.out.println("Rupees:"+f.format(rupee));
}
}
package Distance;
import java.util.*;
import java.text.DecimalFormat;
class DistanceConvertor
{
double meter,km,miles;
Scanner sc=new Scanner(System.in);
DecimalFormat f= new DecimalFormat("##.###");
public void convertMeterToKm()
{
System.out.println("Enter the meter");
meter=sc.nextFloat();
km=meter*0.001;
System.out.println("Kilometer:"+f.format(km));
}
public void convertKmToMeter()
{
System.out.println("Enter the Kilometer");
km=sc.nextFloat();
meter=km/0.001;
System.out.println("Meter:"+f.format(meter));
}
public void convertMilesToKm()
{
System.out.println("Enter the miles");
miles=sc.nextFloat();
km=miles*1.6093;
System.out.println("Kilometer:"+f.format(km));
}
public void convertKmToMiles()
{
System.out.println("Enter the Kilometer");
km=sc.nextFloat();
miles=km/1.6093;
System.out.println("Miles:"+f.format(miles));
}
}
}

```

```

package Time;
import java.util.*;
import java.text.DecimalFormat;
class TimeConvertor
{
double hour,minute,second;
Scanner sc= new Scanner (System.in);
DecimalFormat f=new DecimalFormat("##.###");
public void convertHourToMinute()
{
System.out.println("Enter the hour");
hour=sc.nextFloat();
minute=hour*60;
System.out.println("Minutes:"+f.format(minute));
}
public void ConvertMinuteToHour()
{
System.out.println("Enter the Minute");
minute=sc.nextFloat();
hour=minute/60;
System.out.println("Hours:"+f.format(hour));
}
public void convertHourToSeconds()
{
System.out.println("Enter the Hour");
hour=sc.nextFloat();
second=hour*3600;
System.out.println("Seconds:"+f.format(second));
}
public void convertSecondsToHour()
{
System.out.println("Enter the Seconds");
second=sc.nextFloat();
hour=second/3600;
System.out.println("Hours:"+f.format(hour));
}
}
import Currency.*;
import distance.*;
import time.*;
import java.util.Scanner;
public class Convertor
{
public static void main(String[] args)

```

```

{
int code,currency_code,distance_code,time_code;
Scanner sc=new Scanner(System.in);
System.out.println("Enter the code 1: Currency\n2:Distance\n3:Time");
code=sc.nextInt();
if(code==1)
{
CurrencyConvertor cc=new CurrencyConvertor();
System.out.println("Enter the Currency code 1:Euro\n2:Dollar\n3:Yen");
currency_code=sc.nextInt();
if(currency_code==1)
{
cc.convertInrToEuro();
cc.convertEuroToInr();
}
else if(currency_code==2)
{
cc.convertInrToDollar();
cc.convertDollarToInr();
}
else if(currency_code==3)
{
cc.convertInrToYen();
cc.convertYenToInr();
}
else
{
System.out.println("Invalid Code");
}
}
else if(code==2)
{
DistanceConvertor dc=new DistanceConvertor();
System.out.println("Enter the Distance code1: Meter\n2:Miles");
distance_code=sc.nextInt();
if(distance_code==1)
{
dc.convertMeterToKm();
dc.convertKmToMeter();
}
else if(distance_code==2)
{
dc.convertMilesToKm();
dc.convertKmtToMiles();
}
}
}

```

```
}
else
{
System.out.println("Invalid Code");
}
}
else if(code==3)
{
TimeConvertor tc=new TimeConvertor();
System.out.println("Entyer the Time code 1: Minutes\n2:Seconds");
time_code=sc.nextInt();
if(time_code==1)
{
tc.convertHourToMinute();
tc.convertMinuteToHour();
}
else if(time_code==2)
{
tc.convertHourToSeconds();
tc.convertSecondsToHour();
}
else
{
System.out.println("Invalid code");
}
}
else
{
System.out.println("Invalid Code");
}
}
```