# **API Documentation**

Version	Date	Author	Description
1.0	28-02-2023	Vishnu S	Initial draft

## 1. List of users:

This endpoint returns an array of objects, where each object represents a user and contains the following details:

name (string): The name of the user. title (string): The job title of the user.

email (string): The email address of the user.

phone number (string): The phone number of the user.

#### Request

Method	URL
GET	/users

## Response

Parameter Name	Description	Type & Length
200	ОК	Array of Objects

Eg:

Status: 200 OK

Content-Type: application/json

[

```
{
  "name": "Vishnu",
  "title": "Software Engineer",
  "email": "Vishnu@gmail.com",
  "phone_number": "+919876543210"
},
{
  "name": "Richu",
  "jobTitle": "Product Manager",
  "email": "richu@example.com",
  "phone_number": "+919898989898"
},
...
]
```

## 2. Single User:

## 1. List of users:

This endpoint returns details of a single user specified by their unique id, including the following details:

```
name (string): The name of the user.
job_title (string): The job title of the user.
email (string): The email address of the user.
phone_number (string): The phone number of the user.
emp_hist (string): The employment history of the user.
age (number): The age of the user.
department (string): The department that the user belongs to.
education (string): The education level of the user.
```

#### Request

Method	URL
GET	/user/:id

## Response

Parameter Name	Description	Type & Length
200	ОК	Objects

```
Eg:
```

```
Status: 200 OK
Content-Type: application/json

{
    "name": "Vishnu",
    "job_title": "Software Engineer",
    "email": "vishnu@example.com",
    "phone_number": "+919876543210",
    "emp_hist": "Software Developer at Brototype",
    "age": 21,
    "department": "Engineering",
    "education": "Bachelor's Degree in Computer Science"
}
```