

User Registration

User Name:

Password:

Full Name:

Credit Card Number:

Email:

Phone Number:

[View Registered Users](#)

Registration Successful!

User **Bob** has been registered.

[Go Back](#) | [View All Users](#)

All Registered Users

ID	Username	Password	Full Name	Credit Card	Email	Phone
3	Alice	123	Alice	34545	alice@gmail.com	9999999999
4	Bob	1223	Bob	34545	Bob@gmail.com	6895867433

[Go Back to Registration](#)

```
mysql> use userdb;
Database changed
mysql> show tables;
+-----+
| Tables_in_userdb |
+-----+
| users              |
+-----+
1 row in set (0.00 sec)

mysql> select * from users;
+----+-----+-----+-----+-----+-----+-----+
| id | username | password | fullname | creditcard | email           | phone       |
+----+-----+-----+-----+-----+-----+-----+
| 3  | Alice   | 123      | Alice   | 34545      | alice@gmail.com | 9999999999 |
| 4  | Bob     | 1223     | Bob     | 34545      | Bob@gmail.com   | 6895867433 |
+----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>User Registration Form</title>
</head>
<body>
  <h2>User Registration</h2>
  <form action="register.jsp" method="post">
    <label for="username">User Name:</label>
    <input type="text" id="username" name="username" required><br><br>

    <label for="password">Password:</label>
    <input type="password" id="password" name="password" required><br><br>

    <label for="fullname">Full Name:</label>
    <input type="text" id="fullname" name="fullname" required><br><br>

    <label for="creditcard">Credit Card Number:</label>
    <input type="text" id="creditcard" name="creditcard" required><br><br>

    <label for="email">Email:</label>
    <input type="email" id="email" name="email" required><br><br>

    <label for="phone">Phone Number:</label>
    <input type="text" id="phone" name="phone" required><br><br>

    <input type="submit" value="Register">
    <input type="reset" value="Reset">
  </form>
  <br>
  <a href="displayUsers.jsp">View Registered Users</a>
</body>
</html>
```

register.jsp

```
<%@ page import="java.sql.*" %>
<%@ page contentType="text/html; charset=UTF-8" language="java" %>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <title>Registration Result</title>
</head>
<body>
<%
    String username = request.getParameter("username");
    String password = request.getParameter("password");
    String fullname = request.getParameter("fullname");
    String creditcard = request.getParameter("creditcard");
    String email = request.getParameter("email");
    String phone = request.getParameter("phone");

    Connection conn = null;
    PreparedStatement pstmt = null;

    try {
        // 1. Load JDBC driver
        Class.forName("com.mysql.cj.jdbc.Driver");

        // 2. Establish connection (with SSL disabled to prevent GlassFish keystore issues)
        conn =
DriverManager.getConnection("jdbc:mysql://localhost:3306/userdb?useSSL=false&allowPublicKeyRetrie
val=true", "root", "mysql");

        // 3. Prepare SQL INSERT query for all fields
        String sql = "INSERT INTO users(username, password, fullname, creditcard, email, phone) VALUES(?,
?, ?, ?, ?, ?)";
        pstmt = conn.prepareStatement(sql);
        pstmt.setString(1, username);
        pstmt.setString(2, password);
        pstmt.setString(3, fullname);
        pstmt.setString(4, creditcard);
        pstmt.setString(5, email);
        pstmt.setString(6, phone);

        int rows = pstmt.executeUpdate();
        if (rows > 0) {
%>
            <h2>Registration Successful!</h2>
            <p>User <strong><%= username %></strong> has been registered.</p>
<%
        } else {
```

```

%>
    <h2>Registration Failed!</h2>
<%
    }
    } catch (Exception e) {
        out.println("<p style='color:red'>Error: " + e.getMessage() + "</p>");
    } finally {
        try { if (pstmt != null) pstmt.close(); } catch (Exception e) {}
        try { if (conn != null) conn.close(); } catch (Exception e) {}
    }
%>
<br>
<a href="registration.html">Go Back</a> | <a href="displayUsers.jsp">View All Users</a>
</body>
</html>

```

displayUsers.jsp

```

<%@ page import="java.sql.*" %>
<%@ page contentType="text/html; charset=UTF-8" language="java" %>
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <title>Registered Users</title>
</head>
<body>
    <h2>All Registered Users</h2>
    <table border="1" cellpadding="5">
        <tr>
            <th>ID</th>
            <th>Username</th>
            <th>Password</th>
            <th>Full Name</th>
            <th>Credit Card</th>
            <th>Email</th>
            <th>Phone</th>
        </tr>
    <%
        Connection conn = null;
        Statement stmt = null;
        ResultSet rs = null;

```

```

try {
    Class.forName("com.mysql.cj.jdbc.Driver");
    conn =
DriverManager.getConnection("jdbc:mysql://localhost:3306/userdb?useSSL=false&allowPublicKeyRetrie
val=true", "root", "mysql");
    stmt = conn.createStatement();
    rs = stmt.executeQuery("SELECT * FROM users");

    while (rs.next()) {
%>
        <tr>
            <td><%= rs.getInt("id") %></td>
            <td><%= rs.getString("username") %></td>
            <td><%= rs.getString("password") %></td>
            <td><%= rs.getString("fullname") %></td>
            <td><%= rs.getString("creditcard") %></td>
            <td><%= rs.getString("email") %></td>
            <td><%= rs.getString("phone") %></td>
        </tr>
    <%
    }
    } catch (Exception e) {
        out.println("<tr><td colspan='7' style='color:red'>" + e.getMessage() + "</td></tr>");
    } finally {
        try { if (rs != null) rs.close(); } catch (Exception e) {}
        try { if (stmt != null) stmt.close(); } catch (Exception e) {}
        try { if (conn != null) conn.close(); } catch (Exception e) {}
    }
%>
    </table>
    <br>
    <a href="registration.html">Go Back to Registration</a>
</body>
</html>

```