EARHQUAKE PREDICTION MODEL USING PYTHON

TEAM MEMBER

810621106009: Vishnu.S

Phase - 3 Submission document

Project Title: Earthquake Prediction Model Using Python

Phase 3 : Development Part 1


Topic: Start building the earthquake prediction model by using python loading and preprocessing the dataset



INTRODUCTION:

Earthquake Prediction

It is well known that if a disaster has happened in a region, it is likely to happen there again. Some regions really have frequent earthquakes, but this is just a comparative quantity compared to other regions. So, predicting the earthquake with Date and Time, Latitude and Longitude from previous data is not a trend which follows like other things, it is natural occurring.



GIVEN DATASET:

magnitude cdi mmi tsunami sig nst dmin gap depth

latitude longitude

count 782.000000 782.000000 782.000000 782.000000 782.000000 782.000000 782.000000 782.000000 782.000000

mean 6.941125 4.333760 5.964194 0.388747 870.108696 230.250639 1.325757 25.038990 75.883199 3.538100 52.609199

std 0.445514 3.169939 1.462724 0.487778 322.465367 250.188177 2.218805 24.225067 137.277078 27.303429 117.898886

min 6.500000 0.000000 1.000000 0.000000 650.000000 0.000000 0.000000 0.000000 2.700000 -61.848400 - 179.968000

25% 6.600000 0.000000 5.000000 0.000000 691.000000 0.000000 0.000000 14.625000 14.000000 -14.595600 -71.668050

50% 6.800000 5.000000 6.000000 0.000000 754.000000 140.000000 0.000000 20.000000 26.295000 -2.572500 109.426000

75% 7.100000 7.000000 7.000000 1.000000 909.750000 445.000000 1.863000 30.000000 49.750000 24.654500 148.941000

max 9.100000 9.000000 9.000000 1.000000 2910.000000 934.000000 17.654000 239.000000 670.810000 71.631200

IMPORT LIBRARIES:

PROGRAM:

Import pandas as pd

Import numpy as np


2.LOAD THE DATSET:

Load your dataset into pandas data frame. You can typically find earthquake prediction model using python datasets in CSV format .

PROGRAM:

df=pd.read_csv('E:\USA_Earthquake.csv')

Pd.read()



Splitting the Data:

Firstly, split the data into Xs and ys which are input to the model and output of the model respectively. Here, inputs are Time stamp, Latitude and Longitude and outputs are Magnitude and Depth. Split the X s and y s into train and test with validation. Training dataset contains 80% and Test dataset contains 20%.