Exp No: 10a

Inter Networking with routers in CISCO packet Tracer simulator

Aim:

To design and configure a simple inter network using a router in CISCO Packet Tracer and fast connectivity between two PC's.

Procedure:

Step 1:

Configure router 1

- Select the router and Open CLI
- Press Enter to start configuring Router1
- Type enable to activate the privileged mode


Step 2:

- Assign IP address to every PC in the network.
- Select the PC, Go to desktop and select IP configuration and assign IP address, Default gateway, subnet mask.
- Assign the default gateway of PC's 192.168.10.1
- Assign the default gateway of PC as 192.168.20.1


Step 3:

- Connect Fast Ethernet 0 port of PC0 with Fast Ethernet 0/0 port of router1 using a copper straight-through cable
- Connect Fast Ethernet 0 port of PC1 with Fast Ethernet 0/1 port of router1 using a copper straight-through cable

10 a



10 b



06 b

Design and Configure an internetwork using wireless router, DHCP server and internet cloud.

Aim:

To design and configure an internetwork using a wireless router, DHCP server and internet cloud in cisco Packet Tracer.

Procedure:

⇒ Open Cisco Packet Tracer and create the required network topology.


⇒ Connect PC, laptop, wireless router, cable modem, Internet cloud and Server.

⇒ Configure the wireless router with SSID homenetwork and enable DHCP

⇒ Connect the laptop to the wireless network and Set the PC to DHCP

⇒ Configure the server with IP 208.67.220.220 and enable DHCP and DNS.

⇒ Verify connectivity using ipconfig and ping cisco.com.



Result:

The internetwork was successfully designed and configured using a wireless router, DHCP server and Internet cloud and connectivity was successfully verified using ping cisco.com.