# CURA_Login_TS

## Execution Environment

| | |
|---|---|
| Host name | vishnu - vishnu |
| Local OS | Linux 64bit |
| Katalon version | 9.2.0.212 |
| Browser | Chrome 121.0.0.0 |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/TS_CURA/CURA_Login_TS | | |
| Description | | | |
| Total | 1 | | |
| Passed | 1 | Failed | 0 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 05-02-2024 15:22:44 | End | 05-02-2024 15:23:54 |
| Elapsed | 1m - 10.724s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/TC_CURA/CURA_Login/login | | PASSED |

# login

## Information

| | |
|---|---|
| ID | Test Cases/TC_CURA/CURA_Login/login |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 05-02-2024 15:22:44 | End | 05-02-2024 15:23:54 |
| Elapsed | 1m - 9.869s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# login

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 1.801s | ERROR |

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
    at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
    at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
    at TempTestSuite1707126626073.run(TempTestSuite1707126626073.groovy: 36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9'<br>Driver info: driver.version: unknown<br>    at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014)<br>    at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999)<br>    at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718)<br>    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374)<br>    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)<br>    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)<br>    at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)<br>    at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)<br>    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)<br>    ... 23 more | | |
| 2 | callTestCase(findTestCase("TC_CURA/CURA_Name_validation/CURA Heading validation"), ["link":"https://katalon-demo-cura.herokuapp.com/"], STOP_ON_FAILURE)<br><br>Call Test Case 'Test Cases/TC_CURA/CURA_Name_validation/CURA Heading validation' successfully | 18.273s | PASSED |

# login

| # | Description | Elapsed | Status |
|---|---|---|---|
| 3 | click(findTestObject("cura_healthcare_obj/Cura_LOGIN/login_obj/a_CURA Healthcare_menu-toggle"))<br><br>Object: 'Object Repository/cura_healthcare_obj/Cura_LOGIN/login_obj/a_CURA Healthcare_menu-toggle' is clicked on | 1.564s | PASSED |
| 4 | click(findTestObject("cura_healthcare_obj/Cura_LOGIN/login_obj/a_Login"))<br><br>Object: 'Object Repository/cura_healthcare_obj/Cura_LOGIN/login_obj/a_Login' is clicked on | 2.420s | PASSED |
| 5 | setText(findTestObject("cura_healthcare_obj/Cura_LOGIN/login_obj/input_Username_username"), name)<br><br>Text 'John Doe' is set on object 'Object Repository/cura_healthcare_obj/Cura_LOGIN/login_obj/input_Username_username' | 2.265s | PASSED |
| 6 | verifyCheckpoint(findCheckpoint("Checkpoints/Checkpoints_Cura_Excel/Checkpoint_cura_all_ele"), false)<br><br>Checkpoint data and Source data are matched | 0.283s | PASSED |
| 7 | setText(findTestObject("cura_healthcare_obj/Cura_LOGIN/login_obj/input_Password_password"), password)<br><br>Text 'ThisIsNotAPassword' is set on object 'Object Repository/cura_healthcare_obj/Cura_LOGIN/login_obj/input_Password_password' | 1.864s | PASSED |
| 8 | click(findTestObject("cura_healthcare_obj/Cura_LOGIN/login_obj/button_Login"))<br><br>Object: 'Object Repository/cura_healthcare_obj/Cura_LOGIN/login_obj/button_Login' is clicked on | 3.172s | PASSED |
| 9 | elt_checks.good.verifyElementClickable(findTestObject("cura_healthcare_obj/Cura_LOGIN/login_obj/button_Login"))<br><br>elt_checks.good.verifyElementClickable is PASSED | 1.749s | PASSED |

# login

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

| # | Description | Elapsed | Status |
|---|---|---|---|
| 10 | Start listener action : sampleAfterTestCase | 35.590s | ERROR |

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
    at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
    at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
    at TempTestSuite1707126626073.run(TempTestSuite1707126626073.groovy: 36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| | Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' located by '//input[@id='txt-username']' not found<br>     at com.kms.katalon.core.webui.common.WebUiCommonHelper.<br>findWebElement(WebUiCommonHelper.java:1379)<br>     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:27)<br>     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.<br>findWebElement(WebUIAbstractKeyword.groovy:26)<br>     at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)<br>     at com.kms.katalon.core.webui.keyword.builtin.<br>SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)<br>     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.<br>runKeyword(WebUIKeywordMain.groovy:20)<br>     ... 23 more | | |