CURA_History-Logout

Execution Environment

Host name	vishnu - vishnu
Local OS	Linux 64bit
Katalon version	9.2.0.212
Browser	Chrome 121.0.0.0

Summary

ID	Test Suites/TS_CURA/CURA_History-Logout		
Description			
Total	2		
Passed	2	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	31-01-2024 17:21:35	End	31-01-2024 17:23:58
Elapsed	2m - 23.098s		

#	ID	Description	Status
1	Test Cases/TC_CURA/CURA_History/History		PASSED
2	Test Cases/TC_CURA/CURA_Logout/Logout		PASSED

History

Information

ID	Test Cases/TC_CURA/CURA_History/History		
Description			
Tag			
Start	31-01-2024 17:21:36	End	31-01-2024 17:22:49
Elapsed	1m - 13.479s		
Status	PASSED		

Details

#	Description	Elapsed	Status

History

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	1.886s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:1019)
      at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker.java:95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3(TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
      at TempTestSuite1706701578474.run(TempTestSuite1706701578474.groovy:36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

#	Description	Elapsed	Status
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9'		
	Driver info: driver.version: unknown		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014)		
	at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999)		
	at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)		
	at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)		
	... 23 more		
2	callTestCase(findTestCase("TC_CURA/CURA_Makeappointment/appointment booking"), ["Hospital":Hospital, "Set_Date":date, "Comment":comment], STOP_ON_FAILURE) Call Test Case 'Test Cases/TC_CURA/CURA_Makeappointment/appointment booking' successfully	32.331s	PASSED

History

#	Description	Elapsed	Status
3	click(findTestObject("cura_healthcare_obj/Cura_History/History/i_CURA Healthcare_fa fa-bars")) Object: 'Object Repository/cura_healthcare_obj/Cura_History/History/i_CURA Healthcare_fa fa-bars' is clicked on	0.736s	PASSED
4	click(findTestObject("cura_healthcare_obj/Cura_History/History/a_History")) Object: 'Object Repository/cura_healthcare_obj/Cura_History/History/a_History' is clicked on	1.724s	PASSED
5	verifyElementPresent(findTestObject("cura_healthcare_obj/Cura_History/History/h2_History"), 0) Object 'Object Repository/cura_healthcare_obj/Cura_History/History/h2_History' is present	0.570s	PASSED

History

#	Description	Elapsed	Status
6	Start listener action : sampleAfterTestCase	35.380s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
      at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
      at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
      at TempTestSuite1706701578474.run(TempTestSuite1706701578474.groovy: 36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

History

#	Description	Elapsed	Status
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' located by '//input[@id='txt-username']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 23 more		

History

24/01/2024

Facility	Hongkong CURA Healthcare Center
Apply for hospital readmission	Yes
Healthcare Program	Medicaid
Comment	Cold

Go to Homepage

Logout

Information

ID	Test Cases/TC_CURA/CURA_Logout/Logout
Description	
Tag	

Start	31-01-2024 17:22:49	End	31-01-2024 17:23:58
Elapsed	1m - 8.419s		
Status	PASSED		

Details

#	Description	Elapsed	Status

Logout

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	35.115s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
     at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
     at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
     at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
     at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
     at TempTestSuite1706701578474.run(TempTestSuite1706701578474.groovy: 36)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

Logout

#	Description	Elapsed	Status

Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' located by '//input[@id='txt-username']' not found
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement(WebUiCommonHelper.java:1379)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)
        ... 23 more

History

24/01/2024

Facility	Hongkong CURA Healthcare Center
Apply for hospital readmission	Yes
Healthcare Program	Medicaid
Comment	Cold

Go to Homepage

#	Description	Elapsed	Status
2	callTestCase(findTestCase("TC_CURA/CURA_History/History"), ["Hospital":findTestData("CURA_BookingAppointment/Dropdown_list").getValue(1, 1), "date":findTestData("CURA_BookingAppointment/Date_Booking").getValue(1, 1), ...], STOP_ON_FAILURE)	29.064s	PASSED
3	click(findTestObject("cura_healthcare_obj/Cura_Logout/Logout/i_CURA Healthcare_fa fa-bars"))	0.560s	PASSED

Object: 'Object Repository/cura_healthcare_obj/Cura_Logout/Logout/i_CURA Healthcare_fa fa-bars' is clicked on

Logout

#	Description	Elapsed	Status
4	click(findTestObject("cura_healthcare_obj/Cura_Logout/Logout/a_Logout"))	2.244s	PASSED
	Object: 'Object Repository/cura_healthcare_obj/Cura_Logout/Logout/a_Logout' is clicked on		
5	verifyElementVisible(findTestObject("cura_healthcare_obj/Cura_Logout/Logout/div_HOME"))	0.573s	PASSED
	Object 'Object Repository/cura_healthcare_obj/Cura_Logout/Logout/div_HOME' is visible		
6	closeBrowser()	0.412s	PASSED
	Browser is closed		

Logout

#	Description	Elapsed	Status
7	Start listener action : sampleAfterTestCase	0.141s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
      at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
      at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
      at TempTestSuite1706701578474.run(TempTestSuite1706701578474.groovy: 36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

Logout

#	Description	Elapsed	Status
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9'		
	Driver info: driver.version: RemoteWebDriver		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552)		
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)		
	at org.openqa.selenium.By$ByXPath.findElements(By.java:348)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718)		
	at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)		
	at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)		
	... 23 more		