CURA_Appointment_TC

Execution Environment

Host name vishnu - vishnu Local OS Linux 64bit Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/TS_CURA/CURA_Appointment_TC

Description

Total 1

Passed 1 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 13:53:10 End 31-01-2024 13:54:21

Elapsed 1m - 10.680s

ID Description Status

1 Test PASSED

Cases/TS_CURA/CURA_Makeappointment/appointment booking

Information

ID Test Cases/TS_CURA/CURA_Makeappointment/appointment booking

Description

Tag

Start 31-01-2024 13:53:11 End 31-01-2024 13:54:21

Elapsed 1m - 9.997s

Status PASSED

Details

Description Elapsed Status

| Description | Elapsed | Status |
|--|---------|--------|
| Start listener action : sampleBeforeTestCase | 1.222s | ERROF |
| com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare | | |
| Service/input_username' | | |
| | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| stepFailed(WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| runKeyword(WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| (SetTextKeyword.groovy:66) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| (SetTextKeyword.groovy:37) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| (WebUiBuiltInKeywords.groovy:1019) | | |
| at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| (TestHooker.java:111) | | |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| java:95) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| (TestHooker.java:94) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| (TestListenerCollector.java:88) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| handleListenerEvent(TestListenerCollector.java:85) | | |
| at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| publicEvent(ExecutionEventManager.java:36) | | |
| $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$ | | |
| java:268) | | |
| at com.kms.katalon.core.common.CommonExecutor. | | |
| accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:148) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| java:106) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| java:180) | | |
| at TempTestSuite1706689185362.run(TempTestSuite1706689185362.groovy: | | |
| 36) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java base/idk internal reflect DelegatingMethodAssessorImpl invoke | | |

 $at\ java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke$

(Delegating Method Accessor Impl. java: 43)

Description Elapsed Status Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 23 more

2 callTestCase(findTestCase("TS_CURA/CURA_Login/Login"), ["link":"https://katalon-demo-cura.herokuapp.com/", "Name":findTestData("CURA_login_data/login_data").getValue(1, 1), "Password":findTestData("CURA_login_data/login_data").getValue(2, 1)], STOP_ON_FAILURE)

23.401s

PASSED

Call Test Case 'Test Cases/TS_CURA/CURA_Login/Login' successfully

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 3 | selectOptionByValue(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/Dropdown list"), "Hongkong CURA Healthcare Center", false) All options with value 'Hongkong CURA Healthcare Center' are selected in object 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/Dropdown list' | 1.321s | PASSED |
| 4 | ky_droplist.dropdownvalue.CheckDropDownListElementExist(findTestObject("cura_healthca re_obj/Cura_booking_appointment/Booking appointment/select_Tokyo CURA Healthcare Center5b4107"), "Hongkong CURA Healthcare Center") ky_droplist.dropdownvalue.CheckDropDownListElementExist is PASSED | 1.441s | PASSED |
| 5 | check(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/Readmission")) Object 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/Readmission' is checked | 0.766s | PASSED |
| 6 | check(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/input_Medicaid_programs")) Object 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/input_Medicaid_programs' is checked | 0.816s | PASSED |
| 7 | setText(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/input_Visit Date (Required)_visit_date"), Set_Date) Text '24/01/2024' is set on object 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/input_Visit Date (Required)_visit_date' | 1.684s | PASSED |
| 8 | setText(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking appointment/textarea_Comment_comment"), Comment) Text 'Cold' is set on object 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/textarea_Comment_comment' | 1.343s | PASSED |

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 9 | click(findTestObject("cura_healthcare_obj/Cura_booking_appointment/Booking | 1.505s | PASSED |
| | appointment/button_Book Appointment")) | | |

Object: 'Object Repository/cura_healthcare_obj/Cura_booking_appointment/Booking appointment/button_Book Appointment' is clicked on

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 10 | Start listener action : sampleAfterTestCase | 35.438s | ERROR |
| | and have betalen asses according Oten Falls discounting. Healths to each set Union Deal of | | |
| | com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| | object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare | | |
| | Service/input_username' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | stepFailed(WebUlKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | runKeyword(WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| | (SetTextKeyword.groovy:66) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| | (SetTextKeyword.groovy:37) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| | (WebUiBuiltInKeywords.groovy:1019) | | |
| | at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| | (TestHooker.java:111) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| | java:95) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| | (TestHooker.java:94) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| | (TestListenerCollector.java:88) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) | | |
| | at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| | publicEvent(ExecutionEventManager.java:36) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:315) | | |
| | at com.kms.katalon.core.common.CommonExecutor. | | |
| | accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| | java:106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| | java:180) | | |
| | at TempTestSuite1706689185362.run(TempTestSuite1706689185362.groovy: | | |
| | 36) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) | | |

Description Elapsed Status

Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException:

Web element with id: 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' located by '//input[@id='txt-username']' not found

at com.kms.katalon.core.webui.common.WebUiCommonHelper.

findWebElement(WebUiCommonHelper.java:1379)

 $at\ com. kms. katalon. core. we bui. keyword. internal. WebUIAbstract Keyword.$

findWebElement(WebUIAbstractKeyword.groovy:27)

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.

findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.

runKeyword(WebUIKeywordMain.groovy:20)

... 23 more

