CURA_History-Logout

Execution Environment

Host name vishnu - vishnu
Local OS Linux 64bit
Katalon version 9.2.0.212
Browser null

Summary

ID Test Suites/TS_CURA/CURA_History-Logout

Description

Total 2

Passed 0 Failed 2 Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 15:39:27 End 31-01-2024 15:39:34

Elapsed 6.764s

| # ID | | Description | Status |
|------|--|-------------|--------|
| 1 Te | est Cases/TC_CURA/CURA_History/History | | FAILED |
| 2 Te | st Cases/TC_CURA/CURA_Logout/Logout | | FAILED |

Information

ID Test Cases/TC_CURA/CURA_History/History

Description

Tag

Start 31-01-2024 15:39:31 End 31-01-2024 15:39:31

Elapsed 0.467s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.150s | ERROR |
| | com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| | object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare | | |
| | Service/input_username' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | stepFailed(WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | runKeyword(WebUlKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| | (SetTextKeyword.groovy:66) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| | (SetTextKeyword.groovy:37) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| | (WebUiBuiltInKeywords.groovy:1019) | | |
| | at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32) | | |
| | at ipara.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| | (TestHooker.java:111) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| | java:95) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| | (TestHooker.java:94) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| | (TestListenerCollector.java:88) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| | handleListenerEvent(TestListenerCollector.java:85) | | |
| | at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| | publicEvent(ExecutionEventManager.java:36) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:268) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | · | | |
| | java:369) | | |
| | at com.kms.katalon.core.common.CommonExecutor. | | |
| | accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| | java:106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| | java:180) | | |
| | at TempTestSuite1706695576131.run(TempTestSuite1706695576131.groovy: | | |
| | 36) | | |

Status

Description Elapsed at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 26 more

| # Description | | Elapsed | Status |
|---|---|---------|--------|
| <pre>2 click(findTestObject("cura_healthcare_obj/Cu fa-bars"))</pre> | ra_History/History/i_CURA Healthcare_fa | 0.114s | FAILED |
| Unable to click on object 'Object Repository/cura_healthcare_obj/Cura_History (Root cause: com.kms.katalon.core.exception object 'Object Repository/cura_healthcare_ob Healthcare_fa fa-bars' | .StepFailedException: Unable to click on | | |
| at com.kms.katalon.core.webui.key stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.key | · | | |
| runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.key | • | | |
| (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.key (ClickKeyword.groovy:40) | word.builtin.ClickKeyword.execute | | |
| at com.kms.katalon.core.keyword.ir executeKeywordForPlatform(KeywordExecute | · · · · · · · · · · · · · · · · · · · | | |
| at com.kms.katalon.core.webui.key (WebUiBuiltInKeywords.groovy:659) at History.run(History:25) | word.WebUiBuiltInKeywords.click | | |
| at com.kms.katalon.core.main.Scrip at com.kms.katalon.core.main.Scrip | | | |
| | CaseExecutor.runScript(TestCaseExecutor. | | |
| java:448) at com.kms.katalon.core.main.Test((TestCaseExecutor.java:439) | CaseExecutor.doExecute | | |
| at com.kms.katalon.core.main.Test((TestCaseExecutor.java:418) | CaseExecutor.processExecutionPhase | | |
| at com.kms.katalon.core.main.Teste (TestCaseExecutor.java:410) | CaseExecutor.accessMainPhase CaseExecutor.execute(TestCaseExecutor. | | |
| java:285) | CaseExecutor.execute(TestCaseExecutor. | | |
| java:369) at com.kms.katalon.core.main.Test java:369) | CaseExecutor.execute(TestCaseExecutor. | | |
| | CaseExecutor.execute(TestCaseExecutor. | | |
| at com.kms.katalon.core.common.C accessTestCaseMainPhase(CommonExecuto | or.java:65) | | |
| (TestSuiteExecutor.java:148) | SuiteExecutor.accessTestSuiteMainPhase SuiteExecutor.execute(TestSuiteExecutor. | | |
| | CaseMain.startTestSuite(TestCaseMain. | | |
| java:180) at TempTestSuite1706695576131.r 36) | run(TempTestSuite1706695576131.groovy: | | |
| at java.base/jdk.internal.reflect.Nation | veMethodAccessorImpl.invoke0(Native | | |
| at java.base/jdk.internal.reflect.Nati (NativeMethodAccessorImpl.java:77) | veMethodAccessorImpl.invoke | | |

Elapsed

Status

```
Description
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException:
Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:
'6.5.0-15-generic', java.version: '17.0.9'
Driver info: driver.version: unknown
         at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen
(DriverFactory.java:1014)
         at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
(DriverFactory.java:999)
         at\ com. kms. katalon. core. webui. driver. Driver Factory. get Web Driver
(DriverFactory.java:985)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1009)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElements(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElement(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
call(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click
(ClickKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706693454486.run(Script1706693454486.groovy:25)
         ... 18 more
```

Description Elapsed Status

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 3 | Start listener action : sampleAfterTestCase | 0.141s | ERROR |
| | | | |
| | com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| | object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare | | |
| | Service/input_username' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | stepFailed(WebUlKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | runKeyword(WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| | (SetTextKeyword.groovy:66) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| | (SetTextKeyword.groovy:37) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| | (WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| | | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| | (TestHooker.java:111) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| | java:95) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| | (TestHooker.java:94) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| | (TestListenerCollector.java:88) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| | handleListenerEvent(TestListenerCollector.java:85) | | |
| | at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| | publicEvent(ExecutionEventManager.java:36) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:315) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.common.CommonExecutor. | | |
| | accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| | java:106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| | java:180) | | |
| | at TempTestSuite1706695576131.run(TempTestSuite1706695576131.groovy: | | |
| | 36) | | |

Status

Description Elapsed at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 26 more

Information

ID Test Cases/TC_CURA/CURA_Logout/Logout

Description

Tag

Start 31-01-2024 15:39:33 End 31-01-2024 15:39:34

Elapsed 0.382s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 0.112s | ERROR |
| | com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| | object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare | | |
| | Service/input_username' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | stepFailed(WebUlKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | runKeyword(WebUlKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| | (SetTextKeyword.groovy:66) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| | (SetTextKeyword.groovy:37) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| | (WebUiBuiltInKeywords.groovy:1019) | | |
| | at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| | (TestHooker.java:111) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| | java:95) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| | (TestHooker.java:94) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| | (TestListenerCollector.java:88) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| | handleListenerEvent(TestListenerCollector.java:85) | | |
| | at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| | publicEvent(ExecutionEventManager.java:36) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:268) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.common.CommonExecutor. | | |
| | accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) | | |
| | | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| | java:106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| | java:180) | | |
| | at TempTestSuite1706695576131.run(TempTestSuite1706695576131.groovy: | | |
| | 36) | | |

Description Elapsed Status at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 26 more

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 2 | click(findTestObject("cura_healthcare_obj/Cura_Logout/Logout/i_CURA Healthcare_fa fa-bars")) | 0.094s | FAILED |
| | Unable to click on object 'Object Repository/cura_healthcare_obj/Cura_Logout/Logout/i_CURA Healthcare_fa fa-bars' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/cura_healthcare_obj/Cura_Logout/Logout/i_CURA | | |
| | Healthcare_fa fa-bars' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |
| | (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) | | |
| | at Logout.run(Logout:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText | | |
| | (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| | java:180) at TempTestSuite1706695576131.run(TempTestSuite1706695576131.groovy: | | |
| | 36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) | | |

Status

```
Description
                                                                                          Elapsed
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException:
Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:
'6.5.0-15-generic', java.version: '17.0.9'
Driver info: driver.version: unknown
         at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen
(DriverFactory.java:1014)
         at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
(DriverFactory.java:999)
         at\ com.kms. katalon. core. we bui. driver. Driver Factory. get Web Driver
(DriverFactory.java:985)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1009)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElements(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElement(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
call(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click
(ClickKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
         at Script1706693454505.run(Script1706693454505.groovy:22)
         ... 18 more
```

Description Elapsed Status

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 3 | Start listener action : sampleAfterTestCase | 0.101s | ERROR |
| | | | |
| | com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| | object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare | | |
| | Service/input_username' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | stepFailed(WebUlKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | runKeyword(WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| | (SetTextKeyword.groovy:66) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| | (SetTextKeyword.groovy:37) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| | (WebUiBuiltInKeywords.groovy:1019) | | |
| | at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| | (DelegatingMethodAccessorImpl.java:43) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| | (TestHooker.java:111) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| | (TestHooker.java:94) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| | (TestListenerCollector.java:88) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| | handleListenerEvent(TestListenerCollector.java:85) | | |
| | at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| | publicEvent(ExecutionEventManager.java:36) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:315) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:369) | | |
| | at com.kms.katalon.core.common.CommonExecutor. | | |
| | accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| | java:106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| | java:180) | | |
| | at TempTestSuite1706695576131.run(TempTestSuite1706695576131.groovy: | | |
| | 36) | | |

Description Elapsed Status at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 26 more