

# CURA\_Login\_TS

## Execution Environment

|                 |                 |
|-----------------|-----------------|
| Host name       | vishnu - vishnu |
| Local OS        | Linux 64bit     |
| Katalon version | 9.2.0.212       |
| Browser         | null            |

## Summary

|             |                                   |            |                     |
|-------------|-----------------------------------|------------|---------------------|
| ID          | Test Suites/TS_CURA/CURA_Login_TS |            |                     |
| Description |                                   |            |                     |
| Total       | 1                                 |            |                     |
| Passed      | 0                                 | Failed     | 1                   |
| Error       | 0                                 | Incomplete | 0                   |
| Skipped     | 0                                 |            |                     |
| Start       | 31-01-2024 13:34:37               | End        | 31-01-2024 13:35:01 |
| Elapsed     | 24.233s                           |            |                     |

| # | ID                                  | Description | Status |
|---|-------------------------------------|-------------|--------|
| 1 | Test Cases/TS_CURA/CURA_Login/Login |             | FAILED |

# Login

## Information

|             |                                     |     |                     |
|-------------|-------------------------------------|-----|---------------------|
| ID          | Test Cases/TS_CURA/CURA_Login/Login |     |                     |
| Description |                                     |     |                     |
| Tag         |                                     |     |                     |
| Start       | 31-01-2024 13:34:57                 | End | 31-01-2024 13:35:01 |
| Elapsed     | 3.620s                              |     |                     |
| Status      | FAILED                              |     |                     |

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

# Login

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase<br><br>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:1019)<br>at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.java:111)<br>at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:95)<br>at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods(TestHooker.java:94)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3(TestListenerCollector.java:88)<br>at com.kms.katalon.core.context.internal.TestListenerCollector.handleListenerEvent(TestListenerCollector.java:85)<br>at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent(ExecutionEventManager.java:36)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:268)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)<br>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)<br>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)<br>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)<br>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)<br>at TempTestSuite1706688134457.run(TempTestSuite1706688134457.groovy:36) | 0.224s  | ERROR  |

# Login

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9'<br>Driver info: driver.version: unknown<br>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen(DriverFactory.java:1014)<br>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver(DriverFactory.java:999)<br>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:985)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1009)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsByDefault(WebUiCommonHelper.java:888)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements(WebUiCommonHelper.java:718)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement(WebUiCommonHelper.java:1374)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)<br>... 26 more |         |        |

# Login

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | <p>callTestCase(findTestCase("TS_CURA/CURA_Name_validation/CURA Heading validation"), [{"link": "https://katalon-demo-cura.herokuapp.com/"}], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/TS_CURA/CURA_Name_validation/CURA Heading validation' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/TS_CURA/CURA_Name_validation/CURA Heading validation' failed at com.kms.katalon.core.keyword.builtin.<br/>CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)<br/>at com.kms.katalon.core.keyword.builtin.<br/>CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)<br/>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword<br/>(KeywordMain.groovy:75)<br/>at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase<br/>(CallTestCaseKeyword.groovy:81)<br/>at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute<br/>(CallTestCaseKeyword.groovy:44)<br/>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br/>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br/>at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase<br/>(BuiltinKeywords.groovy:310)<br/>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native<br/>Method)<br/>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br/>(NativeMethodAccessorImpl.java:77)<br/>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br/>(DelegatingMethodAccessorImpl.java:43)<br/>at Login.run(Login:20)<br/>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br/>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText<br/>(ScriptEngine.java:119)<br/>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br/>java:448)<br/>at com.kms.katalon.core.main.TestCaseExecutor.doExecute<br/>(TestCaseExecutor.java:439)<br/>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br/>(TestCaseExecutor.java:418)<br/>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br/>(TestCaseExecutor.java:410)<br/>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br/>java:285)<br/>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br/>java:369)<br/>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br/>java:369)<br/>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br/>java:369)<br/>at com.kms.katalon.core.common.CommonExecutor.<br/>accessTestCaseMainPhase(CommonExecutor.java:65)<br/>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase<br/>(TestSuiteExecutor.java:148)<br/>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.<br/>java:106)<br/>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.<br/>java:180)</p> | 3.059s  | FAILED |

# Login

| #   | Description  | Elapsed | Status |
|-----|--|---------|--------|
| 36) | at TempTestSuite1706688134457.run(TempTestSuite1706688134457.groovy:<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native<br>Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke<br>(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke<br>(DelegatingMethodAccessorImpl.java:43)<br>Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open<br>browser with url: "<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.<br>stepFailed(WebUIKeywordMain.groovy:64)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.<br>runKeyword(WebUIKeywordMain.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.<br>openBrowser(OpenBrowserKeyword.groovy:81)<br>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.<br>execute(OpenBrowserKeyword.groovy:67)<br>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.<br>openBrowser(WebUiBuiltInKeywords.groovy:64)<br>at CURA Heading validation.run(CURA Heading validation:20)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText<br>(ScriptEngine.java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.<br>java:448)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute<br>(TestCaseExecutor.java:439)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:418)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:410)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.<br>java:285)<br>at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:<br>137)<br>at com.kms.katalon.core.keyword.builtin.<br>CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)<br>... 28 more<br>Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote<br>response: Response: 402, Code: TCS10007, Message: The quota has expired<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession<br>(ProtocolHandshake.java:115)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession<br>(ProtocolHandshake.java:74)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute<br>(HttpCommandExecutor.java:136)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute<br>(RemoteWebDriver.java:552)<br>at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute<br>(CRemoteWebDriver.java:30)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession |         |        |

# Login

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | <pre>(RemoteWebDriver.java:213)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver. java:131)     at com.kms.katalon.selenium.driver.CRemoteWebDriver.&lt;init&gt; (CRemoteWebDriver.java:20)     at com.kms.katalon.core.webui.driver.DriverFactory. createNewRemoteWebDriver(DriverFactory.java:547)     at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:336)     at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262)     at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74)     at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64)     at Script1706546313848.run(Script1706546313848.groovy:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)</pre> |         |        |

# Login

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | <pre>at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:310) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at Script1706544636857.run(Script1706544636857.groovy:20) ... 18 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: R. Last 1 characters read: R Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: CRemoteWebDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6 (JsonTypeCoercer.java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver. java:131) at com.kms.katalon.selenium.driver.CRemoteWebDriver.&lt;init&gt; (CRemoteWebDriver.java:20) at com.kms.katalon.core.webui.driver.DriverFactory. createNewRemoteWebDriver(DriverFactory.java:547) at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:336) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.</pre> |         |        |



# Login

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | <pre>openBrowser(OpenBrowserKeyword.groovy:81)   at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67)   at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64)   at CURA Heading validation.run(CURA Heading validation:20)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)   at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)   at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)   at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)   at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)   at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:310)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)   at Login.run(Login:20)   ... 18 more )</pre> |         |        |

# Login

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 3 | Start listener action : sampleAfterTestCase  | 0.163s  | ERROR  |
|   | <pre>com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)     at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)     at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. java:95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)     at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)     at TempTestSuite1706688134457.run(TempTestSuite1706688134457.groovy: 36)</pre> |         |        |

# Login

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'<br>System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9'<br>Driver info: driver.version: unknown<br>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen(DriverFactory.java:1014)<br>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver(DriverFactory.java:999)<br>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:985)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1009)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:915)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:897)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:892)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsByDefault(WebUiCommonHelper.java:888)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsWithSelfHealing(WebUiCommonHelper.java:734)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements(WebUiCommonHelper.java:718)<br>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement(WebUiCommonHelper.java:1374)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)<br>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)<br>... 26 more |         |        |