CURA_Validation_TC

Execution Environment

Host name vishnu - vishnu Local OS Linux 64bit Katalon version 9.2.0.212

Browser Chrome 121.0.0.0

Summary

ID Test Suites/TS_CURA/CURA_Validation_TC

Description

Total 1

Passed 1 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 31-01-2024 13:57:52 End 31-01-2024 13:58:43

Elapsed 50.903s

| # | ID | Description | Status |
|---|---|-------------|--------|
| 1 | Test Cases/TS_CURA/CURA_Name_validation/CURA Heading validation | | PASSED |

Information

ID Test Cases/TS_CURA/CURA_Name_validation/CURA Heading validation

Description

Tag

Start 31-01-2024 13:57:52 End 31-01-2024 13:58:43

Elapsed 50.374s
Status PASSED

Details

Description Elapsed Status

| Description | Elapsed | Status |
|--|---------|--------|
| Start listener action : sampleBeforeTestCase | 1.709s | ERROF |
| com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of | | |
| object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare | | |
| Service/input_username' | | |
| | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| stepFailed(WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| runKeyword(WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| (SetTextKeyword.groovy:66) | | |
| at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute | | |
| (SetTextKeyword.groovy:37) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText | | |
| (WebUiBuiltInKeywords.groovy:1019) | | |
| at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeMethod | | |
| (TestHooker.java:111) | | |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| java:95) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| (TestHooker.java:94) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| (TestListenerCollector.java:88) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| handleListenerEvent(TestListenerCollector.java:85) | | |
| at com.kms.katalon.core.context.internal.ExecutionEventManager. | | |
| publicEvent(ExecutionEventManager.java:36) | | |
| $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$ | | |
| java:268) | | |
| at com.kms.katalon.core.common.CommonExecutor. | | |
| accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$ | | |
| (TestSuiteExecutor.java:148) | | |
| $at\ com. kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor.)$ | | |
| java:106) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. | | |
| java:180) | | |
| at TempTestSuite1706689641528.run(TempTestSuite1706689641528.groovy: | | |
| 36) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java hase lidk internal reflect Delegating Mathed Assessar Implinyaka | | |

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(Delegating Method Accessor Impl. java: 43)

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: | | |
| | Browser is not opened | | |
| | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| | System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: | | |
| | '6.5.0-15-generic', java.version: '17.0.9' | | |
| | Driver info: driver.version: unknown | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen | | |
| | (DriverFactory.java:1014) | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver | | |
| | (DriverFactory.java:999) | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver | | |
| | (DriverFactory.java:985) | | |
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper. | | |
| | findElementByNormalMethods(WebUiCommonHelper.java:1009) | | |
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper. | | |
| | findElementsBySelectedMethod(WebUiCommonHelper.java:915) | | |
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper. | | |
| | findElementsBySelectedMethod(WebUiCommonHelper.java:897) | | |
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper. | | |
| | findElementsBySelectedMethod(WebUiCommonHelper.java:892) | | |
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper. | | |
| | findElementsByDefault(WebUiCommonHelper.java:888) | | |
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper. | | |
| | findElementsWithSelfHealing(WebUiCommonHelper.java:734) | | |
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper. | | |
| | findWebElements(WebUiCommonHelper.java:718) | | |
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper. | | |
| | findWebElement(WebUiCommonHelper.java:1374) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. | | |
| | findWebElement(WebUIAbstractKeyword.groovy:27) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. | | |
| | findWebElement(WebUIAbstractKeyword.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) | | |
| | | | |
| | at com.kms.katalon.core.webui.keyword.builtin. | | |
| | SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | runKeyword(WebUlKeywordMain.groovy:20) | | |
| | 23 more | | |
| | 25 more | | |
| | | | |
| | | | |
| | | | |
| 2 | openBrowser("") | 6.106s | PASSED |
| | | | |
| | Browser is opened with url: " | | |
| | | | |
| | | | |
| 3 | navigateToUrl("https://katalon-demo-cura.herokuapp.com/") | 4.483s | PASSED |
| 3 | navigate 100m mtps://katalon-demo-dura.nerokuapp.com/ / | T.TUU3 | IAGGED |

Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 4 | verifyElementPresent(findTestObject("cura_healthcare_obj/Cura_name_validation/h1_CUR A Healthcare Service"), 0) | 1.004s | PASSED |
| | Object 'Object Repository/cura_healthcare_obj/Cura_name_validation/h1_CURA Healthcare Service' is present | | |

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 5 | Start listener action : sampleAfterTestCase | 36.439s | ERROR |
| | com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | runKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText | | |
| | (SetTextKeyword.groovy:66) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) | | |
| | at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker. | | |
| | java:95) | | |
| | at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) | | |
| | at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| | handleListenerEvent(TestListenerCollector.java:85) | | |
| | at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:315) | | |
| | at com.kms.katalon.core.common.CommonExecutor. | | |
| | accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. | | |
| | java:106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) | | |
| | at TempTestSuite1706689641528.run(TempTestSuite1706689641528.groovy: 36) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| | Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| | (NativeMethodAccessorImpl.java:77) | | |
| | at java base/idk internal reflect DelogatingMethodAccessorImpl invoke | | |

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke

(Delegating Method Accessor Impl. java: 43)

Description Elapsed Status

Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare

Service/input_username' located by '//input[@id='txt-username']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.

findWebElement(WebUiCommonHelper.java:1379)

 $at\ com. kms. katalon. core. we bui. keyword. internal. WebUIAbstract Keyword.$

findWebElement(WebUIAbstractKeyword.groovy:27)

 $at\ com.kms. katalon.core. webui. keyword. internal. WebUIAbstract Keyword.$

findWebElement(WebUIAbstractKeyword.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51)

at com.kms.katalon.core.webui.keyword.builtin.

SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.

runKeyword(WebUIKeywordMain.groovy:20)

... 23 more

