CURA_Login_TS

Execution Environment

Host name	vishnu - vishnu
Local OS	Linux 64bit
Katalon version	9.2.0.212
Browser	Firefox 122.0

Summary

ID	Test Suites/TS_CURA/CURA_Login_TS		
Description			
Total	1		
Passed	1	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	01-02-2024 15:01:12	End	01-02-2024 15:02:14
Elapsed	1m - 1.651s		

#	ID	Description	Status
1	Test Cases/TC_CURA/CURA_Login/login		PASSED

login

Information

ID	Test Cases/TC_CURA/CURA_Login/login		
Description			
Tag			
Start	01-02-2024 15:01:13	End	01-02-2024 15:02:14
Elapsed	1m - 1.152s		
Status	PASSED		

Details

#	Description	Elapsed	Status

login

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	1.292s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
    at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
    at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
    at TempTestSuite1706779735606.run(TempTestSuite1706779735606.groovy: 36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

#	Description	Elapsed	Status

Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException:
Browser is not opened
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version:
'6.5.0-15-generic', java.version: '17.0.9'
Driver info: driver.version: unknown
        at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen
(DriverFactory.java:1014)
        at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
(DriverFactory.java:999)
        at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver
(DriverFactory.java:985)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1009)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:892)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:734)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElements(WebUiCommonHelper.java:718)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findWebElement(WebUiCommonHelper.java:1374)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
        at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
        ... 23 more

| 2 | callTestCase(findTestCase("TC_CURA/CURA_Name_validation/CURA Heading validation"), ["link":"https://katalon-demo-cura.herokuapp.com/"], STOP_ON_FAILURE) | 19.109s | PASSED |

Call Test Case 'Test Cases/TC_CURA/CURA_Name_validation/CURA Heading validation'
successfully

login

#	Description	Elapsed	Status
3	click(findTestObject("cura_healthcare_obj/Cura_LOGIN/login_obj/a_CURA Healthcare_menu-toggle")) Object: 'Object Repository/cura_healthcare_obj/Cura_LOGIN/login_obj/a_CURA Healthcare_menu-toggle' is clicked on	0.915s	PASSED
4	click(findTestObject("Object Repository/cura_healthcare_obj/Cura_LOGIN/Page_CURA Healthcare Service/a_Login")) Object: 'Object Repository/cura_healthcare_obj/Cura_LOGIN/Page_CURA Healthcare Service/a_Login' is clicked on	1.160s	PASSED
5	setText(findTestObject("Object Repository/cura_healthcare_obj/Cura_LOGIN/Page_CURA Healthcare Service/input_username"), "John Doe") Text 'John Doe' is set on object 'Object Repository/cura_healthcare_obj/Cura_LOGIN/Page_CURA Healthcare Service/input_username'	0.976s	PASSED
6	setEncryptedText(findTestObject("Object Repository/cura_healthcare_obj/Cura_LOGIN/Page_CURA Healthcare Service/input_password"), "g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM") Text ****** has been set on object 'Object Repository/cura_healthcare_obj/Cura_LOGIN/Page_CURA Healthcare Service/input_password'	0.642s	PASSED
7	click(findTestObject("Object Repository/cura_healthcare_obj/Cura_LOGIN/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/cura_healthcare_obj/Cura_LOGIN/Page_CURA Healthcare Service/button_Login' is clicked on	1.565s	PASSED

login

#	Description	Elapsed	Status
8	Start listener action : sampleAfterTestCase	35.021s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
    at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
    at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
    at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
    at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
    at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
    at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
    at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
    at TempTestSuite1706779735606.run(TempTestSuite1706779735606.groovy: 36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

#	Description	Elapsed	Status
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' located by '//input[@id='txt-username']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1379) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 23 more		

Make Appointment

Facility	Tokyo CURA Healthcare Center

☐ Apply for hospital readmission

Healthcare Program   ⦿ Medicare   ◯ Medicaid   ◯ None

Visit Date (Required)   dd/mm/yyyy

Comment   Comment

Book Appointment