CURA_History-Logout

Execution Environment

Host name vishnu - vishnu
Local OS Linux 64bit
Katalon version 9.2.0.212
Browser null

Summary

ID Test Suites/TS_CURA/CURA_History-Logout

Description

Total 2

Passed 0 Failed 0 Error 2 Incomplete 0

Skipped 0

Start 31-01-2024 16:23:51 End 31-01-2024 16:23:59

Elapsed 8.454s

#	ID	Description	Status
1	Test Cases/TC_CURA/CURA_History/History		ERROR
2	Test Cases/TC_CURA/CURA_Logout/Logout		ERROR

Information

ID Test Cases/TC_CURA/CURA_History/History

Description

Tag

Start 31-01-2024 16:23:56 End 31-01-2024 16:23:56

Elapsed 0.571s
Status ERROR

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.152s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
	Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019)		
	at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
	(TestHooker.java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
	java:95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.		
	publicEvent(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:268)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
	java:106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		
	at TempTestSuite1706698129235.run(TempTestSuite1706698129235.groovy:		
	36)		

Status

Description Elapsed at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 26 more

Description	Elapsed	Status
callTestCase(findTestCase("TC_CURA/CURA_Makeappointment/appointment booking"), ["Hospital":findTestData("CURA_BookingAppointment/Dropdown_list").getValue(1, 1), "Program":findTestData("CURA_BookingAppointment/Healthcare_Program").getValue (1, 1),], STOP_ON_FAILURE)	0.173s	ERRO
Test Cases/TC_CURA/CURA_History/History FAILED. Reason:		
java.lang.IllegalArgumentException: Cannot find test data with id 'Data		
Files/CURA_BookingAppointment/Healthcare_Program' because (of) 'java.io.		
FileNotFoundException: /home/vishnu/git/Testing_project_CURA-		
HEALTHCARE/Common_test_data/Cura_TD_Bookappointment.xlsx'		
at com.kms.katalon.core.testdata.TestDataFactory.findTestData		
(TestDataFactory.java:132)		
at History.run(History:21)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
java:106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:180)		
at TempTestSuite1706698129235.run(TempTestSuite1706698129235.groovy:		
36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		

Description Elapsed Status

#	Description	Elapsed	Status
		·	
3	Start listener action : sampleAfterTestCase	0.127s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
	Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019) at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)		
	at re_cura_neathcare.sampleArterrestcase(re_cura_neathcare.groovy.40) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
	(TestHooker.java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
	java:95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.		
	publicEvent(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:369)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
	java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		
	at TempTestSuite1706698129235.run(TempTestSuite1706698129235.groovy:		
	36)		
	/		

Status

Description Elapsed at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)

... 26 more

Information

ID Test Cases/TC_CURA/CURA_Logout/Logout

Description

Tag

Start 31-01-2024 16:23:59 End 31-01-2024 16:23:59

Elapsed 0.508s
Status ERROR

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	0.114s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
	Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019)		
	at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
	(TestHooker.java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
	java:95)		
	$at\ com. kms. katalon. core. context. internal. Test Hooker. invoke Context Methods$		
	(TestHooker.java:94)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.		
	publicEvent(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:268)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
	java:106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		
	at TempTestSuite1706698129235.run(TempTestSuite1706698129235.groovy:		
	36)		

Description Elapsed Status at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 26 more

Description	Elapsed	Status
callTestCase(findTestCase("TC_CURA/CURA_History/History"), [:], STOP_ON_FAILURE)	0.217s	ERROR
Test Cases/TC_CURA/CURA_Logout/Logout FAILED.		
Reason:		
com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test		
Cases/TC_CURA/CURA_History/History' failed because of error(s)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:75)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase		
(BuiltinKeywords.groovy:310)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at Logout.run(Logout:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
$at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)$		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
at com kmc katalon coro main. Loctí 'acollilain etert Loct' 'intel Locti 'accililain		

Description	Elapsed	Status
at TempTestSuite1706698129235.run(TempTestSuite1706698129235.groovy:		
36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: java.lang.IllegalArgumentException: Cannot find test data with id 'Data		
Files/CURA_BookingAppointment/Healthcare_Program' because (of) 'java.io.		
FileNotFoundException: /home/vishnu/git/Testing_project_CURA-		
HEALTHCARE/Common_test_data/Cura_TD_Bookappointment.xlsx'		
at com.kms.katalon.core.testdata.TestDataFactory.findTestData		
(TestDataFactory.java:132)		
at History.run(History:21)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
$at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439)		
$at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase$		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
java:285)		
$at\ com. kms. katalon. core. main. Test Case Main. run Test Case (Test Case Main. java: test Case Main. java$		
137)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)		
28 more		

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestCase	0.131s	ERROR
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of		
	object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare		
	Service/input_username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	stepFailed(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
	runKeyword(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019)		
	at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeMethod		
	(TestHooker.java:111)		
	at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.		
	java:95)		
	at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods		
	(TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3		
	(TestListenerCollector.java:88)		
	at com.kms.katalon.core.context.internal.TestListenerCollector.		
	handleListenerEvent(TestListenerCollector.java:85)		
	at com.kms.katalon.core.context.internal.ExecutionEventManager.		
	publicEvent(ExecutionEventManager.java:36)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:315)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.		
	java:106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		
	at TempTestSuite1706698129235.run(TempTestSuite1706698129235.groovy:		
	36)		

Description Elapsed Status at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1014) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:999) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:985) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1009) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$ setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 26 more