CURA_History-Logout

Execution Environment

Host name	vishnu - vishnu
Local OS	Linux 64bit
Katalon version	9.2.0.212
Browser	Firefox 122.0

Summary

ID	Test Suites/TS_CURA/CURA_History-Logout
Description	

Total	2		
Passed	2	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	01-02-2024 15:04:36	End	01-02-2024 15:07:12
Elapsed	2m - 36.840s		

#	ID	Description	Status
1	Test Cases/TC_CURA/CURA_History/History		PASSED
2	Test Cases/TC_CURA/CURA_Logout/Logout		PASSED

History

Information

ID	Test Cases/TC_CURA/CURA_History/History			
Description				
Tag				
Start	01-02-2024 15:04:36	End	01-02-2024 15:05:56	
Elapsed	1m - 19.809s			
Status	PASSED			

Details

#	Description	Elapsed	Status

History

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	1.181s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
      at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
      at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
      at TempTestSuite1706779741737.run(TempTestSuite1706779741737.groovy: 36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

#	Description	Elapsed	Status
	Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened		

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9'
Driver info: driver.version: unknown
        at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen(DriverFactory.java:1014)
        at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver(DriverFactory.java:999)
        at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:985)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1009)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:915)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:897)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:892)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsByDefault(WebUiCommonHelper.java:888)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsWithSelfHealing(WebUiCommonHelper.java:734)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements(WebUiCommonHelper.java:718)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement(WebUiCommonHelper.java:1374)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)
        ... 23 more

#	Description	Elapsed	Status
2	callTestCase(findTestCase("TC_CURA/CURA_Makeappointment/appointment booking"), ["Hospital":Hospital, "Set_Date":date, "Comment":comment], STOP_ON_FAILURE) Call Test Case 'Test Cases/TC_CURA/CURA_Makeappointment/appointment booking' successfully	40.147s	PASSED

History

#	Description	Elapsed	Status
3	click(findTestObject("cura_healthcare_obj/Cura_History/History/i_CURA Healthcare_fa fa-bars")) Object: 'Object Repository/cura_healthcare_obj/Cura_History/History/i_CURA Healthcare_fa fa-bars' is clicked on	0.726s	PASSED
4	click(findTestObject("cura_healthcare_obj/Cura_History/History/a_History")) Object: 'Object Repository/cura_healthcare_obj/Cura_History/History/a_History' is clicked on	1.029s	PASSED
5	verifyElementPresent(findTestObject("cura_healthcare_obj/Cura_History/History/h2_History"), 0) Object 'Object Repository/cura_healthcare_obj/Cura_History/History/h2_History' is present	0.461s	PASSED

History

#	Description	Elapsed	Status
6	Start listener action : sampleAfterTestCase	35.788s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
      at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
      at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
      at TempTestSuite1706779741737.run(TempTestSuite1706779741737.groovy: 36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

#	Description	Elapsed	Status

	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' located by '//input[@id='txt-username']' not found
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1379)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)
	    at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
	    at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)
	    ... 23 more		

History

24/01/2024	
Facility	Hongkong CURA Healthcare Center
Apply for hospital readmission	Yes
Healthcare Program	Medicaid
Comment	Cold

Go to Homepage

CURA Healthcare Service

Logout

Information

ID	Test Cases/TC_CURA/CURA_Logout/Logout
Description	
Tag	

Start	01-02-2024 15:05:56	End	01-02-2024 15:07:12
Elapsed	1m - 16.372s		
Status	PASSED		

Details

#	Description	Elapsed	Status

Logout

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestCase	35.780s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
      at TL_cura_healthcare.sampleBeforeTestCase(TL_cura_healthcare.groovy:32)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:268)
      at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
      at TempTestSuite1706779741737.run(TempTestSuite1706779741737.groovy: 36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

#	Description	Elapsed	Status

	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username' located by '//input[@id='txt-username']' not found
	    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement(WebUiCommonHelper.java:1379)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:26)
	    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
	    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)
	    ... 23 more		

2	callTestCase(findTestCase("TC_CURA/CURA_History/History"), ["Hospital":findTestData("CURA_BookingAppointment/Dropdown_list").getValue(1, 1), "date":findTestData("CURA_BookingAppointment/Date_Booking").getValue(1, 1), ...], STOP_ON_FAILURE)	34.188s	PASSED
3	click(findTestObject("cura_healthcare_obj/Cura_Logout/Logout/i_CURA Healthcare_fa fa-bars")) Object: 'Object Repository/cura_healthcare_obj/Cura_Logout/Logout/i_CURA Healthcare_fa fa-bars' is clicked on	0.583s	PASSED
4	click(findTestObject("cura_healthcare_obj/Cura_Logout/Logout/a_Logout")) Object: 'Object Repository/cura_healthcare_obj/Cura_Logout/Logout/a_Logout' is clicked on	1.289s	PASSED

Logout

#	Description	Elapsed	Status
5	verifyElementVisible(findTestObject("cura_healthcare_obj/Cura_Logout/Logout/div_HOME"))	0.460s	PASSED
	Object 'Object Repository/cura_healthcare_obj/Cura_Logout/Logout/div_HOME' is visible		
6	closeBrowser()	3.672s	PASSED
	Browser is closed		

Logout

#	Description	Elapsed	Status
7	Start listener action : sampleAfterTestCase	0.157s	ERROR

com.kms.katalon.core.exception.StepFailedException: Unable to set text 'John Doe' of object 'Object Repository/TL_CURA_OBJ/Page_CURA Healthcare Service/input_username'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
      at TL_cura_healthcare.sampleAfterTestCase(TL_cura_healthcare.groovy:46)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
      at com.kms.katalon.core.context.internal.TestHooker.invokeMethod (TestHooker.java:111)
      at com.kms.katalon.core.context.internal.TestHooker.lambda$3(TestHooker. java:95)
      at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)
      at com.kms.katalon.core.context.internal.TestListenerCollector.lambda$3 (TestListenerCollector.java:88)
      at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)
      at com.kms.katalon.core.context.internal.ExecutionEventManager. publicEvent(ExecutionEventManager.java:36)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)
      at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor. java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
      at TempTestSuite1706779741737.run(TempTestSuite1706779741737.groovy: 36)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

Logout

#	Description	Elapsed	Status
	Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'vishnu', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '6.5.0-15-generic', java.version: '17.0.9' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CFirefoxDriver.execute(CFirefoxDriver.java:28) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:915) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:734) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1374) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 23 more		