

Product Specifications & Lifecycle Report

This document is generated specifically to test the Pandoc *extraction pipeline*. It contains complex multi-level tables with merged cells and *coloured headers*, nested bullet and numbered lists, inline text formatting, and *multi-paragraph cells* — all structures that cause Pandoc to emit HTML table tags.

1. Inline Text Formatting

Bold red text. *Italic text.* Underlined text. ***Bold + Italic + Blue.***

2. Nested Bullet & Numbered Lists

- Alpha Product Line
 - Sub-category A
 - Detail level — specifications here
 - Sub-category B
 - Detail level — specifications here
- Beta Product Line
 - Sub-category A
 - Detail level — specifications here
 - Sub-category B
 - Detail level — specifications here
- Gamma Product Line
 - Sub-category A
 - Detail level — specifications here
 - Sub-category B

- Detail level — specifications here ¹

Numbered Steps ²

1. Gather all input DOCX files. ³
2. Run them through the Pandoc pipeline. ⁴
3. Review the generated Markdown output. ⁵
4. Verify with the QA team. ⁶

3. Simple Product Table ⁷

This is a standard table Pandoc should render as a GFM pipe table: ⁸

Product ID	Name	Category	Price (£)
P-001	Funeral Plan Gold	Insurance	£4,500
P-002	Funeral Plan Silver	Insurance	£3,200
P-003	Probate Service	Legal	£1,800
P-004	Will Writing Kit	Legal	£299

4. Complex Merged-Cell Table (triggers HTML output) ¹⁰

This table uses cell merging (colspan/rowspan). Pandoc cannot represent this in standard Markdown, so it will emit HTML `<table>` tags. ¹¹

Product Details		Financial Performance		Status
Code	Name	Q1 Revenue	Q2 Revenue	Lifecycle
P-001	Funeral Plan Gold	£420,000	£380,000	Active
P-002	Funeral Plan Silver	£290,000	£310,000	Active
P-003	Probate Service	£120,000	£145,000	Under Review

5. Table With Multi-Paragraph Cells ¹³

Cells with multiple paragraphs also force Pandoc into HTML mode because GFM pipe tables cannot contain newlines inside a cell. ¹⁴

Feature	Description	Notes
Extraction Engine	Primary: Pandoc (gfm) Fallback: Markdown Legacy: Docling	Configured per router
Output Format	GitHub Flavoured Markdown (.md)	Stored in SharePoint

6. Important Notes

All documents processed by this pipeline are subject to the 3-stage lifecycle: Raw → Draft → Final. No document reaches downstream AI systems until it has been signed off by an authorised verifier.

7. Wide Multi-Column Data Table (forces HTML)

A table with 8+ narrow columns where the header row spans 2 levels also cannot be expressed in GFM — Pandoc will emit HTML.

Q1 Metrics				Q2 Metrics			
Jan	Feb	Mar	Total Q1	Apr	May	Jun	Total Q2
120	135	142	397	150	160	175	485
200	210	195	605	220	230	215	665
80	90	85	255	100	110	95	305

Word Template for Full Length Paper¹

1st Author²
1st author's institute affiliation
Telephone number
E-mail address

2nd Author³
2nd author's institute affiliation
Telephone number
E-mail address

3rd Author⁴
3rd author's institute affiliation
Telephone number
E-mail address

Abstract⁵

*The abstract is to be in fully-justified italicized text, at the top of the left-hand column as it is here, below the author information. Use the word "Abstract" as the title, in 12-point Times, boldface type, centered relative to the column, initially capitalized. The abstract is to be in 10-point, single-spaced type, and may be up to 3 in. (7.62 cm) long. Leave two blank lines after the abstract, then begin the main text. All manuscripts must be in English.*⁶

do not capitalize articles, coordinate conjunctions, or prepositions (unless the title begins with such a word). Leave two blank lines after the title.¹⁴

4. Author Name(s) and Affiliation(s)¹⁵

Author names and affiliations are to be centered beneath the title and printed in Times 12-point, non-boldface type. Multiple authors may be shown in a two- or three-column format, with their affiliations below their respective names. Affiliations are centered below each author name, italicized, not bold. Include e-mail addresses if possible. Follow the author information by two blank lines before main text.¹⁶

1. Introduction⁷

These guidelines include complete descriptions of the fonts, spacing, and related information for producing your proceedings manuscripts. Please follow them and if you have any questions, direct them to the production editor in charge of your proceedings at the IEEE Computer Society Press: Phone (714) 821-8380 or Fax (714) 761-1784.⁸

5. Second and Following Pages¹⁷

The second and following pages should begin 1.0 inch (2.54 cm) from the top edge. On all pages, the bottom margin should be 1-1/8 inches (2.86 cm) from the bottom edge of the page for 8.5 x 11-inch paper; for A4 paper, approximately 1-5/8 inches (4.13 cm) from the bottom edge of the page.¹⁸

2. Formatting Your Paper⁹

All printed material, including text, illustrations, and charts, must be kept within a print area of 6-7/8 inches (17.5 cm) wide by 8-7/8 inches (22.54 cm) high. Do not write or print anything outside the print area. All text must be in a two-column format. Columns are to be 3-1/4 inches (8.25 cm) wide, with a 5/16 inch (0.8 cm) space between them.¹⁰

Text must be fully justified. A format sheet with the margins and placement guides is available in Word files as <format.doc>. It contains lines and boxes showing the margins and print areas. If you hold it and your printed page up to the light, you can easily check your margins to see if your print area fits within the space allowed.¹¹

6. Type-style and Fonts¹⁹

Wherever Times is specified, Times Roman, or New Times Roman may be used. If neither is available on your word processor, please use the font closest in appearance to Times that you have access to. Please avoid using bitmapped fonts if possible. True-Type 1 fonts are preferred.²⁰

3. Main Title¹²

The main title (on the first page) should begin 1-3/8 inches (3.49 cm) from the top edge of the page, centered, and in Times 14-point, boldface type. Capitalize the first letter of nouns, pronouns, verbs, adjectives, and adverbs;¹³

7. Main Text²¹

Type your main text in 10-point Times, single-spaced. Do not use double-spacing. All paragraphs should be indented 1 pica (approximately 1/6- or 0.17-inch or 0.422 cm). Be sure your text is fully justified—that is, flush left and flush right. Please do not place any additional blank lines between paragraphs. You can use courier for source code.²²



7.1. Figure and Table Captions 1

2 Captions should be 9-point Times New Roman font, boldface. Callouts should be Times New Roman, non-boldface. Initially capitalize only the first word of each figure caption and table title. Figures and tables must be numbered separately. For example: "Figure 1. Example figure.", "Table 1. Table example.". Figure captions are to be below the figures (see Figure 1). Table titles are to be centered above the tables (see Table 1).

Table 1. Table example. 3

One	Two	Three
-----	-----	-------

 4

8. First-order Headings 5

6 For example, "1. Introduction", should be Times 12-point boldface, initially capitalized, flush left, with one blank line before, and one blank line after. Use a period (".") after the heading number, not a colon.

8.1. Second-order Headings 7

8 As in this heading, they should be Times 11-point boldface, initially capitalized, flush left, with one blank line before, and one after.

9 **8.1.1. Third-order Headings.** Third-order headings, as in this paragraph, are discouraged. However, if you must use them, use 10-point Times, boldface, initially capitalized, flush left, preceded by one blank line, followed by a period and your text on the same line.

9. Acknowledgements 10

11 This work was supported in part by a grant from the National Science Foundation.

10. References 12

13 List and number all bibliographical references in 9-point Times, single-spaced, at the end of your paper. When referenced in the text, enclose the citation number in square brackets, for example [2-4], [2, 5], and [1].

[1] Briand, L. C., Daly, J., and Wüst, J., "A unified framework for coupling measurement in objectoriented systems", *IEEE Transactions on Software Engineering*, 25, 1, January 1999, pp. 91-121. 14

[2] Maletic, J. L., Collard, M. L., and Marcus, A., "Source Code Files as Structured Documents", in *Proceedings 10th IEEE International Workshop on Program Comprehension (IWPC'02)*, Paris, France, June 27-29 2002, pp. 289-292. 15

[3] Marcus, A., *Semantic Driven Program Analysis*, Kent State University, Kent, OH, USA, Doctoral Thesis, 2003. 16

[4] Marcus, A. and Maletic, J. L., "Recovering Documentation-to-Source-Code Traceability Links using Latent Semantic Indexing", in *Proceedings 25th IEEE/ACM International Conference on Software Engineering (ICSE'03)*, Portland, OR, May 3-10 2003, pp. 125-137. 17

[5] Salton, G., *Automatic Text Processing: The Transformation, Analysis and Retrieval of Information by Computer*, Addison-Wesley, 1989. 18