

# Rajalakshmi Engineering College

Name: VISHRUTHI K S

Email: 241801318@rajalakshmi.edu.in

Roll no: 241801318

Phone: 9791109021

Branch: REC

Department: AI & DS - Section 4

Batch: 2028

Degree: B.E - AI & DS

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 8\_Q1

Attempt : 1

Total Mark : 10

Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotExceptionAtTheRateExceptionDomainException

A typical email address should have a ". " character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

#### ***Input Format***

The first line of input contains the email to be validated.

#### ***Output Format***

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

**Sample Test Case**

Input: sample@gmail.com

Output: Valid email address

**Answer**

```
import java.util.*;  
  
class DotException extends Exception {  
    DotException(String msg) {  
        super(msg);  
    }  
}  
  
class AtTheRateException extends Exception {  
    AtTheRateException(String msg) {  
        super(msg);  
    }  
}  
  
class DomainException extends Exception {  
    DomainException(String msg) {  
        super(msg);  
    }  
}  
  
public class Main {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
        String email = sc.nextLine();  
  
        try {  
            validateEmail(email);  
            System.out.println("Valid email address");  
        } catch (DotException e) {  
            System.out.println("DotException: " + e.getMessage());  
        }  
    }  
}
```

```
        System.out.println("Invalid email address");
    }
    catch (AtTheRateException e) {
        System.out.println("AtTheRateException: " + e.getMessage());
        System.out.println("Invalid email address");
    }
    catch (DomainException e) {
        System.out.println("DomainException: " + e.getMessage());
        System.out.println("Invalid email address");
    }
}
```

```
public static void validateEmail(String email) throws DotException,
AtTheRateException, DomainException {
```

```
    if (email.startsWith(".")) || email.startsWith("@") || email.endsWith(".") ||  
email.endsWith("@")) {  
        throw new DotException("Invalid Dot usage");  
    }
```

```
    int atCount = 0;  
    for (char c : email.toCharArray()) {  
        if (c == '@') atCount++;  
    }  
    if (atCount != 1) {  
        throw new AtTheRateException("Invalid @ usage");  
    }
```

```
    if (email.contains("..")) || email.contains(" @@ ")) {  
        throw new DotException("Invalid Dot usage");  
    }
```

```
    int atIndex = email.indexOf('@');  
    int dotIndex = email.indexOf('.', atIndex);  
    if (dotIndex == -1) {  
        throw new DotException("Invalid Dot usage");  
    }
```

```
    String domain = email.substring(email.lastIndexOf('.') + 1);
```

```
        if (!(domain.equals("in") || domain.equals("com") || domain.equals("net") ||  
        domain.equals("biz"))){  
            throw new DomainException("Invalid Domain");  
        }  
    }  
}
```

**Status :** Correct

**Marks :** 10/10

# Rajalakshmi Engineering College

Name: VISHRUTHI K S

Email: 241801318@rajalakshmi.edu.in

Roll no: 241801318

Phone: 9791109021

Branch: REC

Department: AI & DS - Section 4

Batch: 2028

Degree: B.E - AI & DS

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 8\_Q2

Attempt : 1

Total Mark : 10

Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Elsa, a busy professional, is using a scheduling application to plan her meetings efficiently. The application requires users to input meeting durations in minutes, ensuring that the duration is a positive integer and does not exceed 240 minutes (4 hours). Elsa needs a program to assist her in scheduling meetings securely with proper exception handling.

Create a Java class named ElsaMeetingScheduler. Implement a custom exception: InvalidDurationException for invalid meeting duration entries. Implement the main method to interactively take user input for a meeting duration. Implement the validateMeetingDuration method to validate the meeting duration based on the specified rules and throw a custom exception if the validation fails. Print appropriate success or error messages based on the meeting duration.

Implement a custom exception, `InvalidDurationException`, to handle cases where the entered meeting duration does not meet the specified criteria.

#### ***Input Format***

The input consists of an integer value '`n`', representing the meeting duration.

#### ***Output Format***

The output is displayed in the following format:

If the entered meeting duration meets the specified criteria, the program outputs  
"Meeting scheduled successfully!"

If the entered meeting duration is invalid, the program outputs an error message indicating the issue.

"Error: Invalid meeting duration. Please enter a positive integer not exceeding 240 minutes (4 hours)."

Refer to the sample output for formatting specifications.

#### ***Sample Test Case***

Input: 120

Output: Meeting scheduled successfully!

#### ***Answer***

```
// You are using Java
import java.util.Scanner;

class InvalidDurationException extends Exception {
    public InvalidDurationException(String message) {
        super(message);
    }
}

class ElsaMeetingScheduler {
    public static void validateMeetingDuration(int duration) throws
```

```
        InvalidDurationException {
            if (duration <= 0 || duration > 240) {
                throw new InvalidDurationException(
                    "Invalid meeting duration. Please enter a positive integer not exceeding
240 minutes (4 hours)."
            );
        }
    }

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();

        try {
            validateMeetingDuration(n);
            System.out.println("Meeting scheduled successfully!");
        } catch (InvalidDurationException e) {
            System.out.println("Error: " + e.getMessage());
        }
    }
}
```

**Status :** Correct

**Marks :** 10/10