

K S VISHRUTHI

241801318

6 .Write a Servlet to demonstrate session tracking using HttpSession. Implement a simple login system where the user's session is tracked.

```
1
2 <!DOCTYPE html>
3 <html>
4 <head>
5 <title>JSP GET & POST Demo</title>
6 <style>
7     body {
8         font-family: Arial, sans-serif;
9         background: linear-gradient(135deg, #4e73df, #1cc88a);
10        margin: 0;
11        padding: 0;
12    }
13
14    .container {
15        max-width: 700px;
16        margin: 50px auto;
17        background: white;
18        padding: 25px;
19        border-radius: 12px;
20        box-shadow: 0 10px 25px rgba(0,0,0,0.2);
21    }
22
23    h2 {
24        color: #4e73df;
25        margin-bottom: 10px;
26    }
27
28    label {
29        font-weight: bold;
30    }
31
32    input {
33        width: 100%;
34        padding: 10px;
35        margin: 8px 0 15px 0;
36        border-radius: 6px;
37        border: 1px solid #ccc;
38    }
39
40
41    button {
42        background: #4e73df;
43        color: white;
44        border: none;
45        padding: 10px 15px;
46        border-radius: 8px;
47        cursor: pointer;
48        font-weight: bold;
49        transition: 0.3s;
50    }
51
52    button:hover {
53        background: #2e59d9;
54    }
55
56    .divider {
57        margin: 30px 0;
58        border-top: 1px solid #ddd;
59    }
60
61    .output {
62        background: #f8f9fc;
63        padding: 15px;
64        border-radius: 8px;
65        margin-top: 15px;
66    }
67
68    .success {
69        color: #1cc88a;
70        font-weight: bold;
71    }
72 </style>
73 </head>
74 <body>
75
76 <div class="container">
77
```

```

<%
    String gname = request.getParameter("gname");
    String gage = request.getParameter("gage");
    String pname = request.getParameter("pname");
    String pageValue = request.getParameter("pageValue");
%>

<% if (gname != null && gage != null) { %>
    <div class="output">
        <p class="success">GET Method Output</p>
        Name: <%= gname %><br>
        Age: <%= gage %>
    </div>
<% } %>

<% if (pname != null && pageValue != null) { %>
    <div class="output">
        <p class="success">POST Method Output</p>
        Name: <%= pname %><br>
        Age: <%= pageValue %>
    </div>
<% } %>
</div>
</body>
</html>

```

OUTPUT:

GET Method Form

Name

Age

Submit using GET

POST Method Form

Name

Age

Submit using POST

Submitted Data

POST Method Output

Name: vishuu
Age: 20

GET Method Output

Name: Vishruthi
Age: 19

