

Phase-4

Event Management App

Description:

Build an Angular app where the admin can view and manage employees.

app.component.html

```
<nav class="navbar navbar-expand-sm bg-light">
  <div class="container-fluid">
    <a class="navbar-brand" routerLink=""><strong>Event Manager</strong></a>

    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav"
      aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
      <div class="navbar-nav">

        <a class="nav-item nav-link" routerLink="add">
          Add Event
        </a>

        <a class="nav-item nav-link" routerLink="update">
          Update Event
        </a>

        <a class="nav-item nav-link" routerLink="">
          List Event
        </a>

        <a class="nav-item nav-link" routerLink="login">
          Login
        </a>

        <a class="nav-item nav-link" routerLink="register">
          Register
        </a>
      </div>
    </div>
  </div>
</nav>

<div class="container">
  <router-outlet></router-outlet>
```

```

<footer>
  <aside class="footer-left">
    <strong>
      <p>Register Your Event with Us, to stay connected!</p>
    </strong>
    <strong>Address: </strong>
    <p>Event Manager, Opposite to National Public School, <br />
      Kengeri, Bengaluru, Karnataka, India - 560060</p>
  </aside>

  <aside class="footer-right">
    <strong>Reach us directly through the below map location!</strong><br/>
    <iframe
      src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3888.77303478
3152!2d77.48679681408944!3d12.922304019456188!2m3!1f0!2f0!3f0!3m2!1i1024!2i768
!4f13.1!3m3!1m2!1s0x3bae3edeb452edb%3A0xe38b8e47f689ba2d!2sNational%20Public%
20School%20Kengeri!5e0!3m2!1sen!2sin!4v1665222955709!5m2!1sen!2sin"
      width="300" height="110" style="border:10;" allowfullscreen=""
loading="faster"
      referrerpolicy="no-referrer-when-downgrade"></iframe>
    </aside>

    <aside class="footer-center">
      <strong>Contact Details: </strong><br />
      <strong>Mobile: </strong>
      <p>7019748596</p>
      <!-- <strong>Landline: </strong>
      <p>08642-260125</p> -->
      <strong>e-mail:</strong><br/>
      <i class="fa fa-envelope" style="font-
size:20px">eventmanger2022@gmail.com</i><br/><br/>
      <p>All rights reserved by
      <i class="fa fa-copyright" style="font-size:16px">Eventmanger2022</i>
      </p>
    </aside>

  </footer>
</div>

```

event.service.ts

```

import { Injectable } from '@angular/core';
import { HttpClient } from '@angular/common/http'

@Injectable({
  providedIn: 'root'
})

```

```

export class EventService {
  url = "http://localhost:3000/event"
  rootUrl = "http://localhost:3000/"
  constructor(private http: HttpClient) { }
  getList()
  {
    return this.http.get(this.url);
  }
  saveEvent(data: any)
  {
    // console.warn("Service", data);
    return this.http.post(this.url,data)
  }
  deleteEvent(id: any){
    return this.http.delete(`${this.url}/${id}`)
  }

  getCurrentEvent(id: any)
  {
    return this.http.get(`${this.url}/${id}`)
  }

  updateEvent(id: any, data: any)
  {
    return this.http.put(`${this.url}/${id}`,data)
  }

  registerUser(data: any){
    return this.http.post(this.rootUrl+ "Users", data);
  }

  loginUser(data: any){
    return this.http.get(this.rootUrl+ "Users", data);
  }
}

```

add-event.component.html

```

<h1>Add New Event</h1>

<div *ngIf="alert" class="alert alert-success alert-dismissible fade show"
role="alert">
  <strong>Success!</strong> Your data has been entered successfully!
  <button (click)="closeAlert()" type="button" class="close" data-
dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
  </button>

```

```

</div>

<form [formGroup]="addEvent" (ngSubmit)="collectEvent()">
  <div class="form-group">
    <label>Name</label>
    <input type="text" class="form-control" placeholder="Enter Name"
formControlName = "name">
  </div>

  <div class="form-group">
    <label>email</label>
    <input type="email" class="form-control" placeholder="Enter Mail
Address" formControlName="email">
  </div>

  <div class="form-group">
    <label>Address</label>
    <input type="text" class="form-control" placeholder="Enter Address"
formControlName="address">
  </div><br/>

  <button type="submit" class="btn btn-primary">Submit</button>
</form>

```

add-event.component.ts

```

import { Component, OnInit } from '@angular/core';
import { FormGroup, FormControl } from '@angular/forms';
import { EventService } from '../event.service';

@Component({
  selector: 'app-add-event',
  templateUrl: './add-event.component.html',
  styleUrls: ['./add-event.component.css']
})
export class AddEventComponent implements OnInit {
  alert:boolean = false

  addEvent = new FormGroup({
    name: new FormControl(''),
    email: new FormControl(''),
    address: new FormControl(''),
  })
  constructor(private event:EventService) { }

  ngOnInit(): void {
  }
}

```

```

collectEvent()
{
  this.event.saveEvent(this.addEvent.value).subscribe((result) =>{
    this.alert=true
    this.addEvent.reset({})
  })
}

closeAlert()
{
  this.alert=false
}
}

```

list-event.component.ts

```

import { Component, NgModule, OnInit } from '@angular/core';
import { EventService } from '../event.service';

@Component({
  selector: 'app-list-event',
  templateUrl: './list-event.component.html',
  styleUrls: ['./list-event.component.css']
})
export class ListEventComponent implements OnInit {

  constructor(private event:EventService) { }
  collection: any = {};

  ngOnInit(): void {
    this.event.getList().subscribe((result: any) => {
      console.warn(result)
      this.collection = result
    })
  }

  deleteEvent(item: any){
    this.collection.splice(item-0, 1)

    this.event.deleteEvent(item).subscribe((result) => {
      console.warn("result", result);
    })
  }
}

```

login-event.component.ts

```
import { Component, OnInit } from '@angular/core';
import { FormGroup, FormControl } from '@angular/forms';
import { EventService } from '../event.service';

@Component({
  selector: 'app-login-event',
  templateUrl: './login-event.component.html',
  styleUrls: ['./login-event.component.css']
})
export class LoginEventComponent implements OnInit {
  alert:boolean = false
  login = new FormGroup({
    email: new FormControl(''),
    password: new FormControl(''),
  })

  constructor(private event:EventService) { }

  ngOnInit(): void {
  }

  collection(){
    console.warn(this.login.value)
    this.event.loginUser(this.login.value).subscribe((result)=> {
      this.alert = true
      console.warn("result", result)
    } )
  }

  closeAlert(){
    this.alert = false
  }
}
```

register-event.component.ts

```
import { Component, OnInit } from '@angular/core';
import { FormGroup, FormControl } from '@angular/forms';
import { EventService } from '../event.service';

@Component({
  selector: 'app-register-event',
  templateUrl: './register-event.component.html',
  styleUrls: ['./register-event.component.css']
})
```

```

export class RegisterEventComponent implements OnInit {
  alert:boolean = false
  register = new FormGroup({
    name: new FormControl(''),
    email: new FormControl(''),
    password: new FormControl(''),
  })

  constructor(private event:EventService) { }

  ngOnInit(): void {
  }

  collection(){
    console.warn(this.register.value)
    this.event.registerUser(this.register.value).subscribe((result) => {
      this.alert = true
      console.warn("result", result)
    })
  }

  closeAlert() {
    this.alert = false
  }
}

```

update-event.component.ts

```

import { Component, OnInit } from '@angular/core';
import { FormGroup, FormControl } from '@angular/forms';
// import { EventService } from '../event.service';
import { ActivatedRoute } from '@angular/router';
import { EventService } from '../event.service';

@Component({
  selector: 'app-update-event',
  templateUrl: './update-event.component.html',
  styleUrls: ['./update-event.component.css']
})
export class UpdateEventComponent implements OnInit {
  alert:boolean = false;
  editEvent = new FormGroup({
    name: new FormControl(''),
    email: new FormControl(''),
    address: new FormControl(''),
  })
}

```

```

constructor(private router: ActivatedRoute, private event:EventService) {
}

ngOnInit(): void {
  console.warn(this.router.snapshot.params['id']);
  this.event.getCurrentEvent(this.router.snapshot.params['id']).
  subscribe((result: any) =>
  {
    this.editEvent = new FormGroup({
      name: new FormControl(result['name']),
      email: new FormControl(result['email']),
      address: new FormControl(result['address']),
    })
  })
}

collection()
{
  console.warn(this.editEvent.value);
  this.event.updateEvent(this.router.snapshot.params['id'],
this.editEvent.value).subscribe((result) =>
  this.alert=true
  )
}
closeAlert() {
  this.alert=false
}
}

```

app-routing.module.ts

```

import { NgModule } from '@angular/core';
import { RouterModule, Routes } from '@angular/router';
import { AddEventComponent } from './add-event/add-event.component';
import { ListEventComponent } from './list-event/list-event.component';
import { LoginEventComponent } from './login-event/login-event.component';
import { RegisterEventComponent } from './register-event/register-
event.component';
import { UpdateEventComponent } from './update-event/update-event.component';

const routes: Routes = [
  {
    component: AddEventComponent,
    path: 'add'
  },

  {

```



```

        component: LoginComponent,
        path: 'login'
    },

    {
        component: UpdateEventComponent,
        path: 'update/:id'
    },

    {
        component: RegisterEventComponent,
        path: 'register'
    },

    {
        component: ListEventComponent,
        path: ''
    }
];

@NgModule({
  imports: [RouterModule.forRoot(routes)],
  exports: [RouterModule]
})
export class AppRoutingModule { }

```

app.component.html

```

<nav class="navbar navbar-expand-sm bg-light">
  <div class="container-fluid">
    <a class="navbar-brand" routerLink=""><strong>Event Manager</strong></a>

    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarNav"
    aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
      <div class="navbar-nav">

        <a class="nav-item nav-link" routerLink="add">
          Add Event
        </a>

        <a class="nav-item nav-link" routerLink="update">

```

```

        Update Event
    </a>

    <a class="nav-item nav-link" routerLink="">
        List Event
    </a>

    <a class="nav-item nav-link" routerLink="login">
        Login
    </a>

    <a class="nav-item nav-link" routerLink="register">
        Register
    </a>
</div>
</div>
</div>
</nav>

<div class="container">
    <router-outlet></router-outlet>

    <footer>
        <aside class="footer-left">
            <strong>
                <p>Register Your Event with Us, to stay connected!</p>
            </strong>
            <strong>Address: </strong>
            <p>Event Manager, Opposite to National Public School, <br />
                Kengeri, Bengaluru, Karnataka, India - 560060</p>
        </aside>

        <aside class="footer-right">
            <strong>Reach us directly through the below map location!</strong><br/>
            <iframe
                src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3888.77303478
3152!2d77.48679681408944!3d12.922304019456188!2m3!1f0!2f0!3f0!3m2!1i1024!2i768
!4f13.1!3m3!1m2!1s0x3bae3edeb452e2db%3A0xe38b8e47f689ba2d!2sNational%20Public%
20School%20Kengeri!5e0!3m2!1sen!2sin!4v1665222955709!5m2!1sen!2sin"
                width="300" height="110" style="border:10;" allowfullscreen=""
loading="faster"
                referrerpolicy="no-referrer-when-downgrade"></iframe>
            </aside>

            <aside class="footer-center">
                <strong>Contact Details: </strong><br />
                <strong>Mobile: </strong>
                <p>7019748596</p>
            </aside>
        </footer>
    </div>

```

```

        <!-- <strong>Landline: </strong>
        <p>08642-260125</p> -->
        <strong>e-mail:</strong><br/>
        <i class="fa fa-envelope" style="font-size:20px">eventmanger2022@gmail.com</i><br/><br/>
        <p>All rights reserved by
        <i class="fa fa-copyright" style="font-size:16px">Eventmanger2022</i>
        </p>
    </aside>

</footer>
</div>

```

app.component.ts

```

import { Component } from '@angular/core';

@Component({
  selector: 'app-root',
  templateUrl: './app.component.html',
  styleUrls: ['./app.component.css']
})
export class AppComponent {
  title = 'Event_Manager';
}

```

app.module.ts

```

import { NgModule } from '@angular/core';
import { BrowserModule } from '@angular/platform-browser';

import { AppRoutingModule } from './app-routing.module';
import { AppComponent } from './app.component';
import { AddEventComponent } from './add-event/add-event.component';
import { UpdateEventComponent } from './update-event/update-event.component';
import { HttpClientModule } from '@angular/common/http';
import { ListEventComponent } from './list-event/list-event.component';
import { LoginEventComponent } from './login-event/login-event.component';
import { RegisterEventComponent } from './register-event/register-event.component';
import { ReactiveFormsModule } from '@angular/forms';

@NgModule({
  declarations: [
    AppComponent,
    AddEventComponent,

```

```
        UpdateEventComponent,  
        ListEventComponent,  
        LoginEventComponent,  
        RegisterEventComponent  
    ],  
    imports: [  
        BrowserModule,  
        HttpClientModule,  
        AppRoutingModule,  
        ReactiveFormsModule  
    ],  
    providers: [],  
    bootstrap: [AppComponent]  
})  
export class AppModule {}
```