

WESTERN REFRIGERATION PVT. LTD.

Codebase Structure

Product: WRL Portal

Version: 1.0 draft

Date: 2026-09-02

Production: <https://wrl-dashboard.vercel.app>

Internal — Handover Documentation

Status: Ready (repo-generated from `docs/CODEBASE_STRUCTURE.md`).

Codebase structure

Snapshot of the repo layout after **module-first** migration
(re-scanned 2026-09-01 — all 18 product modules documented).

Runtime app lives under `src/`. Non-runtime archives sit in `dump/` (gitignored).
Module-first: all product domains live in `src/modules/<name>/`. `src/features/` is empty. Platform infra stays in `src/lib/` until a later bulk rename to `src/shared/`. `src/app/` is a URL → module mapper only.

Top level

```
fast-close-app/
├─ src/                # Application (Next.js App Router)
├─ scripts/            # Ops, audits, VPS, CRM mirror, apply-schema
├─ docs/               # Living docs + versioned SQL schema chunks
├─ dump/               # Local non-runtime junk/archives (gitignored)
├─ prisma/             # Prisma schema + migrations
├─ public/             # Static assets
├─ exports/            # Empty writer target (generated CSVs → often dumped)
├─ logs/               # Empty writer target (sync/perf logs)
├─ .github/workflows/ci.yml
├─ package.json
├─ next.config.ts
├─ vitest.config.ts
├─ eslint.config.mjs
├─ tsconfig.json
├─ prisma.config.ts
├─ AGENTS.md / CLAUDE.md
└─ README.md
```

Local-only (not for commit): `.env*`, `.next/`, `node_modules/`, `.cache/`, `.vercel/`, `dump/`.

src/ — application

```
src/
├─ app/           # Next.js routes only (thin URL → module mapper)
├─ modules/       # Product domains (module-first)
├─ sql/           # Central SQL builders / query leaves (by domain)
├─ features/      # Empty (legacy placeholder; do not add code)
├─ components/    # Cross-page chrome / UI kit (temporary until shared/ui)
├─ lib/           # Platform infra (auth, db, supabase, read-model shell, ...)
├─ shared/        # Placeholder – bulk lib → shared rename deferred
└─ hooks/         # Cross-cutting React hooks (e.g. usePageAlert)
```

Report filters context: `modules/mis/components/ReportFiltersContext.tsx` . Theme tokens live in `app/globals.css` `@theme` (no `src/styles/`).

Import conventions

From	Import
App / other domains (client-safe)	<code>@/modules/<name></code> (<code>index.ts</code> where present)
Same module internals	<code>deep @/modules/<name>/...</code>
SQL builders	<code>@/sql/<domain>/...</code>
MIS download helpers	<code>@/modules/mis/download</code>
MIS client-import server	<code>@/modules/mis/client-import/server</code>
Infra	<code>@/lib/...</code>

Gate: `npm run check:feature-boundaries` (also in CI + husky pre-commit).

- **Hard:** retired `@/features/<old-domain>` paths; retired `@/lib/arcp` , `@/lib/read-model/arcp` , `@/lib/performance` , `@/lib/call-{display,register,row,status}` (use `@/lib/call/...`); `src/lib` → `@/features` ; `shared` → `features/modules`.
- **Hard (STRICT):** deep cross-module imports into non-UI segments.
- **Soft:** `components` → `modules`; `lib` → `@/modules` (orchestrators).
- `src/shared/` is empty of code; platform stays in `src/lib/*` until rename.
- `src/app/api` : thin re-exports only — handler bodies live in `modules/*/server/routes` .

src/modules/ — product domains

```
src/modules/<name>/
├─ pages/           # Page-level UI
├─ components/      # React UI pieces
├─ services/        # Domain logic (when present)
├─ server/          # Loaders + API route bodies
│   └─ routes/      # Bodies re-exported by src/app/api/...
│   └─ sync/        # Optional worker/sync leaves
├─ hooks/ | lib/ | constants/ | register/ | client-import/ # as needed
└─ index.ts         # Public barrel when useful
```

Module	Role
mis	MIS Reports + register + client import
arcp-claims	ARCP claims UI + load + hot sync
distribution	Call distribution
serial-audit	Serial wise history
location-audit	Location audit
warranty-master	Warranty master
mis-email	MIS email + major repair alerts
users	User management
roles	Roles & access
performance	Performance insights
security-audit	Security audit UI
cancelled-calls	Cancelled call register (Postgres) + digest Excel export
athena-reconciliation	Athena failed-calls report (query/CSV in server/ ; CRM ingest in lib/read-model/athena-reconciliation)
attendance	Service call activity admin report (manage_users ; SQL in @/sql/attendance)
subcontractor-stock	SAP vs CRM stock reconciliation + Mail & Alerts settings tab

Module	Role
auth	Sign-in / sign-out / me / password-reset API
calls	Call-by-id / comments / flags / offices API
sync	Read-model status + VPS cron API

Each module has a `README.md` at `src/modules/<name>/README.md` (MIS sub-leaves: `mis/register/` , `mis/client-import/`). System-wide design: [docs/ARCHITECTURE.md](#) .

`src/features/`

Empty placeholder — see `src/features/README.md` . Do not add domain code here.

`src/app/` — routes

```
src/app/
├─ login / forgot-password / reset-password / profile
├─ admin/                # Thin pages → @/modules/{users,roles,performance,security-audit,mis
├─ calls/
├─ report/               # Thin pages → @/modules/{mis,arcp-claims,distribution,...}
└─ api/                  # Thin re-exports → @/modules/*/server/routes
```

Pages stay thin; domain work is imported from `@/modules/...` .

`src/lib/` — shared infrastructure

```
src/lib/
├─ auth/                 # Session, RBAC, avatar URLs, password mail
├─ supabase/             # Browser/server clients; admin is server-only
├─ db/                   # Prisma + CRM postQuery proxy
├─ read-model/           # Hot-table sync worker shell (CLI/nightly; domain sync in modules/*/server/
├─ call/                 # Nested call helpers (display/register/row/status)
├─ dates/ aging/ summary/ mail/ serial/ crm/ geo/ net/ security/ ui/ utils/ ...
└─ api/schemas/         # Shared API zod (where present)
```

SQL builders live in `src/sql/` (not under `lib/`). See `src/sql/README.md`.

API rule: Next discovers routes only under `src/app/api/**/route.ts`. Those files are one-line re-exports. All handler logic lives in `src/modules/<name>/server/routes/`.

`src/components/` — chrome / kit

```
src/components/
├─ layout/           # Dashboard shell, nav
├─ ui/              # Shared primitives (alerts, scroll, ...)
├─ calls/           # Call detail dialog, etc.
├─ admin/ settings/ theme/ motion/ performance/ shared/
└─ README.md
```

(`settings/` holds cross-cutting chrome like `ThemePicker`; domain settings UI such as MIS email composer lives under `modules/mis-email/components/`.)


`docs/`

```
docs/
├─ ARCHITECTURE.md      # System design – start here (module map, diagrams, RBAC)
├─ CODEBASE_STRUCTURE.md # This file – repo layout + module index
├─ REMEDIATION_ROADMAP.md # Living remediation + feature-layout board
├─ SUPABASE_SETUP.md / sync.md / crm-mirror-sync.md / ui-patterns.md / ...
├─ diagrams/           # 20 Mermaid + PNG pairs (source of truth: ARCHITECTURE.md §1-§11)
│   ├─ 01-system-workflow.*
│   ├─ 02-1 ... 02-12 sequence flows (auth, MIS, email, ARCP, cancelled, Athena, ...)
│   ├─ 06-deployment-infrastructure.*
│   ├─ 07-etl-data-flow.*
│   ├─ 08-background-jobs-*. *
│   ├─ 09-key-tables-erd.*
│   ├─ 10-rbac-decision-flow.*
│   └─ 11-failure-degradation-paths.*
│   Regenerate: `node scripts/ops/export-mermaid-diagrams.mjs`
├─ read-model-phase1-*.md # Read-model cutover / worker specs
├─ read-model-phase1-schema/ # Versioned SQL chunks
├─ old-crm-schema/
├─ WesternCRM Schema Architect.txt # Legacy CRM schema notes
├─ WesternCRM_Schema_Blueprint.sql
└─ app-users-*.sql / drop-report-preferences.sql / ...
```

scripts/

```
scripts/
├─ db/           # Schema apply helpers (`npm run db:apply-*`)
├─ quality/      # `check:feature-boundaries`, performance-log analyze, push notify
├─ ops/          # One-off probes, exports, mail-relay test
├─ vps-hosting/  # Deploy, sync-worker, mis-email, upload, mail relay
├─ mis-client/   # MIS import investigation / seed helpers
├─ crm_mirror/ + crm_mirror_sync.py
├─ ci/
└─ rbac/
```

Data / deploy sketch



Hot tables are **server SQL only**; PostgREST roles revoked (`21-revoke-hot-anon.sql`).

Quick “where do I change X?”

Want to change...	Look in...
MIS report tabs / filters UI	src/modules/mis/
Call register	src/modules/mis/register/

Want to change...	Look in...
Client Excel/CSV import	<code>src/modules/mis/client-import/</code>
ARCP claims	<code>src/modules/arcp-claims/</code>
Call distribution	<code>src/modules/distribution/</code>
Serial wise history	<code>src/modules/serial-audit/</code>
Location audit	<code>src/modules/location-audit/</code>
Warranty master	<code>src/modules/warranty-master/</code>
Mail & alerts (send transport + digests)	<code>src/modules/mis-email/services/send.ts</code> , <code>src/modules/mis-email/</code>
Users / roles	<code>src/modules/users/</code> , <code>src/modules/roles/</code>
Performance insights	<code>src/modules/performance/</code>
Security audit	<code>src/modules/security-audit/</code>
Cancelled calls register	<code>src/modules/cancelled-calls/</code>
Athena failed-calls reconciliation	<code>src/modules/athena-reconciliation/</code> (+ <code>src/lib/read-model/athena-reconciliation/</code>)
Service call activity (admin)	<code>src/modules/attendance/</code> , <code>src/app/admin/attendance/</code>
Subcontractor stock reconciliation	<code>src/modules/subcontractor-stock/</code> (Mail & Alerts tab)
Nightly hot sync	<code>src/lib/read-model/</code> (+ <code>modules/*/server/sync/</code>)
Auth / RBAC	<code>src/lib/auth/</code> , <code>src/lib/supabase/</code>
Route URL / API surface	<code>src/app/...</code> (thin)
VPS deploy / workers	<code>scripts/vps-hosting/</code>
Schema migrations (read model)	<code>docs/read-model-phase1-schema/</code>